





B

B




BOTTOM VIEW

MOUNTING SCREW LOCATION FOLLOWS
DIE BLOCK SCREW LOCATION (SEE SHEET 2)

A

A



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
<INSERT COMPANY NAME HERE>. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
<INSERT COMPANY NAME HERE> IS
PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	TITLE: DIE ASY			
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN						
			CHECKED						
			ENG APPR.						
			MFG APPR.						
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.			SIZE DWG. NO. REV B ASY002			
		MATERIAL	COMMENTS:						
		FINISH							
	NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:4		WEIGHT:	SHEET 1 OF 2

4

3

2





1

B

B

A

A



NOTES:

ALL DIE BLOCKS 15/16" THICKNESS

DIE BLOCK LENGTH AND WIDTH THE SAME

DIE BLOCKS HAVE SAME DOWEL HOLE AND THREADED HOLE TYPE AND PLACEMENT

REFER TO STRIPPER DRAWING FOR HOLE PUNCH

DIE CUTOUTS ARE 0.125" BIGGER TO ALLOW FOR DIE CLEARENCE

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <INSERT COMPANY NAME HERE>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <INSERT COMPANY NAME HERE> IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	TITLE: <div>DIE BLOCKS</div>			
		DIMENSIONS ARE IN INCHES	DRAWN						
		TOLERANCES: FRACTIONAL ±	CHECKED						
		ANGULAR: MACH ± BEND ±	ENG APPR.						
		TWO PLACE DECIMAL ±	MFG APPR.						
		THREE PLACE DECIMAL ±	Q.A.			SIZE DWG. NO. REV <div>B ASY002</div>			
		INTERPRET GEOMETRIC TOLERANCING PER:	COMMENTS:						
		MATERIAL							
		FINISH							
NEXT ASSY	USED ON								
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:2		WEIGHT:	SHEET 2 OF 2

4

3

2

1