Q1: Write a query to display the Full name only those employees whose first name start with 'S' character.

Employee_id	Full Name	Salary	Hire_date
100	S.King	24000	6/17/2003
116	S.Baida	2900	12/24/2005
117	S.Tobias	2800	7/24/2005
123	S.Vollman	6500	10/10/2005
128	S.Markle	2200	3/8/2008
138	S.Stiles	3200	10/26/2005
161	S.Sewall	7000	11/3/2006

```
SELECT employee_id,(substr(first_name,1,1))||'.'||last_name Full_Name,salary,hire_date
FROM employees
WHERE first_name like 'S%';
```

Q2. Find the highest, lowest, sum, and average salary of all employees. Label the columns `Maximum` ,`Minimum`, `Sum`, and `Average`, respectively. Round your results to the nearest whole number.

```
SELECT round(max(salary)) highest,
round(min(salary)) lowest,
round(sum(salary)) sum,
round(avg(salary)) avg
FROM employees;
```

Q3. Display following output .

Employee Details

King earns $24,000.00 monthly but wants $72,000.00.
Kochhar earns $20,000.00 monthly but wants $60,000.00.
De Haan earns $17,000.00 monthly but wants $51,000.00.
Hunold earns $9,000.00 monthly but wants $27,000.00.
Ernst earns $6,000.00 monthly but wants $18,000.00.
Austin earns $4,800.00 monthly but wants $14,400.00.

```
SELECT last_name||' '||'earns'||to_char(salary,'$99999.00')||' '||'but wants'||'
'||(to_char(salary*3,'$99999.00'))
FROM employees;
```

Q4. Determine the number of managers without listing them. Label the column Number of Managers Hint: Use the MANAGER_ID column to determine the number of managers.

```
SELECT count(manager_id) number_of_managers

FROM employees;
```

Q5. Find the difference between the highest and lowest salaries. Label the column DIFFERENCE

```
SELECT max(salary)-min(salary) difference

FROM employees;
```

Q6. Display how many employees joined in each month
Hint: Grouping by month and count the employees .use TO_CHAR functions also

```
SELECT to_char(hire_date,'Month')month,count(employee_id)
FROM employees
group by to_char(hire_date,'Month')
order by month;
```

Q7. Display employee id , full name of employees and their hire date only those employees that has greater than 10 year experience in company.

```
SELECT employee_id,first_name||' '||last_name Full_name,hire_date
FROM employees
WHERE (to_char(hire_date)<sysdate-365*10);
```

Q8. Write a query to multipley salary to commission and calculate the average salary of employees.
Hint: Commission column contain null values

Q9.Write a query to display department_id and number of manager under the particular department exclude the null department.
Hint: Grouping on department id

```
SELECT department_id,count(manager_id)
FROM departments
WHERE department_id is not null
group by department_id;
```

Q10.Display job title and number of employees working those job and number of manager they perform job.

Job Title	Employees	Managers
Accountant	5	1
Accounting Manager	1	1
Administration Assistant	1	1
Administration Vice President	2	1
Finance Manager	1	1
Human Resources Representative	1	1
Marketing Manager	1	1
Sales Representative	30	5
Shipping Clerk	20	5
Stock Clerk	20	5

```
SELECT count(employee_id),count(manager_id),j.job_title
FROM employees e,jobs j
WHERE e.job_id=j.job_id and manager_id is not null
group by j.job_title;
```

Q11. Display employee full name and pad both side asterisk sing 10 time . Example

Employee Details
**********Ellen Abel**********
**********Sundar Ande**********
**********Mozhe Atkinson**********
**********David Austin**********
**********Hermann Baer**********
**********Shelli Baida**********
**********Amit Banda**********
**********Elizabeth Bates**********

Q12. Display following output. (Hint: Use Months_between Function)

Employee Id	Last _name	Weeks	Months	Year
100	King	24	166	14
101	Kochhar	20	139	12
102	De Haan	28	195	16
103	Hunold	19	136	11
104	Ernst	17	119	10
105	Austin	20	142	12

```
SELECT
employee_id,last_name,hire_date,round(months_between(sysdate,hire_date)/7) weeks,

round(months_between(sysdate,hire_date)) months,
```

```
round(months_between(sysdate,hire_date)/12) years
FROM employees;
```