

Contents

Brikk - Launch Day Master Checklist	1
SECTION 1: MANUAL TASKS (do these yourself)	1
Block A – Push & deploy (5 min)	1
Block B – Vercel environment variables (15 min)	2
Block C – Supabase configuration (10 min)	2
Block D – Resend cleanup (10 min)	3
Block E – DNS (10 min)	3
Block F – Stripe key rotation (5 min)	4
Block G – Real-device tests (10 min)	4
SECTION 2: BOT TASKS	4
Bot Task 1: Verify all Vercel env vars are present (10 min)	4
Bot Task 2: Full pre-launch verification sweep (60 min)	5
Bot Task 3: Test the signup -> confirm email flow (10 min)	6
Bot Task 4: Stripe webhook smoke test (5 min)	7
Bot Task 5: Resend deliverability check (10 min)	7
Bot Task 6: Customer Portal smoke test (after subscription) (10 min)	8
Bot Task 7: Cross-browser visual smoke test (15 min)	9
Bot Task 8: Lighthouse audit (10 min)	9
Bot Task 9: Final go/no-go report (5 min)	10
SECTION 3: GO/NO-GO GATES (you do these personally)	11
Block H – Full happy path (15 min)	11
Block I – Marketing readiness (10 min)	12
Block J – Final sign-off (5 min)	12
Post-launch tracking (week 1)	12
If something breaks at launch	13

Brikk - Launch Day Master Checklist

Single document for finishing Brikk’s pre-launch work. Three sections:

1. **MANUAL TASKS** – you must do these yourself (dashboards, DNS, credentials)
2. **BOT TASKS** – copy-paste prompts into Claude in Chrome to run hands-free
3. **GO/NO-GO GATES** – final verifications before announcing

Work top-down. Each task has a checkbox, an estimated time, and a clear “done when” criterion.

SECTION 1: MANUAL TASKS (do these yourself)

These require credentials, dashboard access, or judgment calls a bot can’t make. Total time: ~75-90 min spread across pauses for verification.

Block A – Push & deploy (5 min)

[] A1. Push the current branch to GitHub

Open Terminal, navigate to C:\Users\Henry\OneDrive\Documents\GitHub\brikk-store, run:

```
git add .
```

```
git commit -m "Pre-launch: Stripe v2, audit fixes, sticky nav, responsive fixes, viewport relax"
git push
```

Done when: GitHub shows the latest commit on the main branch and Vercel starts a fresh build.

Block B – Vercel environment variables (15 min)

All go in Vercel -> Brikk project -> Settings -> Environment Variables. Add or edit, never delete.

[] B1. CRON_SECRET

- Generate 32+ char random string at <https://1password.com/password-generator>
- Key: CRON_SECRET, Value: paste, Environments: Production + Preview
- **Save the value in your password manager.**

[] B2. STRIPE_WEBHOOK_SECRET

- Source: Stripe Dashboard -> Developers -> Webhooks -> “Brikk production webhook” -> Reveal signing secret
- Format: whsec_...
- Environment: Production only

[] B3. STRIPE_SECRET_KEY (restricted)

- Stripe -> Developers -> API keys -> + **Create restricted key**
- Name: brikk-vercel-prod
- Scopes: Checkout Sessions Write - Customers Write - Subscriptions Write - Customer Portal Write - Prices Read - Products Read - Invoices Read - Setup Intents Write - everything else None
- Copy the rk_live_... value
- Vercel -> Add STRIPE_SECRET_KEY -> Production

[] B4. NEXT_PUBLIC_APP_URL

- Value: <https://brikk.store>
- Environments: Production + Preview + Development

[] B5. APPLE_PAY_DOMAIN_ASSOCIATION (waits for Nathan)

- Source: Nathan sends after he completes Stripe Apple Pay setup
- Value: paste the entire single-line string exactly, no whitespace
- Environment: Production only

[] B6. Redeploy

- Vercel -> Deployments -> most recent -> ... -> **Redeploy**
- Uncheck “Use existing Build Cache”
- Wait for green build

Done when: Build is green. Visit brikk.store and confirm sticky nav + 14 Days CTA appear.

Block C – Supabase configuration (10 min)

[] C1. Run the realtime SQL

Open Supabase -> SQL Editor -> New Query. Paste:

```
DO $$
BEGIN
  BEGIN ALTER PUBLICATION supabase_realtime ADD TABLE public.leads;
  EXCEPTION WHEN duplicate_object THEN NULL; END;
  BEGIN ALTER PUBLICATION supabase_realtime ADD TABLE public.messages;
  EXCEPTION WHEN duplicate_object THEN NULL; END;
END $$;
```

```
SELECT schemaname, tablename FROM pg_publication_tables
WHERE pubname='supabase_realtime' ORDER BY tablename;
```

Click Run. Results table at bottom should show leads and messages.

[] C2. Set Site URL

- Supabase -> Authentication -> URL Configuration
- Site URL: <https://brikk.store>
- Additional Redirect URLs: include <https://brikk.store/auth/callback>

[] C3. Update SMTP Sender email

- Supabase -> Authentication -> Emails -> SMTP Settings
- Sender email: hello@brikk.store (was noreply@brikk.store)
- Sender name: Brikk

Block D – Resend cleanup (10 min)

[] D1. Generate a fresh Sending-scope key

- Resend -> API Keys -> Create API Key
- Name: Brikk Supabase SMTP v2
- Scope: **Sending access** (NOT Full)
- Copy the value (only shown once)

[] D2. Paste into Supabase SMTP password

- Supabase -> Auth -> Emails -> SMTP Settings -> Password field -> paste -> Save

[] D3. Test signup

- Incognito -> brikk.store/login -> Sign up with henry+launchtest@gmail.com
- Confirmation email should arrive within 30s from Brikk <hello@brikk.store>
- Resend -> Logs -> confirm Brikk Supabase SMTP v2 is what fired

[] D4. Tell the bot to clean up old keys

Open the Claude in Chrome bot session that's still waiting on your “approved” reply, type:

approved 2026-05-20 -- verified new SMTP key is live, also revoke old Brikk Supabase SMTP

[] D5. Fix the misspelling

Resend -> API Keys -> Brikk Vercel Transacrctional -> rename -> Brikk Vercel Transactional

[] D6. End state check

Exactly 2 Resend keys, both Sending-scope: - Brikk Supabase SMTP v2 -> wired into Supabase Auth SMTP password - Brikk Vercel Transactional -> wired into Vercel RESEND_API_KEY

Block E – DNS (10 min)

[] E1. Publish DMARC TXT record

Log into your DNS provider (wherever brikk.store is registered), add a TXT record: - Type: TXT - Name/Host: `_dmarc` - Value: `v=DMARC1; p=none; rua=mailto:dmarc@brikk.store` - TTL: 1 hour or auto

[] E2. Verify DMARC

- Wait 30 minutes for DNS propagation
- Test at <https://dmarcian.com/dmarc-inspector/> – enter brikk.store
- Should return a valid DMARC record

[] **E3. Set up hello@brikk.store inbound forwarding**

- Free option: `https://improvmx.com -> add brikk.store -> forward hello@brikk.store -> hmdesrosier@gmail.com`
- Test: from your phone, email hello@brikk.store. Should arrive in Gmail.

Block F – Stripe key rotation (5 min)[] **F1. Roll the old unrestricted Stripe key**

- Stripe -> Developers -> API keys
- Find the OLD `sk_live_...wmZB` (created Apr 13)
- ... -> **Roll key**
- Confirm. This invalidates the old unrestricted key permanently.

Done when: the old `sk_live_` is no longer usable. Only your new restricted `rk_live_brikk-vercel-prod` remains active.

Block G – Real-device tests (10 min)

These can't be done in DevTools – you need actual hardware.

[] **G1. iPhone Apple Pay button check**

- Open `brikk.store` in Safari on a real iPhone (not simulator, not Chrome)
- Sign in to a throwaway account, go to `/app/upgrade`
- Apple Pay button should appear above credit card form
- If missing: re-check Stripe Apple Pay domain verification + `APPLE_PAY_DOMAIN_ASSOCIATION` env var

[] **G2. Android Chrome smoke test**

- Open `brikk.store` on Android Chrome
- Add to home screen – confirm Brikk icon appears (new two-brick mark, not old “B”)
- Tap icon, app opens full-screen
- 8-tab bottom bar visible, voice button visible, scrolling smooth

SECTION 2: BOT TASKS

Copy-paste each prompt below into a Claude in Chrome session. The bot runs each task while you do something else. **Don't paste passwords into the bot – it has safety rules to refuse them.** Run these in order – later bots assume earlier ones succeeded.

Bot Task 1: Verify all Vercel env vars are present (10 min)

Run this AFTER Block B is complete. The bot reads the Vercel env vars list and confirms each required key exists.

Mission: Audit Vercel environment variables for Brikk and confirm each required key exists in Production.

Safety rules:

- Don't click "Reveal" on any value. Only confirm presence, not contents.
- Don't add, edit, or delete anything.
- If a login screen appears, stop and tell Henry to sign in manually.

Open `vercel.com` -> Brikk project -> Settings -> Environment Variables. Manually scroll the entire list (d

Required keys:

- NEXT_PUBLIC_SUPABASE_URL
- NEXT_PUBLIC_SUPABASE_ANON_KEY
- SUPABASE_SERVICE_ROLE_KEY
- ANTHROPIC_API_KEY
- RESEND_API_KEY
- STRIPE_SECRET_KEY
- STRIPE_WEBHOOK_SECRET
- NEXT_PUBLIC_APP_URL
- CRON_SECRET
- APPLE_PAY_DOMAIN_ASSOCIATION

Optional (don't fail if missing):

- STRIPE_ENABLE_TAX
- RESEND_FROM_DOMAIN

Report in this format:

```
VERCEL ENV VAR AUDIT -- [timestamp]
PRESENT (Production):
- KEY_NAME -- Prod/Preview/Dev -- Shared or Project
MISSING:
- KEY_NAME -- [criticality: blocks launch / degrades feature X]
NOTES:
- Anything unusual (extra variables, stale ones, naming inconsistencies)
```

Keep report under 250 words.

Bot Task 2: Full pre-launch verification sweep (60 min)

Run this AFTER Block A (deploy) is green. This is the master verification – runs all the audit re-checks, LiveDemo tests, responsive checks, perf checks, DMARC check, and produces a single readable report.

Mission: Pre-launch verification sweep for brikk.store. ~60 minutes. Produce one consolidated report.

Safety rules:

- Read-only. Don't sign up new accounts (burns inbox slots), don't enter payment info, don't type passwords.
- Stay on brikk.store, dmarcian.com, mxtoolbox.com.
- Take screenshots only of public pages.

Phase 1 -- Deploy freshness (5 min): Open brikk.store. View source. Confirm: hero CTA says "Get 14 Days Free"

Phase 2 -- Audit re-verify (15 min): Run all 14 items from the AUDIT-RESPONSE.md verification table. Mark

Phase 3 -- LiveDemo (10 min): Scroll to the demo embed. Click all 8 tabs in order. Confirm each renders w

- Today: pulsing green "1 new lead - 12 min ago" pill
- Copilot: cards show "Send via Messages" + "Send via Email" + "Edit"
- Leads: at least one row has red "YOUR TURN" badge
- Voice: recording indicator + 3 action cards + "Approve all"
- Chats: "Reply with AI *" pill + 3 quick-reply chips
- ROI: 4 metric cards + AI Insight callout

Phase 4 -- Responsive (10 min): DevTools -> device toolbar. Test at 375px, 768px, 1316px. Scroll top to b

Phase 5 -- Perf (5 min): Hard reload (Cmd+Shift+R / Ctrl+Shift+R). Network tab -> note DOMContentLoaded, L

Phase 6 -- DMARC/DNS (5 min): Visit dmarcian.com/dmarc-inspector with brikk.store. Note DMARC presence +

Phase 7 -- Final report. Format:

=== BRIKK PRE-LAUNCH VERIFICATION REPORT ===

Run date:

Verified by: Claude in Chrome bot

DEPLOY STATUS: [Fresh / Stale / Failed]

AUDIT (14 items): [N passed / N failed -- list any failures]

LIVEDEMO (8 tabs): [N pass / list issues]

RESPONSIVE: 375px [pass/issues], 768px [pass/issues], 1316px [pass/issues]

PERFORMANCE: load [Xms], errors [N + list]

DMARC: [present, policy / missing]

NEW ISSUES (not in audit):

1. ...

LAUNCH READINESS: [Ready / Block on X / Polish needed]

Keep report under 600 words. Don't keep working after the report -- stop.

Bot Task 3: Test the signup -> confirm email flow (10 min)

Run this AFTER Block C and D are complete.

Mission: Test the brikk.store signup confirmation email flow end-to-end. Verify the email arrives, links t

Safety rules:

- Use email `henry+botsignup-[timestamp]@gmail.com` (Gmail aliases -- they all forward to henry@gmail.com)
- Don't type Henry's real password if a sign-in screen blocks you. Stop and ask.
- Don't complete a paid checkout.

Steps:

1. Open incognito tab -> brikk.store/login -> click Sign Up
2. Enter email above, generate a random throwaway password, submit
3. Open Henry's Gmail (he should have it open already in another tab). Find the confirm-account email.
4. Verify the email:
 - From: should be exactly "Brikk <hello@brikk.store>" (NOT noreply@, NOT supabase.co)
 - Subject: "Confirm your Brikk account"
 - The "Confirm" link href: should start with "https://brikk.store/auth/callback" (NOT supabase.co)
 - The email body uses Brikk's branded HTML template (dark text, white card, monogram)
5. Click the confirm link. Should land on brikk.store/app or /login with a success state.
6. Don't proceed further -- sign out.

Report:

SIGNUP EMAIL TEST -- [timestamp]

Test email: henry+botsignup-XXX@gmail.com

Email arrived: [yes/no, latency in seconds]

From header: [exact value]

Subject: [exact value]

Confirm link target: [domain only, not full URL with token]

Body branding: [matches/old plain template/missing]

Confirm click result: [landed on brikk.store/X | error message]

Overall: [PASS / FAIL with reason]

Keep under 200 words.

Bot Task 4: Stripe webhook smoke test (5 min)

Run this AFTER Block B is complete (env vars + redeploy).

Mission: Send a test event to the Brikk production Stripe webhook and confirm 200 OK response.

Safety rules:

- Live mode. Don't modify the webhook endpoint config.
- Don't trigger real charges.

Steps:

1. Open Stripe Dashboard. Confirm Live Mode (top-left, not orange "Test mode").
2. Developers -> Webhooks -> click "Brikk production webhook".
3. Click ... menu (top right) -> Send test webhook.
4. Pick event type "checkout.session.completed". Click Send test webhook.
5. Wait 5-10 seconds.
6. Scroll to "Recent attempts" section. Find the test event you just sent.
7. Report the HTTP status code returned by `brikk.store/api/stripe/webhook`.

Report:

```
WEBHOOK SMOKE TEST -- [timestamp]
Event sent: checkout.session.completed
HTTP status: [200 / 4xx / 5xx]
Response time: [ms if visible]
Other recent attempts in last hour: [count, any failures]
Verdict: [PASS -- webhook is wired / FAIL -- code [signing secret wrong, route returning error, etc.]]
```

If FAIL, recommend: check that `STRIPE_WEBHOOK_SECRET` in Vercel matches the signing secret shown on the web

Keep under 150 words.

Bot Task 5: Resend deliverability check (10 min)

Run this AFTER Block C, D, E are complete.

Mission: Confirm Resend deliverability metadata is healthy: DKIM, SPF, DMARC all verified, no failed sends

Safety rules:

- Read-only. Don't rotate keys.
- Don't reveal key values.

Steps:

1. Open `resend.com` -> Domains -> click `brikk.store`. Verify:
 - DKIM: [x]
 - SPF: [x]
 - DMARC: [x] (this only appears after DNS propagation, may be pending)
 - Region/Click tracking: as configured
2. Resend -> Logs (last 24 hours). Note:
 - Total sends count
 - Failed/Bounced count and reasons
 - Any unusual From addresses or recipient domains

3. Visit `dmarcian.com/dmarc-inspector` -> enter `brikk.store` -> screenshot result.

Report:

```
RESEND DELIVERABILITY -- [timestamp]
Domain status:
- DKIM: [[x] / pending / [ ]]
- SPF: [[x] / pending / [ ]]
- DMARC: [[x] / pending / [ ]]
- From sending allowed: [yes / no]
24h activity:
- Sends: [N]
- Failed/Bounced: [N, top reason]
- Any unusual patterns: [list]
DMARC public check:
- Policy: [p=none / quarantine / reject]
- rua address: [present/missing]
Recommendation: [ship as is / wait X for DNS / fix issue Y]
```

Keep under 200 words.

Bot Task 6: Customer Portal smoke test (after subscription) (10 min)

[!] This requires Henry to have ALREADY completed a live subscription (Block G or a manual test). Otherwise the bot has nothing to manage.

Mission: Verify the Stripe Customer Portal opens and shows Brikk branding when a subscribed user clicks "U

Safety rules:

- DON'T cancel the subscription. DON'T modify payment method.
- Just verify the portal loads with correct branding.

Steps:

1. Sign in to `brikk.store/login` as Henry's test subscribed account.
2. Navigate to `/app/settings` -> click Billing tab.
3. Confirm the page shows "Pro plan - Trialing" (or active) -- NOT the plan picker.
4. Click "Open billing portal".
5. Verify:
 - Stripe-hosted portal loads at `billing.stripe.com` (subdomain)
 - Brikk logo visible
 - Brand colors match (#1A1A18 text, #16803C accent)
 - "Update payment method", "Invoice history", "Cancel subscription" options all visible
 - Return URL link/button works (back to `brikk.store/app/settings`)
6. Click the return link. Confirm you land back on `brikk.store/app/settings`.

Report:

```
CUSTOMER PORTAL TEST -- [timestamp]
Settings billing state: [Trialing / Active / Past due / Plan picker (wrong)]
Portal opened: [yes / no]
Brikk branding present: [logo / colors / both / neither]
Available actions: [list]
Return link works: [yes / no]
Verdict: [PASS / FAIL with reason]
```


Keep under 150 words.

Bot Task 7: Cross-browser visual smoke test (15 min)

Mission: Visit key brikk.store pages in Chrome, Safari (or Firefox if Safari unavailable), and the bot's browser.

Safety rules:

- Read-only. Don't click destructive things.
- If a page requires sign-in and Henry isn't logged in, mark as "needs Henry's session" and skip.

Pages to check:

1. brikk.store/ (homepage)
2. brikk.store/#features
3. brikk.store/#pricing
4. brikk.store/login
5. brikk.store/privacy
6. brikk.store/terms
7. brikk.store/r/INVALID (branded missing-code error)
8. brikk.store/this-does-not-exist (custom 404)

For each, capture a screenshot at 1316px viewport. Look for:

- Font rendering issues
- Color shifts
- Layout shifts
- Missing images or icons
- Broken animations

Report any differences. If a page renders identically across browsers, just mark "same as Chrome".

Report:

```
CROSS-BROWSER SMOKE TEST -- [timestamp]
Tested: Chrome [version], [other browser + version]
Pages with consistent rendering: [list]
Pages with differences:
- /path -- [Chrome: thing] vs [Browser X: thing]
Critical issues (would block users): [list, none if blank]
```

Keep under 300 words.

Bot Task 8: Lighthouse audit (10 min)

Mission: Run a Lighthouse audit on brikk.store and brikk.store/#pricing. Report Performance, Accessibility, Best Practices, and SEO.

Safety rules:

- Read-only.
- Don't try to fix issues, just report them.

Steps:

1. Open Chrome DevTools (F12) -> Lighthouse tab.
2. Set: Device = Mobile, Categories = all (Performance + Accessibility + Best Practices + SEO).
3. Run audit on brikk.store. Record the four scores.
4. Repeat on brikk.store/#pricing.

Report:

```
LIGHTHOUSE AUDIT -- [timestamp]
brikk.store (mobile):
- Performance: [0-100]
- Accessibility: [0-100]
- Best Practices: [0-100]
- SEO: [0-100]
brikk.store/#pricing (mobile):
- Performance: [0-100]
- Accessibility: [0-100]
- Best Practices: [0-100]
- SEO: [0-100]
```

Issues flagged below 90 (top 5):

1. Category: Issue -- Recommendation
2. ...

Verdict: [Ready / Issues to address before launch]

Keep under 250 words.

Bot Task 9: Final go/no-go report (5 min)

Run this LAST, after all other bots have reported.

Mission: Compile a single Go/No-Go report based on the results of all prior bot tasks. Henry needs a one-

You have access to the previous bot reports in this conversation (from Tasks 1-8). Synthesize them into O

Report format:

```
=== BRIKK GO/NO-GO -- [timestamp] ===
```

[OK] READY:

- [list each thing that passed cleanly]

[!] WARNINGS (ship-able but track):

- [list each minor issue]

[BLOCKER] BLOCKERS (must fix before launch):

- [list each must-fix]

VERDICT: [GO -- launch when ready / WAIT -- N blocker(s) / NO -- system not ready]

NEXT ACTION FOR HENRY:

[Single sentence: what to do RIGHT NOW]

Keep under 150 words. Be honest. If there's a blocker, say so clearly. Don't soften the assessment.

SECTION 3: GO/NO-GO GATES (you do these personally)

Last-mile checks before announcement. These take 30 minutes total.

Block H – Full happy path (15 min)

Run through Brikk as a brand-new realtor. Use a fresh throwaway email.

[] H1. Sign up -> confirm -> land in app

- Use `henry+launchday-1@gmail.com`
- Confirmation email arrives from Brikk `<hello@brikk.store>` within 30s
- Click confirm -> land on `/app` or `/login` (depending on Supabase flow)
- Sign in, dashboard shows “Trial – 14 days left” banner

[] H2. Add a lead

- Click “Add Lead” on Leads page
- Fill in Sarah Test, phone 555-0123, email `sarah@example.com`
- Save. Lead appears in pipeline.

[] H3. Draft an AI message

- Go to Copilot
- See at least one suggested draft
- Click “Send via Messages” – should open your phone’s native Messages app (if on phone) or show a deep-link (if on computer)
- Click “Edit” -> modify the message -> save

[] H4. Voice-to-CRM

- Tap the floating voice button (bottom right of any app page)
- Speak: “Sarah loved the kitchen, schedule a tour for Saturday”
- Stop. Multi-action modal shows parsed actions.
- Approve all. Lead should update.

[] H5. Subscribe via Stripe

- Settings -> Billing -> click Subscribe to Pro
- Stripe checkout opens. Confirm:
 - 14-day trial mentioned
 - “I agree to Brikk’s Terms of Service” checkbox visible
 - Apple Pay button on iOS (if on iPhone)
- Use a REAL card (you can refund yourself in H6)
- Complete checkout
- Land back on `/app/settings` with green toast “Subscription started”
- Billing tab now shows “Pro plan - Trialing”
- Receipt email arrives within 30s

[] H6. Refund the test charge

- Stripe Dashboard -> Payments -> find the test charge -> Refund -> full refund
- Subscription stays active (trial isn’t tied to the immediate charge)

[] H7. Customer Portal

- Settings -> Billing -> “Open billing portal”
- Stripe portal loads with Brikk branding
- Try updating card (don’t actually save)
- Click back to Brikk

Block I – Marketing readiness (10 min)

[] I1. Confirm marketing PDFs are current

- Open `marketing/brikk-launch-checklist.pdf` – date should be recent
- Open `marketing/door-to-door-script.pdf` – confirm it says 14 days, not 45
- Spot-check 2-3 other PDFs

[] I2. Social media assets exported

- `brand/brikk-icon-1024.png` ready for Instagram/LinkedIn profile photo
- `brand/brikk-wordmark-dark-3200.png` ready for email signatures + slide decks
- Both files in repo

[] I3. First-prospect list

- 10 names + phones + emails in a doc somewhere
- Draft text message ready (“Hey [name], built a tool agents are using to close more deals – brikk.store/r/YOUR-CODE if you want to check it out”)
- First three prospects identified (door-knock targets)

Block J – Final sign-off (5 min)

[] J1. Run Bot Task 9 (Go/No-Go) one more time

Read the bot’s verdict. If GO -> proceed. If WAIT -> fix the blocker.

[] J2. Take screen recording of happy path

- Loom (free) or QuickTime
- Capture H1-H5 above as one continuous recording
- Useful for marketing AND for troubleshooting when a customer reports an issue

[] J3. Pull the trigger

- ☐ Post on Instagram
- ☐ Send the cold-text to first 3 prospects
- ☐ Plan tomorrow’s door-knock route
- ☐ Eat a real dinner
- ☐ Sleep

Post-launch tracking (week 1)

After launch, watch for:

- **Resend -> Logs:** any spike in bounces or failures
- **Stripe -> Disputes:** any chargebacks (you have all-sales-final everywhere, but watch anyway)
- **Vercel -> Analytics:** traffic to `/r/YOUR-CODE` links (referral conversions)
- **Supabase -> Database:** any tables hitting size limits or slow queries
- **Email replies to hello@:** support inbox should have inquiries – respond within 4h to set the tone

When you have 10 active users, do a quick check-in survey. Three questions: 1. What feature do you use most? 2. What’s the most frustrating thing? 3. Would you recommend Brikk to another agent? (NPS)

That tells you what to build next.

If something breaks at launch

1. **Signups not arriving:** Resend -> Logs to see send status. If 0 sends, Supabase SMTP password is wrong. If 0 deliveries, DNS or DMARC issue.
2. **Stripe checkout 500:** Vercel logs -> check for missing env var error. Most common: `STRIPE_SECRET_KEY` typo or `rk_live__` key missing required scope.
3. **Lead capture form broken:** Vercel logs for `/api/refer` -> usually `SUPABASE_SERVICE_ROLE_KEY` not set.
4. **Morning brief not sending:** Vercel cron logs at 14:00 UTC. 401 = `CRON_SECRET` missing. 500 = Anthropic key issue.
5. **Voice not transcribing:** browser permission. User has to grant mic access.

When in doubt, check Vercel logs first, then Resend logs, then Supabase logs. Most issues surface in one of those three.