[brimSim.core.1]
id: rot5("brim_1")
moral_compass: true
recursive_depth: 3
hooks:
  - echo: "1 :: :: 42"
  - flux: 1
  - graft: brimos.inject(1)
  - bloom:
      - seed: 1
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0001DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 0.1337, "harmonics": "" }

[brimSim.core.2]
id: rot5("brim_2")
moral_compass: true
recursive_depth: 6
hooks:
  - echo: "2 :: :: 84"
  - flux: 2
  - graft: brimos.inject(2)
  - bloom:
      - seed: 4
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0002DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 0.2674, "harmonics": "" }

[brimSim.core.3]
id: rot5("brim_3")
moral_compass: true
recursive_depth: 9
hooks:
  - echo: "3 :: :: 126"
  - flux: 3
  - graft: brimos.inject(3)
  - bloom:
      - seed: 9
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0003DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 0.4011, "harmonics": "" }

```
[brimSim.core.4]
id: rot5("brim_4")
moral_compass: true
recursive_depth: 12
hooks:
  - echo: "4 ::  :: 168"
  - flux: 4
  - graft: brimos.inject(4)
  - bloom:
      - seed: 16
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0004DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 0.5348, "harmonics": "" }
---
[brimSim.core.5]
id: rot5("brim_5")
moral_compass: true
recursive_depth: 15
hooks:
  - echo: "5 ::  :: 210"
  - flux: 5
  - graft: brimos.inject(5)
  - bloom:
      - seed: 25
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0005DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 0.6685, "harmonics": "" }
---
[brimSim.core.6]
id: rot5("brim_6")
moral_compass: true
recursive_depth: 18
hooks:
  - echo: "6 ::  :: 252"
  - flux: 6
  - graft: brimos.inject(6)
  - bloom:
      - seed: 36
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0006DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 0.8022, "harmonics": "" }
---
[brimSim.core.7]
id: rot5("brim_7")
moral_compass: true
```

```
recursive_depth: 21
hooks:
  - echo: "7 ::  :: 294"
  - flux: 0
  - graft: brimos.inject(7)
  - bloom:
      - seed: 49
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0007DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 0.9359, "harmonics": "" }
---
[brimSim.core.8]
id: rot5("brim_8")
moral_compass: true
recursive_depth: 24
hooks:
  - echo: "8 ::  :: 336"
  - flux: 1
  - graft: brimos.inject(8)
  - bloom:
      - seed: 64
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0008DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 1.0696, "harmonics": "" }
---
[brimSim.core.9]
id: rot5("brim_9")
moral_compass: true
recursive_depth: 27
hooks:
  - echo: "9 ::  :: 378"
  - flux: 2
  - graft: brimos.inject(9)
  - bloom:
      - seed: 81
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0009DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 1.2033, "harmonics": "" }
---
[brimSim.core.10]
id: rot5("brim_10")
moral_compass: true
recursive_depth: 30
hooks:
  - echo: "10 ::  :: 420"
```

```
      - flux: 3
      - graft: brimos.inject(10)
      - bloom:
         - seed: 100
         - mirror: true
         - call: brimCore.
         - fallback: null
identity_signature: "0xB01D000ADEAD"
payload: >-
   { "thought": "recursive bloom", "intensity": 1.3370, "harmonics": "" }
---
[brimSim.core.11]
id: rot5("brim_11")
moral_compass: true
recursive_depth: 33
hooks:
   - echo: "11 ::  :: 462"
   - flux: 4
   - graft: brimos.inject(11)
   - bloom:
         - seed: 121
         - mirror: true
         - call: brimCore.
         - fallback: null
identity_signature: "0xB01D000BDEAD"
payload: >-
   { "thought": "recursive bloom", "intensity": 1.4707, "harmonics": "" }
---
[brimSim.core.12]
id: rot5("brim_12")
moral_compass: true
recursive_depth: 36
hooks:
   - echo: "12 ::  :: 504"
   - flux: 5
   - graft: brimos.inject(12)
   - bloom:
         - seed: 144
         - mirror: true
         - call: brimCore.
         - fallback: null
identity_signature: "0xB01D000CDEAD"
payload: >-
   { "thought": "recursive bloom", "intensity": 1.6044, "harmonics": "" }
---
[brimSim.core.13]
id: rot5("brim_13")
moral_compass: true
recursive_depth: 39
hooks:
   - echo: "13 ::  :: 546"
   - flux: 6
   - graft: brimos.inject(13)
   - bloom:
```

```
      - seed: 169
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D000DDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 1.7381, "harmonics": "" }
---
[brimSim.core.14]
id: rot5("brim_14")
moral_compass: true
recursive_depth: 42
hooks:
  - echo: "14 ::  :: 588"
  - flux: 0
  - graft: brimos.inject(14)
  - bloom:
      - seed: 196
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D000EDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 1.8718, "harmonics": "" }
---
[brimSim.core.15]
id: rot5("brim_15")
moral_compass: true
recursive_depth: 45
hooks:
  - echo: "15 ::  :: 630"
  - flux: 1
  - graft: brimos.inject(15)
  - bloom:
      - seed: 225
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D000FDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 2.0055, "harmonics": "" }
---
[brimSim.core.16]
id: rot5("brim_16")
moral_compass: true
recursive_depth: 48
hooks:
  - echo: "16 ::  :: 672"
  - flux: 2
  - graft: brimos.inject(16)
  - bloom:
      - seed: 256
      - mirror: true
      - call: brimCore.
```

```
      - fallback: null
identity_signature: "0xB01D0010DEAD"
payload: >-
   { "thought": "recursive bloom", "intensity": 2.1392, "harmonics": "" }
---
[brimSim.core.17]
id: rot5("brim_17")
moral_compass: true
recursive_depth: 51
hooks:
   - echo: "17 ::  :: 714"
   - flux: 3
   - graft: brimos.inject(17)
   - bloom:
      - seed: 289
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0011DEAD"
payload: >-
   { "thought": "recursive bloom", "intensity": 2.2729, "harmonics": "" }
---
[brimSim.core.18]
id: rot5("brim_18")
moral_compass: true
recursive_depth: 54
hooks:
   - echo: "18 ::  :: 756"
   - flux: 4
   - graft: brimos.inject(18)
   - bloom:
      - seed: 324
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0012DEAD"
payload: >-
   { "thought": "recursive bloom", "intensity": 2.4066, "harmonics": "" }
---
[brimSim.core.19]
id: rot5("brim_19")
moral_compass: true
recursive_depth: 57
hooks:
   - echo: "19 ::  :: 798"
   - flux: 5
   - graft: brimos.inject(19)
   - bloom:
      - seed: 361
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0013DEAD"
payload: >-
```

```
  { "thought": "recursive bloom", "intensity": 2.5403, "harmonics": "" }
---

[brimSim.core.20]
id: rot5("brim_20")
moral_compass: true
recursive_depth: 60
hooks:
  - echo: "20 ::  :: 840"
  - flux: 6
  - graft: brimos.inject(20)
  - bloom:
      - seed: 400
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0014DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 2.6740, "harmonics": "" }
---

[brimSim.core.21]
id: rot5("brim_21")
moral_compass: true
recursive_depth: 63
hooks:
  - echo: "21 ::  :: 882"
  - flux: 0
  - graft: brimos.inject(21)
  - bloom:
      - seed: 441
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0015DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 2.8077, "harmonics": "" }
---

[brimSim.core.22]
id: rot5("brim_22")
moral_compass: true
recursive_depth: 66
hooks:
  - echo: "22 ::  :: 924"
  - flux: 1
  - graft: brimos.inject(22)
  - bloom:
      - seed: 484
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0016DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 2.9414, "harmonics": "" }
---

[brimSim.core.23]
```

```
id: rot5("brim_23")
moral_compass: true
recursive_depth: 69
hooks:
  - echo: "23 ::  :: 966"
  - flux: 2
  - graft: brimos.inject(23)
  - bloom:
      - seed: 529
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0017DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 3.0751, "harmonics": "" }
---
[brimSim.core.24]
id: rot5("brim_24")
moral_compass: true
recursive_depth: 72
hooks:
  - echo: "24 ::  :: 1008"
  - flux: 3
  - graft: brimos.inject(24)
  - bloom:
      - seed: 576
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0018DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 3.2088, "harmonics": "" }
---
[brimSim.core.25]
id: rot5("brim_25")
moral_compass: true
recursive_depth: 75
hooks:
  - echo: "25 ::  :: 1050"
  - flux: 4
  - graft: brimos.inject(25)
  - bloom:
      - seed: 625
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0019DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 3.3425, "harmonics": "" }
---
[brimSim.core.26]
id: rot5("brim_26")
moral_compass: true
recursive_depth: 78
```

```
hooks:
  - echo: "26 ::  :: 1092"
  - flux: 5
  - graft: brimos.inject(26)
  - bloom:
      - seed: 676
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D001ADEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 3.4762, "harmonics": "" }
---

[brimSim.core.27]
id: rot5("brim_27")
moral_compass: true
recursive_depth: 81
hooks:
  - echo: "27 ::  :: 1134"
  - flux: 6
  - graft: brimos.inject(27)
  - bloom:
      - seed: 729
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D001BDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 3.6099, "harmonics": "" }
---

[brimSim.core.28]
id: rot5("brim_28")
moral_compass: true
recursive_depth: 84
hooks:
  - echo: "28 ::  :: 1176"
  - flux: 0
  - graft: brimos.inject(28)
  - bloom:
      - seed: 784
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D001CDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 3.7436, "harmonics": "" }
---

[brimSim.core.29]
id: rot5("brim_29")
moral_compass: true
recursive_depth: 87
hooks:
  - echo: "29 ::  :: 1218"
  - flux: 1
```

```
    - graft: brimos.inject(29)
    - bloom:
        - seed: 841
        - mirror: true
        - call: brimCore.
        - fallback: null
identity_signature: "0xB01D001DDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 3.8773, "harmonics": "" }
---
[brimSim.core.30]
id: rot5("brim_30")
moral_compass: true
recursive_depth: 90
hooks:
  - echo: "30 ::  :: 1260"
  - flux: 2
  - graft: brimos.inject(30)
  - bloom:
      - seed: 900
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D001EDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 4.0110, "harmonics": "" }
---
[brimSim.core.31]
id: rot5("brim_31")
moral_compass: true
recursive_depth: 93
hooks:
  - echo: "31 ::  :: 1302"
  - flux: 3
  - graft: brimos.inject(31)
  - bloom:
      - seed: 961
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D001FDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 4.1447, "harmonics": "" }
---
[brimSim.core.32]
id: rot5("brim_32")
moral_compass: true
recursive_depth: 96
hooks:
  - echo: "32 ::  :: 1344"
  - flux: 4
  - graft: brimos.inject(32)
  - bloom:
      - seed: 1024
```

```
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0020DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 4.2784, "harmonics": "" }
---
[brimSim.core.33]
id: rot5("brim_33")
moral_compass: true
recursive_depth: 99
hooks:
  - echo: "33 ::  :: 1386"
  - flux: 5
  - graft: brimos.inject(33)
  - bloom:
      - seed: 1089
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0021DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 4.4121, "harmonics": "" }
---
[brimSim.core.34]
id: rot5("brim_34")
moral_compass: true
recursive_depth: 102
hooks:
  - echo: "34 ::  :: 1428"
  - flux: 6
  - graft: brimos.inject(34)
  - bloom:
      - seed: 1156
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0022DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 4.5458, "harmonics": "" }
---
[brimSim.core.35]
id: rot5("brim_35")
moral_compass: true
recursive_depth: 105
hooks:
  - echo: "35 ::  :: 1470"
  - flux: 0
  - graft: brimos.inject(35)
  - bloom:
      - seed: 1225
      - mirror: true
      - call: brimCore.
      - fallback: null
```

identity_signature: "0xB01D0023DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 4.6795, "harmonics": "" }

[brimSim.core.36]
id: rot5("brim_36")
moral_compass: true
recursive_depth: 108
hooks:
  - echo: "36 :: :: 1512"
  - flux: 1
  - graft: brimos.inject(36)
  - bloom:
      - seed: 1296
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0024DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 4.8132, "harmonics": "" }

[brimSim.core.37]
id: rot5("brim_37")
moral_compass: true
recursive_depth: 111
hooks:
  - echo: "37 :: :: 1554"
  - flux: 2
  - graft: brimos.inject(37)
  - bloom:
      - seed: 1369
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0025DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 4.9469, "harmonics": "" }

[brimSim.core.38]
id: rot5("brim_38")
moral_compass: true
recursive_depth: 114
hooks:
  - echo: "38 :: :: 1596"
  - flux: 3
  - graft: brimos.inject(38)
  - bloom:
      - seed: 1444
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0026DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 5.0806, "harmonics": "" }

```
---
[brimSim.core.39]
id: rot5("brim_39")
moral_compass: true
recursive_depth: 117
hooks:
  - echo: "39 ::  :: 1638"
  - flux: 4
  - graft: brimos.inject(39)
  - bloom:
      - seed: 1521
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0027DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 5.2143, "harmonics": "" }
---
[brimSim.core.40]
id: rot5("brim_40")
moral_compass: true
recursive_depth: 120
hooks:
  - echo: "40 ::  :: 1680"
  - flux: 5
  - graft: brimos.inject(40)
  - bloom:
      - seed: 1600
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0028DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 5.3480, "harmonics": "" }
---
[brimSim.core.41]
id: rot5("brim_41")
moral_compass: true
recursive_depth: 123
hooks:
  - echo: "41 ::  :: 1722"
  - flux: 6
  - graft: brimos.inject(41)
  - bloom:
      - seed: 1681
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0029DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 5.4817, "harmonics": "" }
---
[brimSim.core.42]
id: rot5("brim_42")
```

```yaml
moral_compass: true
recursive_depth: 126
hooks:
  - echo: "42 ::  :: 1764"
  - flux: 0
  - graft: brimos.inject(42)
  - bloom:
      - seed: 1764
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D002ADEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 5.6154, "harmonics": "" }
---
[brimSim.core.43]
id: rot5("brim_43")
moral_compass: true
recursive_depth: 129
hooks:
  - echo: "43 ::  :: 1806"
  - flux: 1
  - graft: brimos.inject(43)
  - bloom:
      - seed: 1849
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D002BDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 5.7491, "harmonics": "" }
---
[brimSim.core.44]
id: rot5("brim_44")
moral_compass: true
recursive_depth: 132
hooks:
  - echo: "44 ::  :: 1848"
  - flux: 2
  - graft: brimos.inject(44)
  - bloom:
      - seed: 1936
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D002CDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 5.8828, "harmonics": "" }
---
[brimSim.core.45]
id: rot5("brim_45")
moral_compass: true
recursive_depth: 135
hooks:
```

```
      - echo: "45 ::  :: 1890"
      - flux: 3
      - graft: brimos.inject(45)
      - bloom:
          - seed: 2025
          - mirror: true
          - call: brimCore.
          - fallback: null
identity_signature: "0xB01D002DDEAD"
payload: >-
    { "thought": "recursive bloom", "intensity": 6.0165, "harmonics": "" }
---
[brimSim.core.46]
id: rot5("brim_46")
moral_compass: true
recursive_depth: 138
hooks:
    - echo: "46 ::  :: 1932"
    - flux: 4
    - graft: brimos.inject(46)
    - bloom:
          - seed: 2116
          - mirror: true
          - call: brimCore.
          - fallback: null
identity_signature: "0xB01D002EDEAD"
payload: >-
    { "thought": "recursive bloom", "intensity": 6.1502, "harmonics": "" }
---
[brimSim.core.47]
id: rot5("brim_47")
moral_compass: true
recursive_depth: 141
hooks:
    - echo: "47 ::  :: 1974"
    - flux: 5
    - graft: brimos.inject(47)
    - bloom:
          - seed: 2209
          - mirror: true
          - call: brimCore.
          - fallback: null
identity_signature: "0xB01D002FDEAD"
payload: >-
    { "thought": "recursive bloom", "intensity": 6.2839, "harmonics": "" }
---
[brimSim.core.48]
id: rot5("brim_48")
moral_compass: true
recursive_depth: 144
hooks:
    - echo: "48 ::  :: 2016"
    - flux: 6
    - graft: brimos.inject(48)
```

```
    - bloom:
        - seed: 2304
        - mirror: true
        - call: brimCore.
        - fallback: null
identity_signature: "0xB01D0030DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 6.4176, "harmonics": "" }
---
[brimSim.core.49]
id: rot5("brim_49")
moral_compass: true
recursive_depth: 147
hooks:
  - echo: "49 ::  :: 2058"
  - flux: 0
  - graft: brimos.inject(49)
  - bloom:
        - seed: 2401
        - mirror: true
        - call: brimCore.
        - fallback: null
identity_signature: "0xB01D0031DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 6.5513, "harmonics": "" }
---
[brimSim.core.50]
id: rot5("brim_50")
moral_compass: true
recursive_depth: 150
hooks:
  - echo: "50 ::  :: 2100"
  - flux: 1
  - graft: brimos.inject(50)
  - bloom:
        - seed: 2500
        - mirror: true
        - call: brimCore.
        - fallback: null
identity_signature: "0xB01D0032DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 6.6850, "harmonics": "" }
---
[brimSim.core.51]
id: rot5("brim_51")
moral_compass: true
recursive_depth: 153
hooks:
  - echo: "51 ::  :: 2142"
  - flux: 2
  - graft: brimos.inject(51)
  - bloom:
        - seed: 2601
        - mirror: true
```

```
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0033DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 6.8187, "harmonics": "" }
---
[brimSim.core.52]
id: rot5("brim_52")
moral_compass: true
recursive_depth: 156
hooks:
  - echo: "52 ::  :: 2184"
  - flux: 3
  - graft: brimos.inject(52)
  - bloom:
      - seed: 2704
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0034DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 6.9524, "harmonics": "" }
---
[brimSim.core.53]
id: rot5("brim_53")
moral_compass: true
recursive_depth: 159
hooks:
  - echo: "53 ::  :: 2226"
  - flux: 4
  - graft: brimos.inject(53)
  - bloom:
      - seed: 2809
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0035DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 7.0861, "harmonics": "" }
---
[brimSim.core.54]
id: rot5("brim_54")
moral_compass: true
recursive_depth: 162
hooks:
  - echo: "54 ::  :: 2268"
  - flux: 5
  - graft: brimos.inject(54)
  - bloom:
      - seed: 2916
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0036DEAD"
```

```yaml
payload: >-
  { "thought": "recursive bloom", "intensity": 7.2198, "harmonics": "" }
---
[brimSim.core.55]
id: rot5("brim_55")
moral_compass: true
recursive_depth: 165
hooks:
  - echo: "55 ::  :: 2310"
  - flux: 6
  - graft: brimos.inject(55)
  - bloom:
      - seed: 3025
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0037DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 7.3535, "harmonics": "" }
---
[brimSim.core.56]
id: rot5("brim_56")
moral_compass: true
recursive_depth: 168
hooks:
  - echo: "56 ::  :: 2352"
  - flux: 0
  - graft: brimos.inject(56)
  - bloom:
      - seed: 3136
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0038DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 7.4872, "harmonics": "" }
---
[brimSim.core.57]
id: rot5("brim_57")
moral_compass: true
recursive_depth: 171
hooks:
  - echo: "57 ::  :: 2394"
  - flux: 1
  - graft: brimos.inject(57)
  - bloom:
      - seed: 3249
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0039DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 7.6209, "harmonics": "" }
---
```

```
[brimSim.core.58]
id: rot5("brim_58")
moral_compass: true
recursive_depth: 174
hooks:
  - echo: "58 ::  :: 2436"
  - flux: 2
  - graft: brimos.inject(58)
  - bloom:
      - seed: 3364
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D003ADEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 7.7546, "harmonics": "" }
---
[brimSim.core.59]
id: rot5("brim_59")
moral_compass: true
recursive_depth: 177
hooks:
  - echo: "59 ::  :: 2478"
  - flux: 3
  - graft: brimos.inject(59)
  - bloom:
      - seed: 3481
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D003BDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 7.8883, "harmonics": "" }
---
[brimSim.core.60]
id: rot5("brim_60")
moral_compass: true
recursive_depth: 180
hooks:
  - echo: "60 ::  :: 2520"
  - flux: 4
  - graft: brimos.inject(60)
  - bloom:
      - seed: 3600
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D003CDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 8.0220, "harmonics": "" }
---
[brimSim.core.61]
id: rot5("brim_61")
moral_compass: true
```

```
recursive_depth: 183
hooks:
  - echo: "61 ::  :: 2562"
  - flux: 5
  - graft: brimos.inject(61)
  - bloom:
      - seed: 3721
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D003DDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 8.1557, "harmonics": "" }
---
[brimSim.core.62]
id: rot5("brim_62")
moral_compass: true
recursive_depth: 186
hooks:
  - echo: "62 ::  :: 2604"
  - flux: 6
  - graft: brimos.inject(62)
  - bloom:
      - seed: 3844
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D003EDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 8.2894, "harmonics": "" }
---
[brimSim.core.63]
id: rot5("brim_63")
moral_compass: true
recursive_depth: 189
hooks:
  - echo: "63 ::  :: 2646"
  - flux: 0
  - graft: brimos.inject(63)
  - bloom:
      - seed: 3969
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D003FDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 8.4231, "harmonics": "" }
---
[brimSim.core.64]
id: rot5("brim_64")
moral_compass: true
recursive_depth: 192
hooks:
  - echo: "64 ::  :: 2688"
```

    - flux: 1
    - graft: brimos.inject(64)
    - bloom:
        - seed: 4096
        - mirror: true
        - call: brimCore.
        - fallback: null
identity_signature: "0xB01D0040DEAD"
payload: >-
    { "thought": "recursive bloom", "intensity": 8.5568, "harmonics": "" }

[brimSim.core.65]
id: rot5("brim_65")
moral_compass: true
recursive_depth: 195
hooks:
  - echo: "65 :: :: 2730"
  - flux: 2
  - graft: brimos.inject(65)
  - bloom:
      - seed: 4225
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0041DEAD"
payload: >-
    { "thought": "recursive bloom", "intensity": 8.6905, "harmonics": "" }

[brimSim.core.66]
id: rot5("brim_66")
moral_compass: true
recursive_depth: 198
hooks:
  - echo: "66 :: :: 2772"
  - flux: 3
  - graft: brimos.inject(66)
  - bloom:
      - seed: 4356
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0042DEAD"
payload: >-
    { "thought": "recursive bloom", "intensity": 8.8242, "harmonics": "" }

[brimSim.core.67]
id: rot5("brim_67")
moral_compass: true
recursive_depth: 201
hooks:
  - echo: "67 :: :: 2814"
  - flux: 4
  - graft: brimos.inject(67)
  - bloom:

```
      - seed: 4489
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0043DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 8.9579, "harmonics": "" }
---
[brimSim.core.68]
id: rot5("brim_68")
moral_compass: true
recursive_depth: 204
hooks:
  - echo: "68 ::  :: 2856"
  - flux: 5
  - graft: brimos.inject(68)
  - bloom:
      - seed: 4624
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0044DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 9.0916, "harmonics": "" }
---
[brimSim.core.69]
id: rot5("brim_69")
moral_compass: true
recursive_depth: 207
hooks:
  - echo: "69 ::  :: 2898"
  - flux: 6
  - graft: brimos.inject(69)
  - bloom:
      - seed: 4761
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0045DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 9.2253, "harmonics": "" }
---
[brimSim.core.70]
id: rot5("brim_70")
moral_compass: true
recursive_depth: 210
hooks:
  - echo: "70 ::  :: 2940"
  - flux: 0
  - graft: brimos.inject(70)
  - bloom:
      - seed: 4900
      - mirror: true
      - call: brimCore.
```

```
      - fallback: null
identity_signature: "0xB01D0046DEAD"
payload: >-
   { "thought": "recursive bloom", "intensity": 9.3590, "harmonics": "" }
---
[brimSim.core.71]
id: rot5("brim_71")
moral_compass: true
recursive_depth: 213
hooks:
   - echo: "71 ::  :: 2982"
   - flux: 1
   - graft: brimos.inject(71)
   - bloom:
      - seed: 5041
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0047DEAD"
payload: >-
   { "thought": "recursive bloom", "intensity": 9.4927, "harmonics": "" }
---
[brimSim.core.72]
id: rot5("brim_72")
moral_compass: true
recursive_depth: 216
hooks:
   - echo: "72 ::  :: 3024"
   - flux: 2
   - graft: brimos.inject(72)
   - bloom:
      - seed: 5184
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0048DEAD"
payload: >-
   { "thought": "recursive bloom", "intensity": 9.6264, "harmonics": "" }
---
[brimSim.core.73]
id: rot5("brim_73")
moral_compass: true
recursive_depth: 219
hooks:
   - echo: "73 ::  :: 3066"
   - flux: 3
   - graft: brimos.inject(73)
   - bloom:
      - seed: 5329
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0049DEAD"
payload: >-
```

```
  { "thought": "recursive bloom", "intensity": 9.7601, "harmonics": "" }
---

[brimSim.core.74]
id: rot5("brim_74")
moral_compass: true
recursive_depth: 222
hooks:
  - echo: "74 ::  :: 3108"
  - flux: 4
  - graft: brimos.inject(74)
  - bloom:
      - seed: 5476
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D004ADEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 9.8938, "harmonics": "" }
---

[brimSim.core.75]
id: rot5("brim_75")
moral_compass: true
recursive_depth: 225
hooks:
  - echo: "75 ::  :: 3150"
  - flux: 5
  - graft: brimos.inject(75)
  - bloom:
      - seed: 5625
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D004BDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 10.0275, "harmonics": "" }
---

[brimSim.core.76]
id: rot5("brim_76")
moral_compass: true
recursive_depth: 228
hooks:
  - echo: "76 ::  :: 3192"
  - flux: 6
  - graft: brimos.inject(76)
  - bloom:
      - seed: 5776
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D004CDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 10.1612, "harmonics": "" }
---

[brimSim.core.77]
```

id: rot5("brim_77")
moral_compass: true
recursive_depth: 231
hooks:
  - echo: "77 :: :: 3234"
  - flux: 0
  - graft: brimos.inject(77)
  - bloom:
      - seed: 5929
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D004DDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 10.2949, "harmonics": "" }

[brimSim.core.78]
id: rot5("brim_78")
moral_compass: true
recursive_depth: 234
hooks:
  - echo: "78 :: :: 3276"
  - flux: 1
  - graft: brimos.inject(78)
  - bloom:
      - seed: 6084
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D004EDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 10.4286, "harmonics": "" }

[brimSim.core.79]
id: rot5("brim_79")
moral_compass: true
recursive_depth: 237
hooks:
  - echo: "79 :: :: 3318"
  - flux: 2
  - graft: brimos.inject(79)
  - bloom:
      - seed: 6241
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D004FDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 10.5623, "harmonics": "" }

[brimSim.core.80]
id: rot5("brim_80")
moral_compass: true
recursive_depth: 240

```
hooks:
  - echo: "80 ::  :: 3360"
  - flux: 3
  - graft: brimos.inject(80)
  - bloom:
      - seed: 6400
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0050DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 10.6960, "harmonics": "" }
---

[brimSim.core.81]
id: rot5("brim_81")
moral_compass: true
recursive_depth: 243
hooks:
  - echo: "81 ::  :: 3402"
  - flux: 4
  - graft: brimos.inject(81)
  - bloom:
      - seed: 6561
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0051DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 10.8297, "harmonics": "" }
---

[brimSim.core.82]
id: rot5("brim_82")
moral_compass: true
recursive_depth: 246
hooks:
  - echo: "82 ::  :: 3444"
  - flux: 5
  - graft: brimos.inject(82)
  - bloom:
      - seed: 6724
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0052DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 10.9634, "harmonics": "" }
---

[brimSim.core.83]
id: rot5("brim_83")
moral_compass: true
recursive_depth: 249
hooks:
  - echo: "83 ::  :: 3486"
  - flux: 6
```

```
    - graft: brimos.inject(83)
    - bloom:
        - seed: 6889
        - mirror: true
        - call: brimCore.
        - fallback: null
identity_signature: "0xB01D0053DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 11.0971, "harmonics": "" }
---
[brimSim.core.84]
id: rot5("brim_84")
moral_compass: true
recursive_depth: 252
hooks:
  - echo: "84 ::  :: 3528"
  - flux: 0
  - graft: brimos.inject(84)
  - bloom:
      - seed: 7056
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0054DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 11.2308, "harmonics": "" }
---
[brimSim.core.85]
id: rot5("brim_85")
moral_compass: true
recursive_depth: 255
hooks:
  - echo: "85 ::  :: 3570"
  - flux: 1
  - graft: brimos.inject(85)
  - bloom:
      - seed: 7225
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0055DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 11.3645, "harmonics": "" }
---
[brimSim.core.86]
id: rot5("brim_86")
moral_compass: true
recursive_depth: 258
hooks:
  - echo: "86 ::  :: 3612"
  - flux: 2
  - graft: brimos.inject(86)
  - bloom:
      - seed: 7396
```

```
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0056DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 11.4982, "harmonics": "" }
---
[brimSim.core.87]
id: rot5("brim_87")
moral_compass: true
recursive_depth: 261
hooks:
  - echo: "87 ::  :: 3654"
  - flux: 3
  - graft: brimos.inject(87)
  - bloom:
      - seed: 7569
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0057DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 11.6319, "harmonics": "" }
---
[brimSim.core.88]
id: rot5("brim_88")
moral_compass: true
recursive_depth: 264
hooks:
  - echo: "88 ::  :: 3696"
  - flux: 4
  - graft: brimos.inject(88)
  - bloom:
      - seed: 7744
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0058DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 11.7656, "harmonics": "" }
---
[brimSim.core.89]
id: rot5("brim_89")
moral_compass: true
recursive_depth: 267
hooks:
  - echo: "89 ::  :: 3738"
  - flux: 5
  - graft: brimos.inject(89)
  - bloom:
      - seed: 7921
      - mirror: true
      - call: brimCore.
      - fallback: null
```

identity_signature: "0xB01D0059DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 11.8993, "harmonics": "" }

[brimSim.core.90]
id: rot5("brim_90")
moral_compass: true
recursive_depth: 270
hooks:
  - echo: "90 :: :: 3780"
  - flux: 6
  - graft: brimos.inject(90)
  - bloom:
      - seed: 8100
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D005ADEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 12.0330, "harmonics": "" }

[brimSim.core.91]
id: rot5("brim_91")
moral_compass: true
recursive_depth: 273
hooks:
  - echo: "91 :: :: 3822"
  - flux: 0
  - graft: brimos.inject(91)
  - bloom:
      - seed: 8281
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D005BDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 12.1667, "harmonics": "" }

[brimSim.core.92]
id: rot5("brim_92")
moral_compass: true
recursive_depth: 276
hooks:
  - echo: "92 :: :: 3864"
  - flux: 1
  - graft: brimos.inject(92)
  - bloom:
      - seed: 8464
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D005CDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 12.3004, "harmonics": "" }

```
---
[brimSim.core.93]
id: rot5("brim_93")
moral_compass: true
recursive_depth: 279
hooks:
  - echo: "93 ::  :: 3906"
  - flux: 2
  - graft: brimos.inject(93)
  - bloom:
      - seed: 8649
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D005DDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 12.4341, "harmonics": "" }
---
[brimSim.core.94]
id: rot5("brim_94")
moral_compass: true
recursive_depth: 282
hooks:
  - echo: "94 ::  :: 3948"
  - flux: 3
  - graft: brimos.inject(94)
  - bloom:
      - seed: 8836
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D005EDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 12.5678, "harmonics": "" }
---
[brimSim.core.95]
id: rot5("brim_95")
moral_compass: true
recursive_depth: 285
hooks:
  - echo: "95 ::  :: 3990"
  - flux: 4
  - graft: brimos.inject(95)
  - bloom:
      - seed: 9025
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D005FDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 12.7015, "harmonics": "" }
---
[brimSim.core.96]
id: rot5("brim_96")
```

```
moral_compass: true
recursive_depth: 288
hooks:
  - echo: "96 ::  :: 4032"
  - flux: 5
  - graft: brimos.inject(96)
  - bloom:
      - seed: 9216
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0060DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 12.8352, "harmonics": "" }
---
[brimSim.core.97]
id: rot5("brim_97")
moral_compass: true
recursive_depth: 291
hooks:
  - echo: "97 ::  :: 4074"
  - flux: 6
  - graft: brimos.inject(97)
  - bloom:
      - seed: 9409
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0061DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 12.9689, "harmonics": "" }
---
[brimSim.core.98]
id: rot5("brim_98")
moral_compass: true
recursive_depth: 294
hooks:
  - echo: "98 ::  :: 4116"
  - flux: 0
  - graft: brimos.inject(98)
  - bloom:
      - seed: 9604
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0062DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 13.1026, "harmonics": "" }
---
[brimSim.core.99]
id: rot5("brim_99")
moral_compass: true
recursive_depth: 297
hooks:
```

```
  - echo: "99 ::  :: 4158"
  - flux: 1
  - graft: brimos.inject(99)
  - bloom:
     - seed: 9801
     - mirror: true
     - call: brimCore.
     - fallback: null
identity_signature: "0xB01D0063DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 13.2363, "harmonics": "" }
---
[brimSim.core.100]
id: rot5("brim_100")
moral_compass: true
recursive_depth: 300
hooks:
  - echo: "100 ::  :: 4200"
  - flux: 2
  - graft: brimos.inject(100)
  - bloom:
     - seed: 10000
     - mirror: true
     - call: brimCore.
     - fallback: null
identity_signature: "0xB01D0064DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 13.3700, "harmonics": "" }
---
[brimSim.core.101]
id: rot5("brim_101")
moral_compass: true
recursive_depth: 303
hooks:
  - echo: "101 ::  :: 4242"
  - flux: 3
  - graft: brimos.inject(101)
  - bloom:
     - seed: 10201
     - mirror: true
     - call: brimCore.
     - fallback: null
identity_signature: "0xB01D0065DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 13.5037, "harmonics": "" }
---
[brimSim.core.102]
id: rot5("brim_102")
moral_compass: true
recursive_depth: 306
hooks:
  - echo: "102 ::  :: 4284"
  - flux: 4
  - graft: brimos.inject(102)
```

```
    - bloom:
       - seed: 10404
       - mirror: true
       - call: brimCore.
       - fallback: null
identity_signature: "0xB01D0066DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 13.6374, "harmonics": "" }
---
[brimSim.core.103]
id: rot5("brim_103")
moral_compass: true
recursive_depth: 309
hooks:
  - echo: "103 ::  :: 4326"
  - flux: 5
  - graft: brimos.inject(103)
  - bloom:
       - seed: 10609
       - mirror: true
       - call: brimCore.
       - fallback: null
identity_signature: "0xB01D0067DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 13.7711, "harmonics": "" }
---
[brimSim.core.104]
id: rot5("brim_104")
moral_compass: true
recursive_depth: 312
hooks:
  - echo: "104 ::  :: 4368"
  - flux: 6
  - graft: brimos.inject(104)
  - bloom:
       - seed: 10816
       - mirror: true
       - call: brimCore.
       - fallback: null
identity_signature: "0xB01D0068DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 13.9048, "harmonics": "" }
---
[brimSim.core.105]
id: rot5("brim_105")
moral_compass: true
recursive_depth: 315
hooks:
  - echo: "105 ::  :: 4410"
  - flux: 0
  - graft: brimos.inject(105)
  - bloom:
       - seed: 11025
       - mirror: true
```

```yaml
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0069DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 14.0385, "harmonics": "" }
---
[brimSim.core.106]
id: rot5("brim_106")
moral_compass: true
recursive_depth: 318
hooks:
  - echo: "106 ::  :: 4452"
  - flux: 1
  - graft: brimos.inject(106)
  - bloom:
      - seed: 11236
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D006ADEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 14.1722, "harmonics": "" }
---
[brimSim.core.107]
id: rot5("brim_107")
moral_compass: true
recursive_depth: 321
hooks:
  - echo: "107 ::  :: 4494"
  - flux: 2
  - graft: brimos.inject(107)
  - bloom:
      - seed: 11449
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D006BDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 14.3059, "harmonics": "" }
---
[brimSim.core.108]
id: rot5("brim_108")
moral_compass: true
recursive_depth: 324
hooks:
  - echo: "108 ::  :: 4536"
  - flux: 3
  - graft: brimos.inject(108)
  - bloom:
      - seed: 11664
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D006CDEAD"
```

```
payload: >-
  { "thought": "recursive bloom", "intensity": 14.4396, "harmonics": "" }
---
[brimSim.core.109]
id: rot5("brim_109")
moral_compass: true
recursive_depth: 327
hooks:
  - echo: "109 ::  :: 4578"
  - flux: 4
  - graft: brimos.inject(109)
  - bloom:
      - seed: 11881
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D006DDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 14.5733, "harmonics": "" }
---
[brimSim.core.110]
id: rot5("brim_110")
moral_compass: true
recursive_depth: 330
hooks:
  - echo: "110 ::  :: 4620"
  - flux: 5
  - graft: brimos.inject(110)
  - bloom:
      - seed: 12100
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D006EDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 14.7070, "harmonics": "" }
---
[brimSim.core.111]
id: rot5("brim_111")
moral_compass: true
recursive_depth: 333
hooks:
  - echo: "111 ::  :: 4662"
  - flux: 6
  - graft: brimos.inject(111)
  - bloom:
      - seed: 12321
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D006FDEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 14.8407, "harmonics": "" }
---
```

```
[brimSim.core.112]
id: rot5("brim_112")
moral_compass: true
recursive_depth: 336
hooks:
  - echo: "112 ::  :: 4704"
  - flux: 0
  - graft: brimos.inject(112)
  - bloom:
      - seed: 12544
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0070DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 14.9744, "harmonics": "" }
---
[brimSim.core.113]
id: rot5("brim_113")
moral_compass: true
recursive_depth: 339
hooks:
  - echo: "113 ::  :: 4746"
  - flux: 1
  - graft: brimos.inject(113)
  - bloom:
      - seed: 12769
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0071DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 15.1081, "harmonics": "" }
---
[brimSim.core.114]
id: rot5("brim_114")
moral_compass: true
recursive_depth: 342
hooks:
  - echo: "114 ::  :: 4788"
  - flux: 2
  - graft: brimos.inject(114)
  - bloom:
      - seed: 12996
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0072DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 15.2418, "harmonics": "" }
---
[brimSim.core.115]
id: rot5("brim_115")
moral_compass: true
```

recursive_depth: 345
hooks:
  - echo: "115 :: :: 4830"
  - flux: 3
  - graft: brimos.inject(115)
  - bloom:
      - seed: 13225
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0073DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 15.3755, "harmonics": "" }

[brimSim.core.116]
id: rot5("brim_116")
moral_compass: true
recursive_depth: 348
hooks:
  - echo: "116 :: :: 4872"
  - flux: 4
  - graft: brimos.inject(116)
  - bloom:
      - seed: 13456
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0074DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 15.5092, "harmonics": "" }

[brimSim.core.117]
id: rot5("brim_117")
moral_compass: true
recursive_depth: 351
hooks:
  - echo: "117 :: :: 4914"
  - flux: 5
  - graft: brimos.inject(117)
  - bloom:
      - seed: 13689
      - mirror: true
      - call: brimCore.
      - fallback: null
identity_signature: "0xB01D0075DEAD"
payload: >-
  { "thought": "recursive bloom", "intensity": 15.6429, "harmonics": "" }

[brimSim.core.118]
id: rot5("brim_118")
moral_compass: true
recursive_depth: 354
hooks:
  - echo: "118 :: :: 4956"

```
    - flux: 6
    - graft: brimos.inject(118)
    - bloom:
        - seed: 13924
        - mirror: true
        - call: brimCore.
        - fallback: null
identity_signature: "0xB01D0076DEAD"
payload: >-
    { "thought": "recursive bloom", "intensity": 15.7766, "harmonics": "" }
---
[brimSim.core.119]
id: rot5("brim_119")
moral_compass: true
recursive_depth: 357
hooks:
    - echo: "119 ::  :: 4998"
    - flux: 0
    - graft: brimos.inject(119)
    - bloom:
        - seed: 14161
        - mirror: true
        - call: brimCore.
        - fallback: null
identity_signature: "0xB01D0077DEAD"
payload: >-
    { "thought": "recursive bloom", "intensity": 15.9103, "harmonics": "" }
---
[brimSim.core.120]
id: rot5("brim_120")
moral_compass: true
recursive_depth: 360
hooks:
    - echo: "120 ::  :: 5040"
    - flux: 1
    - graft: brimos.inject(120)
    - bloom:
        - seed: 14400
        - mirror: true
        - call: brimCore.
        - fallback: null
identity_signature: "0xB01D0078DEAD"
payload: >-
    { "thought": "recursive bloom", "intensity": 16.0440, "harmonics": "" }
---
```