

LIGHTNING PROTECTION SYSTEM COMPONENTS



Connectors



Universal Connector



Shear Bolt Connector



Clamp any connections cross joint or parallel joint.



Clamp any connections cross joint or parallel joint.



Material
Stainless Steel 304



IEC 62561-1

Saddles



Double Base Saddle



Support air terminal connecting with copper stranded or solid conductors



Material
Copper Alloy – BS EN 1982
Aluminium Alloy – BS 2898



Adjustable Saddle



Support air terminal connecting with copper stranded or solid conductors



IEC 62561-1

Conductor support clips & clamps



Cable Support



Fix copper stranded or solid conductors



Tape Support



Fix copper or aluminium conductors



Material
Copper Alloy - BS EN 1982
Aluminium Alloy - BS 2898



IEC 62561-4



TS 3024
Part 4-2563



One Hole Cable Clip



Fix copper stranded or solid conductors



Tape Clip



Fix copper tape conductor on flat surface



Material
Copper - BS EN 13601



IEC 62561-4

Test Boxes



Aluminium Enclosure



Material
Box-Cast Aluminium Alloy
Box-Stainless Steel
Terminal - Copper Alloy (GYPTB)
Disconnecting - Copper Alloy with Tin Plated (GYPTB-AC)
Terminal - Aluminium Alloy/ Copper Alloy (GYPTB-AA)
Disconnecting - Copper Alloy with Tin Plated (GYPTB-AC)
Terminal - Aluminium Alloy (GYPTB-AA)
Disconnecting-Aluminium Alloy (GYPTB-AA)
EP-EC Terminal - Nylon 6



Application
Suitable for inspection and testing point in grounding system and EP-EC Terminal



ABS Enclosure



Material
Box-ABS IP65
Box-Stainless Steel
Terminal - Copper Alloy (GYPTB)
Disconnecting - Copper Alloy with Tin Plated (GYPTB-AC)
Terminal - Aluminium Alloy/ Copper Alloy (GYPTB-AA)
Disconnecting - Copper Alloy with Tin Plated (GYPTB-AC)
Terminal - Aluminium Alloy (GYPTB-AA)
Disconnecting-Aluminium Alloy (GYPTB-AA)



Application
Suitable for inspection and testing point in grounding system



IEC 62561-4



TS 3024
Part 4-2563