



Kumwell Copper-Bonded Ground Rod

Kumwell copper-bonded ground rods feature a copper bonding thickness of over 0.25 mm (250 microns), providing a service life of more than 40 years (General soil condition). We are proud to be the **first manufacturer in Thailand** certified with the Thai Industrial Standard (TIS 3024 Part 2-2020), and our products also tested **IEC 62561-2** and **UL 467** international standards.

This ensures superior durability, safety, and long-term reliability for every electrical grounding system.

UL Series

The UL Series ground rods are **certified by UL** and test according to **IEC 62561-2** standards.



Kumwell Solid Copper Ground Rod



Made from 99% pure copper, high strength and high resistance in demanding environments, including **coastal areas** and soils with **pH values > 8**. The product is according to **IEC 62561-2** standard.

****Caution:** Do not drive the rod directly into the ground. It is recommended to dig a hole prior to installation to prevent damage or breakage of the ground rod.

Kumwell Stainless Steel Ground Rod



Made from **316L stainless steel** which provides superior corrosion resistance in all environments, particularly in soils with **pH values < 6**. Grade 316L stainless steel features a low-carbon composition and delivers stronger weld joints compared to standard 316 when applied with Exothermic welding. **The product is according to IEC 62561-2 standard.**

****Recommendation:** To comply with **IEC 62561-2** standard, stainless steel ground rods must contain more than 2% molybdenum to ensure resistance against rust and corrosion. Therefore, grade 304 stainless steel is not compliant with this standard.

Coupling



For Copper Bond Ground Rod
Threaded Type



For Copper Bond Ground Rod
Standard Type



For Solid Copper
and Stainless Steel Rod



For Solid Copper Rod

Driving Head



For Copper Bond Ground Rod
Threaded Type



For Copper Bond Ground Rod
Standard Type



For Solid Copper
and Stainless Steel Rod

Tip



For Copper Bond Ground Rod
Threaded Type



For Solid Copper
and Stainless Steel Rod