Test Project

Web Technologies

PHP and JavaScript Module

Submitted by:

Sebastian Häni – CH (Independent Test Project Designer)
Cyril Wanner – CH (Independent Test Project Designer)
Patrick Zahnd – CH (Independent Test Project Designer)

Contents

Contents **2**
Introduction **3**
Description of project and tasks **3**
Phase one – PHP **4**
Database design 4
Organizer interface 4
Organizer login and logout *5*
Event management *6*
Ticket management *9*
Session management *10*
Channel management *12*
Room management *13*
Room capacity *14*
Attendee API 15
Events overview *15*
Event detail *16*
Attendee login and logout *17*
Event registration *18*
Phase two – JavaScript **19**
API Setup *19*
Introduction *20*
Events list *21*
Event agenda *22*
Session detail *23*
Event registration *24*
Attendee login *26*
Notes **27**
Submission Instructions to the Competitor **28**
Equipment, machinery, installations, and materials required **29**
Marking Scheme **29**

© WorldSkills International

Introduction

The agency responsible for organizing the WorldSkills Conferences needs a new web application helping them to manage the events and allowing attendees to sign up and see all information they need. It should be dynamically built so that it can later be shared with other member organizations which means that multitenancy is an important requirement.

Because this application will grow over time, important requirements are covered by automated tests.

Description of project and tasks

The project is split into two phases:

- phase one (morning, 3 hrs) for building the backend parts (admin interface and REST-API) using PHP (framework) and database
- phase two (afternoon, 3 hrs) for building the frontend parts (attendee interface) using HTML/CSS/JS (framework) and the REST-API provided for phase two.

© WorldSkills International

Phase one – PHP

Database design

- Use your database (dbYY_competitor_day2) and import the schema/dump provided
- Extend your database to be able to store (do not modify/extend any existing table except if it is specifically noted as they will be resetted before every test run)
    - Event ratings
        - Attendees should be able to comment and rate events they have attended
        - Rating should be a full number between 1 and 5, where 1 is the lowest and 5 the highest rating
        - The date and time of the rating should be registered
    - Session ratings
        - Additional to the event rating, attendees should be able to rate sessions they have attended
        - Rating should be a full number between 1 and 5, where 1 is the lowest and 5 the highest rating
        - The date and time of the rating should be registered
- Your additional tables need to follow the third normal form.

Organizer interface

Create an organizer interface (Server Side Rendered using a PHP Framework) using the templates provided to


- manage events, sessions, channels, rooms and tickets (create, read, update)
- create a bar chart to see the occupancy rates of all rooms
- create dynamic ticket prices
- support multiple tenants

Because different organizers will use this backend, keep security in mind. It should not be possible to access events of other organizers or update events of other organizers.

Organizer login and logout

Because registering as a new organizer is not within the scope of this project, please update the first two organizers in the provided dump so that it is possible to log in with the following credentials:

- Email: demo1@worldskills.org Password: demopass1
- Email: demo2@worldskills.org Password: demopass2



Specification:

```
Feature: A1 – Log in and log out as an organizer: As an organizer, I would like
to log in and log out to the event platform so that I can access the
functionality of the platform.

  Scenario: A1a - Organizer login ok
    Given I am on the "login" page
    When I enter the specified email and password for an organizer
    And press the "Sign in" button
    Then I am forwarded to the organizer area
    And organizator name and "Sign out" button become visible in the header
    And page "Manage events" becomes visible

  Scenario: A1b - Organizer login fail
    Given I am on the "login" page
    When I enter a wrong email and password combination for an organizer
      or use login information of an attendee instead of an organizer
    And press the "Sign in" button
    Then I stay on the "login" page
    And I see an error message "Email or password not correct"

  Scenario: A1c - Organizer logout
    Given I am logged in
    When I press the "Sign out" button
    Then I am forwarded to the "login" page
    And organizator name and logout button and admin functions disappear
    And I cannot reach the previous page by going back
```


Event management

Organizers should be able to save all information about an event and its sessions in the database. Every organizer account can only see and edit its own events. The organizer may have zero or many events.


Specification:

```
Feature: A2 - Manage events: As an organizer I want to manage events so
attendees can find events

  Scenario: A2a - List all events
    Given I am logged in
    And I am on the "Manage events" page
    Then I see a list of all events created by the current organizer sorted
      ascendingly by their date
    And I see the total number of registrations for every event
```




```
  Scenario: A2b - Show form for new event
    Given I am logged in
    And I am on the "Manage events" page
    When I press "Create new event"
    Then a form to enter event information appears
```



© WorldSkills International

```
Scenario: A2c - Enter information for a new event
  Given a form to enter event information is shown
  When I enter info for the event (all fields required)
  And I press "Save event"
  Then the event is saved into the database
  And I am redirected to the detail page for the newly created event
  And a success message "Event successfully created" is shown

Scenario: A2d – Enter already used slug for a new event
  Given a form to enter event information is shown
  When I enter info for the event and use a slug which is already used by
    another event of the same organizer
  And I press "Save event"
  Then the event is not saved into the database
  And an error message "Slug is already used" is shown
  And my previously submitted input data is not lost


Scenario: A2e – Enter invalid slug for an event
  Given a form to enter event information is shown
  When I enter an invalid slug for the event
  And I press "Save event"
  Then the event is not saved into the database
  And an error message "Slug must not be empty and only contain a-z, 0-9 and
    '-'" is shown

Scenario: A2f - Show form for updating event
  Given I am logged in
  And I am on the detail page of an event
  When I press "Edit event"
  Then a form to update event information appears

Scenario: A2g – Update event information
  Given a form to update information of an existing event
  When I change the prefilled old event information to new values
  And I press "Save event"
  Then the updated event is saved into the database
  And I am redirected to the detail page for the updated event
  And a success message "Event successfully updated" is shown
```


© WorldSkills International

Scenario: A2h – Show event detail
  Given I am on the "Manage events" page
  And I click on an event in the list
  Then I am forwarded to the detail page on this event
  And can see all basic information as well as all relations to the available rooms, channels, sessions and tickets



Ticket management

For each event, organizers want to create different ticket types. Tickets can have, but don't need, one validity rule which can be one of:


- only purchasable until a given date (e.g. book before July 30, 2019 for an early bird ticket)
- only a defined amount of tickets is available (e.g. max 50 VIP tickets)

Please check existing records in the provided dump to see how validity rules should be stored.

Specification:

```
Feature: A3 – Manage tickets: As an organizer I want to manage tickets that
attendees can buy in the frontend

  Scenario: A3a – Show form for new ticket
    Given I am on the detail page of an event
    And I press "Create new ticket"
    Then a form to enter ticket information appears
```




```
  Scenario: A3b – Enter information for a new ticket
    Given a form to enter session information is shown
    When I enter information for the ticket (name and cost field are required,
also any field that is related to the selected special validity rule)
    And I press "Save ticket"
    Then the ticket is saved into the database
    And I am redirected to the detail page of the event it is assigned to
    And a success message "Ticket successfully created" is shown
```


© WorldSkills International

Session management


For every event, organizers want to be able to list the current sessions and have the possibility to create new ones. Sessions are always assigned to a room which can not have another session during that time. Sessions are one of these two types:

- talk: A speaker presents a talk. Talks are included in the conference ticket and do not cost extra.
- workshop: A speaker holds a hand-on workshop with its attendees. Workshops can cost extra.

Specification:

```
Feature: A4 – Manage sessions: As an organizer I want to manage sessions that
attendees can sign up for

  Scenario: A4a – Show form for new session
    Given I am on the detail page of an event
    And I press "Create new session"
    Then a form to enter session information appears
```



© WorldSkills International

Scenario: A4b – Enter information for a new session
  Given a form to enter session information is shown
  When I enter information for the session (all fields, except cost, required)
  And I press "Save session"
  Then the session is saved into the database
  And I am redirected to the detail page of the event it is assigned to
  And a success message "Session successfully created" is shown

Scenario: A4c – Enter invalid information for a new session – room booked
  Given a form to enter session information is shown
  When I choose a room which already has another session at the same time
  And I press "save session"
  Then the session is not saved into the database
  And an error message "Room already booked during this time" is shown
  And my previously submitted input data is not lost

Scenario: A4d – Show form for updating session
  Given I am on the detail page of an event
  And I click on the name of a session
  Then a form to update session information appears

Scenario: A4e – Update session information
  Given a form to update information of an existing session
  When I change the prefilled old event information to new values
  And I press "Save session"
  Then the updated session is saved into the database
  And I am redirected to the detail page of the event it is assigned to
  And a success message "Session successfully updated" is shown


Channel management

A channel is used to group multiple sessions by a topic, for example management or user experience. Channels are assigned to exactly one event.

Specification:

```
Feature: A5 - Manage channels: As an organizer I want to manage channels of an
event so sessions can get assigned to them

  Scenario: A5a – Show form for new channel
    Given I am on the detail page of an event
    And I press "Create new channel"
    Then a form to enter channel information appears
```




```
  Scenario: A5b – Enter information for a new channel
    Given a form to enter channel information is shown
    When I enter information for the channel (all fields required)
    And I press "Save channel"
    Then the channel is saved into the database
    And I am redirected to the detail page of the event it is assigned to
    And a success message "Channel successfully created" is shown
```


© WorldSkills International


Room management

A room is assigned to exactly one channel and can have exactly one session at a time.

Specification:

```
Feature: A6 – Manage rooms: As an organizer I want to manage rooms which I can
later assign to sessions

  Scenario: A6a – Show form for new room
    Given I am on the detail page of an event
    And I press "Create new room"
    Then a form to enter room information appears
```




```
  Scenario: A6b – Enter information for a new room
    Given a form to enter room information is shown
    When I enter information for the room (all fields required)
    And I press "Save room"
    Then the room is saved into the database
    And I am redirected to the detail page of the event it is assigned to
    And a success message "Room successfully created" is shown
```


© WorldSkills International

Room capacity


Organizers want to see an overview of all sessions with information about the room capacity and number of attendees. With this information, they can see if a room is reaching its full capacity.

Please note that for all sessions of type talk, attendees don't need a separate ticket. For sessions of type workshop, they need a separate ticket.

Specification:

```
Feature: A7 – Room overview: As an organizer I want to see an overview of the
sessions with the room capacity and number of attendees

  Scenario: A7a – Show room overview
    Given I am on the detail page of an event
    When I press the link "Room capacity" in the sidebar
    Then I see a bar chart displaying sessions along the horizontal axis,
      while the y-axis is showing the room capacity superimposed with the
      registered amount of attendees
```




```
Scenario: A7b – Room capacity exceeded
    Given I am on the "Room capacity" page
    When I have a room which exceeds its capacity
    Then I see the visitors bar highlighted with a red color instead of green
```


© WorldSkills International

Attendee API

Create a RESTful API (http://<hostname>/XX_JS-PHP_A/api/v1/…) to

- login and logout as an attendee
- read all upcoming events
- see the agenda for an event
- sign up and purchase a ticket for an event

PHPUnit tests

Tests for the PHP API are distributed with the mediafiles. Please see the following instructions to set them up and configure on your own server.

Setup:

1. Upload the API tests to your server
2. Configure the `.env` file of the API tests and provide correct database credentials and the URL where your API is available.

Running the tests:

Execute the following command on the server inside the directory of the api tests:

```
composer test
```

To only run a single test, you can use the following command for example:

```
composer test -- --filter B2EventDetailTest
```

Additional information for the REST-API tests/specification: the body contains some static example data, adjust it to fit the requirements. Placeholder parameters in the URL are marked with curly braces: {slug}

The tests are referenced by its function name *[-> test<scenario-id><text>]*.

The order of properties in objects does not matter, but the order of items in an array does.

Events overview

When an attendee lands on the index page of the application, he will get a list with all upcoming events across all organizers. Events should be ordered ascendilgly by their date.

Specification:

```
Feature: B1 – Read events: As a visitor I want to read the public data of all
upcoming events so that I can display them in a list

  Scenario: B1a – Read all upcoming events
    Request
      URL: /api/v1/events
      Method: GET
      Header:
      Body: -
    Response
      If success [-> testB1aGetEvents]
        Header: Response code: 200
```


© WorldSkills International

```
        Body: {"events": [{"id": 1, "name": "someText", "slug": "some-text",
"date": "2019-08-15", "organizer": {"id": 1, "name": "someText", "slug":
"some-text"}}]}
```

Event detail

When an event is selected, all information of the selected event should be returned in the same endpoint.

If a session has no cost or a ticket no description, NULL will be used.

The description of a ticket is generated as following:

- NULL if no special validity rule set
- "Available until {month} {day}, {year}" if special validity rule "date" is used
  (example: "Available until September 1, 2019")
- "X tickets available" if special validity rule "amount" is used
  (example: "30 tickets available" where 30 is the total amount of tickets and not the remaining ones)

Specification:

```
Feature: B2 - Read event: As a visitor I want to read all information about
an event

  Scenario: B2a – Read all detail information of a single event
    Request
      URL: /api/v1/organizers/{organizer-slug}/events/{event-slug}
      Method: GET
      Header:
      Body: -
    Response
      If success [-> testB2aGetEventDetail | testB2aTicketValidity]
        Header: Response code: 200
        Body: {"id": 1, "name": "someText", "slug": "some-text",  "date":
"2019-08-15", "channels": [{"id": 1, "name": "someText", "rooms": [{"id": 1,
"name": "someText", "sessions": [{"id": 1, "title": "someText",
"description": "someText", "speaker": "someText", "start": "2019-08-15
10:00:00", "end": "2019-08-15 10:45:00", "type": "workshop", "cost":
50|null}]}]}], "tickets": [{"id": 1, "name": "someText", "description":
"Available until July 7, 2019"|null, "cost": 199.99, "available": true}]}
      If event does not exist or was not created by the organizer [->
testB2aGetInvalidEvent]
        Header: Response code: 404
        Body: {"message": "Event not found"}
      If organizer does not exist [-> testB2aGetInvalidOrganizer]
        Header: Response code: 404
        Body: {"message": "Organizer not found"}
```

Attendee login and logout

After signup (which is not within the scope of this project), attendees get assigned a random 6 characters long registration code which they need when entering an event. To avoid requiring yet another password, this registration code is also used for logging the user in on the website, together with his lastname as his login credentials. The registration code is shared across all events and is *not* only valid for a single event.

For testing purposes, the registration code and last name can be seen in the database dump.

On a successful login, data of the loggedin attendee gets returned together with a token which can be sumitted with subsequent requests. For simplicity, the token is the username md5-hashed and is valid until the logout endpoint is called.

Specification:

```
Feature: B3 - Login and Logout as atteendee: As a visitor I want to
login/logout so that I can attend an event and see my registrations

  Scenario: B3a - Attendee login
    Request
      URL: /api/v1/login
      Method: POST
      Header:
      Body: {"lastname": "someText", "registration_code": "someText"}
    Response
      If success [-> testB3aCorrectLogin|SameLastname|SameRegistrationCode]
        Header: Response code: 200
        Body: {"firstname: "someText", "lastname": "someText", "username":
"someText", "email": "someText", "token": "AUTHORIZATION_TOKEN"} (md5 hashed
username, valid until logout)
      If user login info not correct [->
testB3aInvalidLastname|RegistrationCode|Request]
        Header: Response code: 401
        Body: {"message": "Invalid login"}

  Scenario: B3b – Attendee logout
    Request
      URL: /api/v1/logout?token={AUTHORIZATION_TOKEN}
      Method: POST
      Header:
      Body: -
    Response
      If success [-> testB3bLogout]
        Header: Response code: 200
        Body: {"message": "Logout success"}
      If invalid token [-> testB3bInvalidToken | testB3bAlreadyLoggedOut]
        Header: Response code: 401
        Body: {"message": "Invalid token"}
```

Event registration

Users will register and buy a ticket with this endpoint. The different ticket validity rules (date or amount) should be validated. Registrations should be sorted ascendingly by their id.

Specification:

```
Feature: B4 – Event registration: As a visitor I want to register for an
event

  Scenario: B4a – New event registration
    Request
      URL: /api/v1/organizers/{organizer-slug}/events/{event-
slug}/registration?token={AUTHORIZATION_TOKEN}
      Method: POST
      Header:
      Body: {"ticket_id": 1, "session_ids": [1, 2, 3]} (session_ids is
optional)
    Response
      If success [-> testB4aCorrectRegistration]
        Header: Response code: 200
        Body: {"message": "Registration successful"}
      If user is not logged in or token is invalid [-> testB4aLoggedOut]
        Header: Response code: 401
        Body: {"message": "User not logged in"}
      If user already registered for this event [->
testB4aAlreadyRegistered]
        Header: Response code: 401
        Body: {"message": "User already registered"}
      If ticket is not available anymore [-> testB4aInvalidTicket]
        Header: Response code: 401
        Body: {"message": "Ticket is no longer available"}


  Scenario: B4b – Get registrations of a user
    Request
      URL: /api/v1/registrations?token={AUTHORIZATION_TOKEN}
      Method: GET
      Header:
      Body: -
    Response
      If success [-> testB4bGetRegistrations | testB4bNewRegistration]
        Header: Response code: 200
        Body: {"registrations": [{"event": {"id": 1, "name": "someText",
"slug": "some-text",  "date": "2019-08-15", "organizer": {"id": 1, "name":
"someText", "slug": "some-text"}}, "session_ids": [1, 2, 3]}]}
      If user is not logged in or token is invalid [-> testB4bLoggedOut]
        Header: Response code: 401
        Body: {"message": "User not logged in"}
```


© WorldSkills International

Phase two – JavaScript

API Setup

The API needed for this part will be **provided after lunch** and can be set up with the following instructions. In case you want to start with part two before lunch, you have to use your own API from part one.

Automated setup:

Connect to your server through SSH and execute the following command (in your `home` directory):

```
setup-api
```

This will automatically set up the API and database on your server. After completion, the API is available at http://XX.skill17.com/day2-afternoon/ (XX is your workstation number).

The API is implemented according to the specification of the Attendees API in part one.

Manual setup:

The manual setup should only be done in case the automatic setup fails.

1. Download the API from http://wsi.skill17.com/day2_afternoon_api.zip (only available in the afternoon)
2. Upload it to your server and unzip it into the folder `/home/competitor/www/day2-afternoon` (ensure that the unzipped files files are directly located in the folder `/home/competitor/www/day2-afternoon` and not in another subfolder)
3. Create a new database called day2_`afternoon` and import the provided dump from part one
4. The API is now available at http://XX.skill17.com/day2-afternoon/ (XX is your workstation number)

© WorldSkills International

Introduction

Using the RESTful API (all data coming/going into database), create a frontend for attendees to browse information about the events, login/logout and register for an event. During registration, it should be possible to add additional workshops they want to attend.

The RESTful API supports POST requests with JSON or FormData bodies, but the correct request headers need to be set accordingly to the used body type.


Interaction should show error/feedback messages based on response from the API where appropriate. Also, an error page should be shown when accessing an invalid URL.

Browsing all data is public and no user is required. But as soon as they want to register for an event, they need to be signed in.

Refreshing a page should always display the same page and it must be possible to share a page by URL so that all state is kept in the URL.

The layout should follow mockups exactly. The position of elemenst in design should be same as mockups.


The yellow bubbles in the mockups show classes and ids which have to be used for those elements to allow running automated tests. The yellow bubbles are not part of the design and do not have to be displayed in the browser.



© WorldSkills International

Events list

When accessing the index page, all upcoming events are displayed with their organizer name and the date it takes place. By selecting an event, the event agenda will be shown.



Specification:


```
Feature C1 - List upcoming events: As an attendee, I want to see what events
I can attend.

  Scenario: C1a - List upcoming events
    Given I am on the home page
    Then I see a chronologically ordered list of upcoming events across all
      organizers
    And I can click on an event
```


© WorldSkills International

Event agenda

The agenda of the selected event is shown. If the user is logged in and is already registered for this event, all sessions with type talk are highlighted with a green border since they are automatically included in every event registration. Additionally, if the user signed up for addition sessions of type workshop, they will also be highlighted with a green border.



Specification:

```
Feature C2 - Display event agenda: As an attendee, I want to see what
sessions are within an event.

  Scenario: C2a - Display channels
    Given I am on an event detail page
    Then I see the channels of the event forming horizontal swimlanes
    And the channels contain the rooms as "inside"-swimlanes


  Scenario: C2b - Display talk and workshop sessions
    Given I am on an event detail page
    Then I see the timeline containing "9:00", "11:00", "13:00", "15:00"
    And I see the sessions in the correct room swimlane starting and ending
      at the correct time

  Scenario: C2c - Display registered sessions
    Given I am on an event detail page
    And I am logged in
    And I am already registered for this event
    Then I see all sessions of type talk highlighted with a green border
    And I see all sessions of type workshop which I have signed up for
      highlighted with a green border
```


© WorldSkills International

Session detail

When clicking on a session within the agenda, a detail page showing all information about this session will be shown.



Specification:

```
Feature C3 - Display session details: As an attendee, I want to inform
myself about the details of a session.

  Scenario: C3a - Display session details
    Given I am on an event detail page
    When I click on a session
    Then I see a detail page of the session containing title, description,
      speaker, start and end time, type and the cost (if it is set)
```


© WorldSkills International


Event registration

After clicking on "register for this event", the user either sees the event registration form if he is logged in or gets redirected to the login form if he is not logged in.

On the event registration form, he can select the ticket type he wants. Unavailable tickets are greyed out and can't be selected. The API is responsible for this information and the validation, so it does not have to be handled in the frontend.

The user can also select additional sessions of type workshop he wants to attend. If a session has an additional cost, it will show up in the cost view and add to the total cost.

After clicking on "Purchase", the user will be registered for this event and the sessions he has selected and gets redirected back to the event detail page.



Specification:

```
Feature: C4 - Register for event: As an attendee, I want to be able to register
for an event and pay the admission fee.

  Scenario: C4a - Enter registration mode
    Given I am on an event detail page
    And I am logged in
    Then I can click on a button to enter registration mode
    And I see the ticket types and their cost
    And I see a checkbox list of sessions of type workshop
    And I see a cost view summary
    And I see a disabled "Purchase" button

  Scenario: C4b - Select ticket success
    Given I am in registration mode of an event
    When I select a ticket that is available
    Then the ticket cost is displayed in the cost view summary
    And the "Purchase" button is enabled


  Scenario: C4c - Select ticket fail
    Given I am in registration mode of an event
    When I select a ticket that is not available
    Then the ticket is not selected
    And the "Purchase" button is not enabled

  Scenario: C4d - Select workshop session
    Given I am in registration mode in an event
    When I tick a workshop session
    Then the session receives a tick
    And the price of the workshop is displayed under "Additional workshops" in
      in the cost view
    And the price of the session is added to the total cost

  Scenario: C4e - Purchase
    Given I am in registration mode in an event
    When I select a ticket and I press the "Purchase” button
    Then the registration is saved
    And I get redirected to the event agenda
    And a message appears "Registration successful"
```

Attendee login

When registering for an event, a login is required. After a successful login, the login button in the navigation should no longer be visible. Instead, the username of the currently logged in user should be displayed and a button to log out.



Specification:

```
Feature: C5 – Log in and log out as an attendee: As an attendee, I would like to
log in and log out to the event
platform so that I can access my registrations and register for new events.

  Scenario: C5a - Attendee login ok
    Given I am on the "login" page
    When I enter the specified lastname and registration code for an attendee
    And press the "Login" button
    Then I'm forwarded to the previous page
    And username and "Logout" button become visible in the header

  Scenario: C5b - Attendee login fail
    Given I am on the "login" page
    When I enter a wrong lastname and registration code for an attendee
    And press the "Login" button
    Then I stay on the "login" page
    And I see an error message "Lastname or registration code not correct"

  Scenario: C5c - Attendee logout
    Given I am logged in
    When I press the "Logout" button
    Then I am forwarded to the "login" page
    And username and logout button disappear
    And I cannot reach the previous page by going back
```


© WorldSkills International

Notes

- When you are done with the first phase resp. after lunch you may continue with the second phase.
- If you are done with part one before the lunch break, you can start with part two by using your own API and exchange it at the start of the afternoon with the provided API.
- Competitors must use one of the server-side and client-side frameworks/libraries that are provided.
- The provided template for the admin interface should be used. It can be enhanced to get better functionality for your site. The visual design of the *admin interface* will *not* be assessed.
- The design of the attendee interface can be based on the template of the admin interface. The visual design of the attendee interface *will* be assessed: a simple, clean and attractive design is expected, including choice of colors, typography and spacing.
  The design should be optimized for a minium window width of 1024px.
- For the admin interface it is important to use the selectors (class, id) as provided in the template. For the attendee interface it is important to use the selectors (class, id) as specified in the screen mockup (yellow bubbles).
- The specified database tables need to be implemented as provided. More tables may be added if needed. The given tables must not be changed. Provide a final SQL-dump and ERD screen as specified below.
- The API implementation should fulfill all requirements as stated in the description. All prefixes, RESTful-URLs and HTTP-Methods from the given API links must be implemented correctly and cannot be changed.
- Changes made in the data need to be propagated between frontend and backend in both directions.
- Update the first two organizers in the provided dump so it is possible to login to the system during assessment:
  - Organizer accounts:
    - Email: demo1@worldskills.org Password: demopass1
    - Email: demo2@worldskills.org Password: demopass2
- For the room capacity bar chart, you can use one of the provided JS-libraries (Charts.js, D3.js)

© WorldSkills International

Submission Instructions to the Competitor

Morning: Files to be collected after the first phase on the server:

- Web service (http://<hostname>/XX_JS-PHP_A/api/v1/..)
- Admin area (http://<hostname>/XX_JS-PHP_A/) - initially shows login page
- Folder inside webroot (XX_JS-PHP_A/)
- ERD screenshot named “XX_ERD.png” in “db-dump” folder inside of XX_JS-PHP_A
- Database dump named “XX_database.sql” in “db-dump” folder inside of XX_JS-PHP_A

Afternoon: Files to be collected after the second phase on the server:

- Front-end website (http://<hostname>/XX_JS-PHP_B/)
- Folder inside webroot (XX_JS-PHP_B/) - put all development files into XX_JS-PHP_B_dev.zip and leave only files for production-use in this directory.
- If the front-end root (http://<hostname>/XX_JS-PHP_B) does not open the main page directly, have it open an index.html with a link to the main page for marking your front-end.

XX is your country code

The Web Service / REST-API will be assessed with the **automated test-framework** provided. Additional data may be used to test dynamic behavior.

It is recommended that you run the automated tests for the REST-API after implementing it locally or at least after uploading it to the server. Instructions to setup and use the tests for the API: see README.md in tests_api-php.

Manual assessment of other parts will be done using **Google Chrome.**

Equipment, machinery, installations, and materials required

It is expected that all Test Projects can be accomplished by Competitors based on the equipment and materials specified in the Infrastructure List*.

If any equipment or material is required that is not listed in the Infrastructure List, then it has to be listed here (in the table below - column headings may vary from skill to skill.)

WorldSkills International needs to approve any additional infrastructure requirements that are not listed in the Infrastructure List. Column headings may vary from skill to skill.

* (Definition: the Infrastructure List is the equipment, machinery, installations and materials supplied by the host country – it does not include tools and material to be supplied by Competitors and/or Experts)

ITEM	DESCRIPTION
Media Files	Contains: - DB dump - Template files for the admin-gui - Charts.js & D3.js incl. Documentation - Files for testing REST-API

Marking Scheme

SECTION	CRITERION	JUDG. MARKS	MEAS. MARKS	TOTAL
C1	Database	1.75	1.5	3.25
C2	Admin Backend	0	3.25	3.25
C3	Ticket and Session	0	1.5	1.5
C4	Organizer	1	2.25	3.25
C5	REST API	1.5	2.25	3.75
D1	Events list and agenda	0	3.75	3.75
D2	Session and Events	0	3	3
D3	General	1	3	4
D4	JS Quality	2.5	0	2.5
D5	Front end design	3	0	3
TOTAL		10.75	20.5	31.25

© WorldSkills International