Tests:

Backend Tests:

- 1. time of computing on BACKEND ONLY the time from when rabbitmq passes to the backend to when rabbitmq receives the backend answer
- for single driver (2 stops, 10 stops, 25 stops, 50 stops)
- for 2, 5, 10 drivers, time of backend for 15 stops
- 2. Comparing Backend output to a Google maps potential output (checking how similar our tool is to google, in theory google is extremely close to optimal, we want to be close) > only possible for single tsp
- 3. The 3 Boolean flags, test that backend is adjusting for them. Example: for avoid highways make a route that makes sense to use a highway. Then turn off the highways feature. Make sure the backend is now creating a route without the highway involved. Do for ferries and tolls too.
- 4. Load management \rightarrow get like 6 devices that all make a request simultaneously? What happens when this occurs.
- 5. Server \rightarrow is the only allowable IP the vercel server?

Database Tests:

- 1. Invalid password
- 2. repeating email
- 3. session tests (does session end at logout? Can a user be logged in simultaneously on two machines?
- 4. Can you recover your password?
- 5. Can you sign in with google?
- 6. Can you delete your account?
- 7. Can the database handle infinite accounts? How many? How does it restrict infinite account creation?

CREDITS:

- 1. What is the default credit upon account creation?
- 2. Can you add credits?
- 3. Do credits increment / decrement appropriately?
- 4. Whats the max number of credits you can have?

SAVING / RELOADING / EXPORTING:

- 1. Can you save / reload a route?
- 2. How do credits change with saving/reloading?
- 3. How many routes can you save?
- 4. Can you export infinite routes? Does this cost credits?

ROUTING ON DASHBOARD:

- 1. Single driver \rightarrow 1 stop? 2 stops? 5 stops? 10 stops? 25 stops? 50 stops? 51 stops?
- 2. Multi driver → 1 stop? 2 stops? 5 stops? 10 stops? 25 stops? 50 stops? 51 stops?
- 3. booleans \rightarrow do they work
- 4. returns home, does it work?
- 5. what happens when a spot is unreachable (iqaluit) example
- 6. locations outside of north america
- 7. crossing the border?
- 8. not utilizing all the drivers?

- 9. 11 drivers?
- 10. deleting a stop after route already calculated?
- 11. adding a stop after route already calculated?
- 12. changing the boolean flags after already calculating a route?
- 13. time: from the moment you hit 'calculate route' to the moment the response is fully displayed (for single and multi driver, 1, 2, 10, 25, 50 stops each)?
- 14. logout works?
- 15. fleet, add/remove vehicles?