ENSO - PP / US east coast

Yangchuanosaurus_Dandiya_Cantabile



Scientific Background

El Niño events can impact distant and diverse regions of the planet.

- El Niño impact the position and intensity of the Jet Stream, which affects the position and strength of pressure gradients.
- 2. Changes in the distribution of pressure gradients appear to altered the amount and spatial distribution of wetness/rainfall in the US East Coast during El Niño conditions

Research Questions

- 1. Are there any precipitation spatial patterns before and after El Niño events?
- 2. Are Delaware discharge levels changing in response to such (potential) ENSO-precipitation relationship?

[Speaker Zoom video]






Before EI-NIÑO:

1982, 1991, 1997, 2014

Total Discharge (cubic feet per second) for each month in each year prior to El-NINO events

1.4
1982
1.991
1.991
1.991
1.992
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991
1.991




PP anomalies



[Speaker Zoom _{ots} video]


Total Discharge (cubic feet per second) for each month in each year after El-NINO events






Statistical analysis (Precipitation)

[Speaker Zoom video]







T-Statistics (**Before vs After**): 0.45

p-value: 0.84

Spatial differences





Difference of Precipitation before and after El Niño events



Summary

- Statistically, differences in precipitations before and after El Niño events were not significant
- We found that discharge (ft3*-s) at Delaware basin was twice after El Niño than that of before.
- During and after El Niño, the northern part of east US tends to be drier than the south.
- We learned that not every El Niño events have varying spatial impacts on precipitation
- However, it seems to be a differential subregional effect between the north and south as well between the land and the ocean.

[Speaker Zoom video]