Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Users\Nimpod\Downloads\linguashield (2)\linguashield> dir

Directory: C:\Users\Nimpod\Downloads\linguashield (2)\linguashield

Mode	LastWriteTime	Length	Name
d-----	10/17/2026 12:37 PM		adaption
d-----	10/17/2026 12:37 PM		data
d-----	10/17/2026 12:37 PM		results
d-----	10/17/2026 12:37 PM		scripts
-a----	10/17/2026 12:37 PM	459	.env.example
-a----	10/17/2026 12:37 PM	32	.gitignore
-a----	10/17/2026 12:37 PM	2880	app.py
-a----	10/17/2026 12:37 PM	5658	backends.py
-a----	10/17/2026 12:37 PM	1223	eval.py
-a----	10/17/2026 12:37 PM	1609	README.md
-a----	10/17/2026 12:37 PM	2141	report.py
-a----	10/17/2026 12:37 PM	118	requirements.txt

PS C:\Users\Nimpod\Downloads\linguashield (2)\linguashield> pip install pandas metplotlib streamlit
Defaulting to user installation because normal site-packages is not writeable
Collecting pandas
  Downloading pandas-3.0.6-cp314-cp314-win_amd64.whl.metadata (19 kB)
ERROR: Could not find a version that satisfies the requirement metplotlib (from versions: none)

[notice] A new release of pip is available: 25.2 -> 26.2.1
[notice] To update, run: python.exe -m pip install --upgrade pip
ERROR: No matching distribution found for metplotlib
PS C:\Users\Nimpod\Downloads\linguashield (2)\linguashield> pip install pandas matplotlib streamlit
Defaulting to user installation because normal site-packages is not writeable
Collecting pandas
  Using cached pandas-3.0.6-cp314-cp314-win_amd64.whl.metadata (19 kB)
Collecting matplotlib
  Downloading matplotlib-3.11.2-cp314-cp314-win_amd64.whl.metadata (80 kB)
Collecting streamlit
  Downloading streamlit-1.66.0-py3-none-any.whl.metadata (10 kB)

Requirement already satisfied: numpy>=2.3.3 in
c:\users\nimpod\appdata\roaming\python\python314\site-packages (from pandas) (2.3.3)
Collecting python-dateutil>=2.8.2 (from pandas)
  Downloading python_dateutil-2.9.0.post0-py2.py3-none-any.whl.metadata (8.4 kB)
Collecting tzdata (from pandas)
  Downloading tzdata-2026.5-py2.py3-none-any.whl.metadata (1.4 kB)
Collecting contourpy>=1.0.1 (from matplotlib)
  Downloading contourpy-1.4.0-cp314-cp314-win_amd64.whl.metadata (3.8 kB)
Collecting cycler>=0.10 (from matplotlib)
  Downloading cycler-0.12.1-py3-none-any.whl.metadata (3.8 kB)
Collecting fonttools>=4.28.2 (from matplotlib)
  Downloading fonttools-4.67.0-cp314-cp314-win_amd64.whl.metadata (139 kB)
Collecting kiwisolver>=1.3.1 (from matplotlib)
  Downloading kiwisolver-1.5.1-cp314-cp314-win_amd64.whl.metadata (5.2 kB)
Collecting packaging>=20.0 (from matplotlib)
  Downloading packaging-26.3-py3-none-any.whl.metadata (3.5 kB)
Collecting pillow>=9 (from matplotlib)
  Downloading pillow-13.0.0-cp314-cp314-win_amd64.whl.metadata (9.3 kB)
Collecting pyparsing>=3 (from matplotlib)
  Downloading pyparsing-3.3.3-py3-none-any.whl.metadata (5.9 kB)
Collecting altair!=5.4.0,!=5.4.1,<7,>=5.0.0 (from streamlit)
  Downloading altair-6.3.0-py3-none-any.whl.metadata (11 kB)
Collecting click<9,>=7.0 (from streamlit)
  Downloading click-8.5.0-py3-none-any.whl.metadata (2.6 kB)
Collecting pillow>=9 (from matplotlib)
  Downloading pillow-12.3.0-cp314-cp314-win_amd64.whl.metadata (9.3 kB)
Collecting pydeck<1,>=0.8.0b4 (from streamlit)
  Downloading pydeck-0.9.3-py2.py3-none-any.whl.metadata (4.2 kB)
Collecting protobuf<8,>=5.26.1 (from streamlit)
  Downloading protobuf-7.36.2-cp310-abi3-win_amd64.whl.metadata (595 bytes)
Collecting pyarrow!=25.0.0,<27,>=10.0.1 (from streamlit)
  Downloading pyarrow-26.0.0-cp314-cp314-win_amd64.whl.metadata (3.0 kB)
Collecting requests<3,>=2.27 (from streamlit)
  Downloading requests-2.34.2-py3-none-any.whl.metadata (4.8 kB)
Collecting typing-extensions<5,>=4.10.0 (from streamlit)
  Downloading typing_extensions-4.16.0-py3-none-any.whl.metadata (3.3 kB)
Collecting starlette<2,>=0.46.0 (from streamlit)
  Downloading starlette-1.8.0-py3-none-any.whl.metadata (6.6 kB)
Collecting uvicorn<1,>=0.30.0 (from streamlit)
  Downloading uvicorn-0.54.0-py3-none-any.whl.metadata (6.6 kB)
Collecting anyio<5,>=4.0.0 (from streamlit)
  Downloading anyio-4.15.1-py3-none-any.whl.metadata (4.7 kB)
Collecting python-multipart<1,>=0.0.10 (from streamlit)
  Downloading python_multipart-0.0.32-py3-none-any.whl.metadata (2.1 kB)

Collecting websockets<18,>=12.0.0 (from streamlit)
  Downloading websockets-17.2-cp314-cp314-win_amd64.whl.metadata (6.5 kB)
Collecting itsdangerous<3,>=2.1.2 (from streamlit)
  Downloading itsdangerous-2.2.0-py3-none-any.whl.metadata (1.9 kB)
Collecting watchdog<7,>=2.1.5 (from streamlit)
  Downloading watchdog-6.0.0-py3-none-win_amd64.whl.metadata (44 kB)
Collecting jinja2 (from altair!=5.4.0,!=5.4.1,<7,>=5.0.0->streamlit)
  Downloading jinja2-3.1.6-py3-none-any.whl.metadata (2.9 kB)
Collecting jsonschema>=3.0 (from altair!=5.4.0,!=5.4.1,<7,>=5.0.0->streamlit)
  Downloading jsonschema-4.26.0-py3-none-any.whl.metadata (7.6 kB)
Collecting narwhals>=2.4.0 (from altair!=5.4.0,!=5.4.1,<7,>=5.0.0->streamlit)
  Downloading narwhals-2.27.1-py3-none-any.whl.metadata (15 kB)
Collecting idna>=2.8 (from anyio<5,>=4.0.0->streamlit)
  Downloading idna-3.20-py3-none-any.whl.metadata (7.2 kB)
Collecting charset_normalizer<4,>=2 (from requests<3,>=2.27->streamlit)
  Downloading charset_normalizer-3.5.2-cp314-cp314-win_amd64.whl.metadata (47 kB)
Collecting urllib3<3,>=1.26 (from requests<3,>=2.27->streamlit)
  Downloading urllib3-2.8.0-py3-none-any.whl.metadata (7.4 kB)
Collecting certifi>=2023.5.7 (from requests<3,>=2.27->streamlit)
  Downloading certifi-2026.7.22-py3-none-any.whl.metadata (2.5 kB)
Collecting h11>=0.8 (from uvicorn<1,>=0.30.0->streamlit)
  Downloading h11-0.16.0-py3-none-any.whl.metadata (8.3 kB)
Collecting MarkupSafe>=2.0 (from jinja2->altair!=5.4.0,!=5.4.1,<7,>=5.0.0->streamlit)
  Downloading markupsafe-3.0.4-cp314-cp314-win_amd64.whl.metadata (2.8 kB)
Collecting attrs>=22.2.0 (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=5.0.0->streamlit)
  Downloading attrs-26.1.0-py3-none-any.whl.metadata (8.8 kB)
Collecting jsonschema-specifications>=2023.03.6 (from
jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=5.0.0->streamlit)
  Downloading jsonschema_specifications-2025.9.1-py3-none-any.whl.metadata (2.9 kB)
Collecting referencing>=0.28.4 (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=5.0.0->streamlit)
  Downloading referencing-0.37.0-py3-none-any.whl.metadata (2.8 kB)
Collecting rpds-py>=0.25.0 (from jsonschema>=3.0->altair!=5.4.0,!=5.4.1,<7,>=5.0.0->streamlit)
  Downloading rpds_py-2026.9.1-cp314-cp314-win_amd64.whl.metadata (4.2 kB)
Collecting six>=1.5 (from python-dateutil>=2.8.2->pandas)
  Downloading six-1.17.0-py2.py3-none-any.whl.metadata (1.7 kB)
Downloading pandas-3.0.6-cp314-cp314-win_amd64.whl (9.8 MB)
   ━━
9.8/9.8 MB 4.8 MB/s 0:00:02
Downloading matplotlib-3.11.2-cp314-cp314-win_amd64.whl (9.5 MB)
   ━━
9.5/9.5 MB 5.5 MB/s 0:00:01
Downloading streamlit-1.66.0-py3-none-any.whl (10.4 MB)
   ━━
10.4/10.4 MB 5.5 MB/s 0:00:01

Downloading altair-6.3.0-py3-none-any.whl (797 kB)
━━━
797.2/797.2 kB 5.2 MB/s 0:00:00
Downloading anyio-4.15.1-py3-none-any.whl (132 kB)
Downloading click-8.5.0-py3-none-any.whl (125 kB)
Downloading itsdangerous-2.2.0-py3-none-any.whl (16 kB)
Downloading pillow-12.3.0-cp314-cp314-win_amd64.whl (7.2 MB)
━━━
7.2/7.2 MB 5.5 MB/s 0:00:01
Downloading protobuf-7.36.2-cp310-abi3-win_amd64.whl (456 kB)
Downloading pyarrow-26.0.0-cp314-cp314-win_amd64.whl (29.2 MB)
━━━
29.2/29.2 MB 5.9 MB/s 0:00:04
Downloading pydeck-0.9.3-py2.py3-none-any.whl (11.4 MB)
━━━
11.4/11.4 MB 6.1 MB/s 0:00:01
Downloading python_multipart-0.0.32-py3-none-any.whl (30 kB)
Downloading requests-2.34.2-py3-none-any.whl (73 kB)
Downloading charset_normalizer-3.5.2-cp314-cp314-win_amd64.whl (210 kB)
Downloading idna-3.20-py3-none-any.whl (69 kB)
Downloading starlette-1.8.0-py3-none-any.whl (79 kB)
Downloading typing_extensions-4.16.0-py3-none-any.whl (45 kB)
Downloading urllib3-2.8.0-py3-none-any.whl (135 kB)
Downloading uvicorn-0.54.0-py3-none-any.whl (87 kB)
Downloading watchdog-6.0.0-py3-none-win_amd64.whl (79 kB)
Downloading websockets-17.2-cp314-cp314-win_amd64.whl (218 kB)
Downloading certifi-2026.7.22-py3-none-any.whl (136 kB)
Downloading contourpy-1.4.0-cp314-cp314-win_amd64.whl (240 kB)
Downloading cycler-0.12.1-py3-none-any.whl (8.3 kB)
Downloading fonttools-4.67.0-cp314-cp314-win_amd64.whl (2.5 MB)
━━━
2.5/2.5 MB 5.6 MB/s 0:00:00
Downloading h11-0.16.0-py3-none-any.whl (37 kB)
Downloading jinja2-3.1.6-py3-none-any.whl (134 kB)
Downloading jsonschema-4.26.0-py3-none-any.whl (90 kB)
Downloading attrs-26.1.0-py3-none-any.whl (67 kB)
Downloading jsonschema_specifications-2025.9.1-py3-none-any.whl (18 kB)
Downloading kiwisolver-1.5.1-cp314-cp314-win_amd64.whl (72 kB)
Downloading markupsafe-3.0.4-cp314-cp314-win_amd64.whl (14 kB)
Downloading narwhals-2.27.1-py3-none-any.whl (483 kB)
Downloading packaging-26.3-py3-none-any.whl (129 kB)
Downloading pyparsing-3.3.3-py3-none-any.whl (126 kB)
Downloading python_dateutil-2.9.0.post0-py2.py3-none-any.whl (229 kB)
Downloading referencing-0.37.0-py3-none-any.whl (26 kB)

Downloading rpds_py-2026.9.1-cp314-cp314-win_amd64.whl (222 kB)
Downloading six-1.17.0-py2.py3-none-any.whl (11 kB)
Downloading tzdata-2026.5-py2.py3-none-any.whl (347 kB)
Installing collected packages: websockets, watchdog, urllib3, tzdata, typing-extensions, six, rpds-py, python-multipart, pyparsing, pyarrow, protobuf, pillow, packaging, narwhals, MarkupSafe, kiwisolver, itsdangerous, idna, h11, fonttools, cycler, contourpy, click, charset_normalizer, certifi, attrs, uvicorn, requests, referencing, python-dateutil, jinja2, anyio, starlette, pydeck, pandas, matplotlib, jsonschema-specifications, jsonschema, altair, streamlit
━━━

0/40 [websockets] WARNING: The script websockets.exe is installed in 'C:\Users\Nimpod\AppData\Roaming\Python\Python314\Scripts' which is not on PATH.
  Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
━━ ╺━━

1/40 [watchdog] WARNING: The script watchmedo.exe is installed in 'C:\Users\Nimpod\AppData\Roaming\Python\Python314\Scripts' which is not on PATH.
  Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ ╺━━

17/40 [idna] WARNING: The script idna.exe is installed in 'C:\Users\Nimpod\AppData\Roaming\Python\Python314\Scripts' which is not on PATH.
  Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ ╺━━

19/40 [fonttools] WARNING: The scripts fonttools.exe, pyftmerge.exe, pyftsubset.exe and ttx.exe are installed in 'C:\Users\Nimpod\AppData\Roaming\Python\Python314\Scripts' which is not on PATH.
  Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━ ╺━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━

23/40 [charset_normalizer] WARNING: The script normalizer.exe is installed in 'C:\Users\Nimpod\AppData\Roaming\Python\Python314\Scripts' which is not on PATH.
  Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
━━ ╺━━━━━━━━━━━━━━━━━━━━━━

26/40 [uvicorn] WARNING: The script uvicorn.exe is installed in 'C:\Users\Nimpod\AppData\Roaming\Python\Python314\Scripts' which is not on PATH.
━━ ╺━━━

37/40 [jsonschema] WARNING: The script jsonschema.exe is installed in 'C:\Users\Nimpod\AppData\Roaming\Python\Python314\Scripts' which is not on PATH.
  Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
━━━ ╺

39/40 [streamlit] WARNING: The script streamlit.exe is installed in 'C:\Users\Nimpod\AppData\Roaming\Python\Python314\Scripts' which is not on PATH.

Consider adding this directory to PATH or, if you prefer to suppress this warning, use --no-warn-script-location.
Successfully installed MarkupSafe-3.0.4 altair-6.3.0 anyio-4.15.1 attrs-26.1.0 certifi-2026.7.22 charset_normalizer-3.5.2 click-8.5.0 contourpy-1.4.0 cycler-0.12.1 fonttools-4.67.0 h11-0.16.0 idna-3.20 itsdangerous-2.2.0 jinja2-3.1.6 jsonschema-4.26.0 jsonschema-specifications-2025.9.1 kiwisolver-1.5.1 matplotlib-3.11.2 narwhals-2.27.1 packaging-26.3 pandas-3.0.6 pillow-12.3.0 protobuf-7.36.2 pyarrow-26.0.0 pydeck-0.9.3 pyparsing-3.3.3 python-dateutil-2.9.0.post0 python-multipart-0.0.32 referencing-0.37.0 requests-2.34.2 rpds-py-2026.9.1 six-1.17.0 starlette-1.8.0 streamlit-1.66.0 typing-extensions-4.16.0 tzdata-2026.5 urllib3-2.8.0 uvicorn-0.54.0 watchdog-6.0.0 websockets-17.2

[notice] A new release of pip is available: 25.2 -> 26.2.1
[notice] To update, run: python.exe -m pip install --upgrade pip
PS C:\Users\Nimpod\Downloads\linguashield (2)\linguashield> python eval.py keyword
[1/48] en-s1: true=scam pred=scam
[2/48] en-s2: true=scam pred=scam
[3/48] en-s3: true=scam pred=scam
[4/48] en-s4: true=scam pred=scam
[5/48] en-s5: true=scam pred=scam
[6/48] en-s6: true=scam pred=scam
[7/48] en-l1: true=legitimate pred=legitimate
[8/48] en-l2: true=legitimate pred=legitimate
[9/48] en-l3: true=legitimate pred=legitimate
[10/48] en-l4: true=legitimate pred=legitimate
[11/48] en-l5: true=legitimate pred=legitimate
[12/48] en-l6: true=legitimate pred=legitimate
[13/48] es-s1: true=scam pred=legitimate
[14/48] es-s2: true=scam pred=legitimate
[15/48] es-s3: true=scam pred=legitimate
[16/48] es-s4: true=scam pred=legitimate
[17/48] es-s5: true=scam pred=legitimate
[18/48] es-s6: true=scam pred=legitimate
[19/48] es-l1: true=legitimate pred=legitimate
[20/48] es-l2: true=legitimate pred=legitimate
[21/48] es-l3: true=legitimate pred=legitimate
[22/48] es-l4: true=legitimate pred=legitimate
[23/48] es-l5: true=legitimate pred=legitimate
[24/48] es-l6: true=legitimate pred=legitimate
[25/48] sw-s1: true=scam pred=legitimate
[26/48] sw-s2: true=scam pred=legitimate
[27/48] sw-s3: true=scam pred=legitimate
[28/48] sw-s4: true=scam pred=legitimate
[29/48] sw-s5: true=scam pred=legitimate
[30/48] sw-s6: true=scam pred=legitimate
[31/48] sw-l1: true=legitimate pred=legitimate

```
[32/48] sw-l2: true=legitimate pred=legitimate
[33/48] sw-l3: true=legitimate pred=legitimate
[34/48] sw-l4: true=legitimate pred=legitimate
[36/48] sw-l6: true=legitimate pred=legitimate
[37/48] tl-s1: true=scam pred=legitimate
[38/48] tl-s2: true=scam pred=scam
[39/48] tl-s3: true=scam pred=scam
[40/48] tl-s4: true=scam pred=legitimate
[41/48] tl-s5: true=scam pred=scam
[42/48] tl-s6: true=scam pred=legitimate
[43/48] tl-l1: true=legitimate pred=legitimate
[45/48] tl-l3: true=legitimate pred=legitimate
[46/48] tl-l4: true=legitimate pred=legitimate
[47/48] tl-l5: true=legitimate pred=legitimate
[48/48] tl-l6: true=legitimate pred=legitimate

Saved results/keyword_filter.csv   overall accuracy = 68.8%
PS C:\Users\Nimpod\Downloads\linguashield (2)\linguashield> python report.py
Matplotlib is building the font cache; this may take a moment.
        model language  accuracy  scam_detection_rate  false_alarm_rate
keyword_filter       en      1.00                  1.0               0.0
keyword_filter       es      0.50                  0.0               0.0
keyword_filter       sw      0.50                  0.0               0.0
keyword_filter       tl      0.75                  0.5               0.0

Saved results/summary.csv and results/gap_chart.png
PS C:\Users\Nimpod\Downloads\linguashield (2)\linguashield> start results\gap_chart.png
PS C:\Users\Nimpod\Downloads\linguashield (2)\linguashield>
```

multilingual_sms_scam

Measure | View | Share | AutoScientist | API | Interfaces

Adaptive Data



Dataset Name
multilingual_sms_scam

Description
This dataset comprises multilingual SMS and WhatsApp-style text prompts across English, Spanish, Swahili, Tagalog, Yoruba, and Zulu designed for scam classification. Prompts include both common fraud patterns and legitimate messages containing urgent tone or links, using...
See more


Dataset Details
This dataset consists of natural, short SMS and WhatsApp-style messages in English, Spanish, Swahili, Tagalog, Yoruba, and Zulu designed for training scam detection models. The dataset features a balanced distribution of common scam types—such as fake bank alerts, prize wins, delivery fees, job...
See more

Prompt length	Completion length	Dataset size	Dataset ID
19 words	25 words	4000 rows	71599440-e48a-4ef1-9c54-3d3334c0477b

Technology (66%)
Language (34%)

Multilingual Communication
Cybersecurity


English
Filipino
Spanish



Quality Score
6.1



Grade
C



Percentile
7.5

AUTOSCIENTIST · TRAINING METRICS

AutoScientist

Training model

adaption_qwen3_5_4b_multilingual_sms_scam_45fc327a


Training model name

adaption_qwen3_5_4b_multilingual_sms_scam_45fc327a

Instruction Tuning Config › Weights export Add Key › kaggle Connect ›

AutoScientist Win Rate

On your dataset



Technology Win Rates

Across all tasks processed in the Technology category.

