```
0010  REM THIS PROGRAM READS IN THE DAILY REPORT DATA REQUIRED (CALLED "MRDATA")
0020 DIM X(258)
0030 FOR J=1 TO 258
0040 A(J,1),A(J,2),A(J,3)=0
0050 NEXT J
0060 A(1,1)=H(26)+1
0070 A(243,1)=H(27)
0080 REM LOADING IN PREVIOUS DAY
0090 CONVERT H(26) TO A$,(###)
0100 DATA LOAD DC OPEN T#H(37),A$
0110 DATA LOAD DC #H(37),A1$,X(),B1$()
0120 DATA SAVE DC CLOSE #H(37)
0130 FOR J=1 TO 258
0140 A(J,3)=X(J)
0150 NEXT J
0160 B1$(1),B1$(2),B1$(3),B1$(4),B1$(5),B1$(6)=" "
0170 PRINT HEX(03)
0180 SELECT PRINT 005(80)
0190  INPUT "  2   LBS TRS PURCHASED",A(2,1)
0200  PRINT J$(1)
0210  INPUT "  3   HOURS LOST",A(3,1)
0220  PRINT J$(2)
0230  INPUT "  4   HOURS LOST",A(4,1)
0240  PRINT J$(3)
0250  INPUT "  5   HOURS LOST",A(5,1)
0260  PRINT J$(4)
0270  INPUT "  6   HOURS LOST",A(6,1)
0280  PRINT J$(5)
0290  INPUT "  7   HOURS LOST",A(7,1)
0300  PRINT J$(6)
0310  INPUT "  8   HOURS LOST",A(8,1)
0320  PRINT J$(7)
0330  INPUT "  9   HOURS LOST",A(9,1)
0340  PRINT J$(8)
0350  INPUT " 10   HOURS LOST",A(10,1)
0360  PRINT J$(9)
0370  INPUT " 11   HOURS LOST",A(11,1)
0380  PRINT J$(10)
0390  INPUT " 12   HOURS LOST",A(12,1)
0400  INPUT " 13   TOTAL HOURS AVAILABLE FOR GRINDING TODAY",A(13,1)
0410  PRINT H$(1)
0420  INPUT " 14   QUANTITY USED",A(14,1)
0430  PRINT H$(2)
0440  INPUT " 15   QUANTITY USED",A(15,1)
0450  PRINT H$(3)
0460  INPUT " 16   QUANTITY USED",A(16,1)
0470  PRINT H$(4)
0480  INPUT " 17   QUANTITY USED",A(17,1)
0490  PRINT H$(5)
0500  INPUT " 18   QUANTITY USED",A(18,1)
0510  PRINT H$(6)
0520  INPUT " 19   QUANTITY USED",A(19,1)
0530  PRINT H$(7)
0540  INPUT " 20   QUANTITY USED",A(20,1)
0550  PRINT H$(8)
0560  INPUT " 21   QUANTITY USED",A(21,1)
0570  PRINT H$(9)
0580  INPUT " 22   QUANTITY USED",A(22,1)
0590  PRINT H$(10)
0600  INPUT " 23   QUANTITY USED",A(23,1)
0610  PRINT H$(11)
```

```
0620  INPUT " 24   QUANTITY USED",A(24,1)
0630  PRINT H$(12)
0640  INPUT " 25   QUANTITY USED",A(25,1)
0650  INPUT " 26   CRUSHER JUICE BRIX",A(26,1)
0660  INPUT " 27   CRUSHER JUICE POL",A(27,1)
0670  IF H(2)=0 THEN 690
0680  INPUT " 28   CRUSHER JUICE GLUCOSE",A(28,1)
0690  IF H(3)=0 THEN 710
0700  INPUT " 29   CRUSHER JUICE pH",A(29,1)
0710  INPUT " 30   MIXED JUICE BRIX",A(30,1)
0720  INPUT " 31   MIXED JUICE POL",A(31,1)
0730  IF H(4)=0 THEN 750
0740  INPUT " 32   MIXED JUICE GLUCOSE",A(32,1)
0750  IF H(5)=0 THEN 770
0760  INPUT " 33   MIXED JUICE pH",A(33,1)
0770  INPUT " 34   LAST ROLL JUICE BRIX",A(34,1)
0780  INPUT " 35   LAST ROLL JUICE POL",A(35,1)
0790  INPUT " 36   CLARIFIED JUICE BRIX",A(36,1)
0800  INPUT " 37   CLARIFIED JUICE POL",A(37,1)
0810  IF H(6)=0 THEN 830
0820  INPUT " 38   CLARIFIED JUICE GLUCOSE",A(38,1)
0830  IF H(7)=0 THEN 850
0840  INPUT " 39   CLARIFIED JUICE pH",A(39,1)
0850  IF H(18)=0 THEN 880
0860  INPUT " 40   FILTRATE JUICE BRIX",A(40,1)
0870  INPUT " 41   FILTRATE JUICE POL",A(41,1)
0880  INPUT " 42   SYRUP BRIX",A(42,1)
0890  INPUT " 43   SYRUP POL",A(43,1)
0900  IF H(8)=0 THEN 920
0910  INPUT " 44   SYRUP GLUCOSE",A(44,1)
0920  IF H(9)=0 THEN 940
0930  INPUT " 45   SYRUP pH",A(45,1)
0940  INPUT " 46   A MASSECUITE BRIX",A(46,1)
0950  INPUT " 47   A MASSECUITE POL",A(47,1)
0960  IF H(19)=0 THEN 990
0970  INPUT " 48   TOP-OFF A MASSECUITE BRIX",A(48,1)
0980  INPUT " 49   TOP-OFF A MASSECUITE POL",A(49,1)
0990  INPUT " 50   B MASSECUITE BRIX",A(50,1)
1000  INPUT " 51   B MASSECUITE POL",A(51,1)
1010  INPUT " 52   C MASSECUITE BRIX",A(52,1)
1020  INPUT " 53   C MASSECUITE POL",A(53,1)
1030  INPUT " 54   A MOLASSES BRIX",A(54,1)
1040  INPUT " 55   A MOLASSES POL",A(55,1)
1050  IF H(19)=0 THEN 1080
1060  INPUT " 56   TOP-OFF A MOLASSES BRIX",A(56,1)
1070  INPUT " 57   TOP-OFF A MOLASSES POL",A(57,1)
1080  INPUT " 58   B MOLASSES BRIX",A(58,1)
1090  INPUT " 59   B MOLASSES POL",A(59,1)
1100  INPUT " 60   GRAIN BRIX",A(60,1)
1110  INPUT " 61   GRAIN POL",A(61,1)
1120  INPUT " 62   C MAGMA BRIX",A(62,1)
1130  INPUT " 63   C MAGMA POL",A(63,1)
1140  IF H(20)=0 THEN 1210
1150  IF H(22)=0 THEN 1190
1160  INPUT " 64   B MAGMA BRIX",A(64,1)
1170  INPUT " 65   B MAGMA POL",A(65,1)
1180  GOTO 1210
1190  INPUT " 64   C CYCLONE BRIX",A(64,1)
1200  INPUT " 65   C CYCLONE POL",A(65,1)
1210  INPUT " 66   CU. FT. OF A MASSECUITE MADE",A(66,1)
1220  IF H(19)=0 THEN 1240
```

```
1230  INPUT " 67   CU. FT. OF TOP-OFF A MASSECUITE MADE",A(67,1)
1240  INPUT " 68   CU. FT. OF B MASSECUITE MADE",A(68,1)
1250  INPUT " 69   CU. FT. OF C MASSECUITE MADE",A(69,1)
1260  INPUT " 70   MOISTURE % SUGAR MADE",A(70,1)
1270  INPUT " 71   POL OF SUGAR MADE",A(71,1)
1280  IF H(10)=0 THEN 1300
1290  INPUT " 72   STARCH SUGAR MADE",A(72,1)
1300  IF H(11)=0 THEN 1320
1310  INPUT " 73   DEXTRAN SUGAR MADE",A(73,1)
1320  INPUT " 74   FINAL MOLASSES MADE BRIX",A(74,1)
1330  INPUT " 75   FINAL MOLASSES MADE POL",A(75,1)
1340  IF H(12)=0 THEN 1360
1350  INPUT " 76   FINAL MOLASSES MADE % GLUCOSE",A(76,1)
1360  IF H(13)=0 THEN 1380
1370  INPUT " 77   FINAL MOLASSES MADE % ASH",A(77,1)
1380  IF H(14)=0 THEN 1400
1390  INPUT " 78   FINAL MOLASSES MADE CLERGET",A(78,1)
1400  INPUT " 79   FINAL MOLASSES SHIPPED BRIX",A(79,1)
1410  INPUT " 80   FINAL MOLASSES SHIPPED POL",A(80,1)
1420  IF H(15)=0 THEN 1440
1430  INPUT " 81   FINAL MOLASSES SHIPPED % GLUCOSE",A(81,1)
1440  IF H(16)=0 THEN 1460
1450  INPUT " 82   FINAL MOLASSES SHIPPED % ASH",A(82,1)
1460  IF H(17)=0 THEN 1480
1470  INPUT " 83   FINAL MOLASSES SHIPPED CLERGET",A(83,1)
1480  INPUT " 84   POL % FILTER CAKE",A(84,1)
1490  IF H(21)=0 THEN 1510
1500  INPUT " 85   MOISTURE % FILTER CAKE",A(85,1)
1510  INPUT " 86   POL % BAGASSE",A(86,1)
1520  INPUT " 87   MOISTURE % BAGASSE",A(87,1)
1530  INPUT " 88   TONS CANE PURCHASED",A(88,1)
1540  REM INPUT " 89   NET TONS CANE PURCHASED",A(89,1)
1550  REM INPUT " 90   STANDARD TONS CANE PURCHASED",A(90,1)
1560  INPUT " 91   TONS CANE GROUND",A(91,1)
1570  INPUT " 92   TONS MIXED JUICE",A(92,1)
1580  INPUT " 93   TONS IMBIBITION WATER",A(93,1)
1590  INPUT " 94   TONS FILTER CAKE MADE",A(94,1)
1600  INPUT " 95   LBS SUGAR MADE",A(95,1)
1610  INPUT " 96   GALLONS FINAL MOLASSES MADE",A(96,1)
1620  INPUT " 97   LBS SUGAR SHIPPED",A(97,1)
1630  INPUT " 98   GALLONS FINAL MOLASSES SHIPPED",A(98,1)
1640  INPUT " 99   CORE LAB CANE, % POL",A(99,1)
1650  INPUT "100   CORE LAB CANE, % BRIX",A(100,1)
1660  INPUT "101   CORE LAB CANE, % FIBER",A(101,1)
1670  INPUT "102   RAINFALL, INCHES",A(102,1)
1680  INPUT "103   MAXIMUM TEMPERATURE, DEG. F",A(103,1)
1690  INPUT "104   MINIMUM TEMPERATURE, DEG. F",A(104,1)
1700  INPUT "105   LBS SUGAR BRIX IN PROCESS",A(105,1)
1710  INPUT "106   LBS SUGAR POL IN PROCESS",A(106,1)
1720  INPUT "107   LBS FINAL MOLASSES BRIX IN PROCESS",A(107,1)
1730  INPUT "108   LBS FINAL MOLASSES POL IN PROCESS",A(108,1)
1740 IF H(27)=0 THEN 1820
1750 INPUT "246   TONS OF METERED IMBIBITON WATER",A(246,1)
1751 INPUT "251   LBS SUGAR IN WAREHOUSE # 1",A(251,1)
1752 INPUT "252   LBS SUGAR IN WAREHOUSE # 2",A(252,1)
1753 INPUT "253   LBS SUGAR IN WAREHOUSE # 3",A(253,1)
1754 INPUT "254   LBS SUGAR IN WAREHOUSE # 4",A(254,1)
1760 LINPUT "REMARKS - LINE 1A",-B1$(1)
1770 LINPUT "REMARKS - LINE 1B",-B1$(2)
1780 LINPUT "REMARKS - LINE 2A",-B1$(3)
1790 LINPUT "REMARKS - LINE 2B",-B1$(4)
```

```
1800 LINPUT "REMARKS - LINE 3A",-B1$(5)
1810 LINPUT "REMARKS - LINE 3B",-B1$(6)
1820 LOAD T "MRDATAWU" 10
```