```
0010 REM THIS PROGRAM TAKES FINAL SUGAR AND FINAL MOLASSES DATA FOR CROP AND CORRECTS THE FINAL DAYS INPUT DATA (MRENCROP)
0020 DIM X(258)
0030 SELECT PRINT 005(80)
0040 PRINT HEX(030A0A0A0A0A0A0A0A0A0A0A)
0050 PRINT "END OF CROP CORRECTION ROUTINE"
0060 CONVERT H(26) TO A$,(###)
0070 DATA LOAD DC OPEN T#H(37),A$
0080 DATA LOAD DC #H(37),A1$,X(),B1$
0090 DATA SAVE DC CLOSE #H(37)
0100 FOR J=1 TO 258
0110 A(J,2)=X(J)
0120 NEXT J
0130 CONVERT H(26)+1 TO A$,(###)
0140 DATA LOAD DC OPEN T#H(37),A$
0150 DATA LOAD DC #H(37),A1$,X(),B1$()
0160 DATA SAVE DC CLOSE #H(37)
0170 FOR J=1 TO 258
0180 A(J,3)=X(J)
0190 NEXT J
0200 H(26)=H(26)+1
0210 B(1,1)=A(204,3)*2000
0220 B(2,1)=(A(204,3)-A(205,3))*100/A(204,3)
0230 B(3,1)=A(206,3)*100/A(204,3)
0240 B(4,1)=A(207,3)*100/A(204,3)
0250 B(5,1)=A(208,3)*100/A(204,3)
0260 B(6,1)=A(211,3)
0270 B(7,1)=A(213,3)*100/A(212,3)
0280 B(8,1)=A(214,3)*100/A(212,3)
0290 B(9,1)=A(215,3)*100/A(212,3)
0300 B(10,1)=A(216,3)*100/A(212,3)
0310 B(11,1)=A(217,3)*100/A(212,3)
0320 B(12,1)=A(220,3)
0330 B(13,1)=A(222,3)*100/A(221,3)
0340 B(14,1)=A(223,3)*100/A(221,3)
0350 B(15,1)=A(224,3)*100/A(221,3)
0360 B(16,1)=A(225,3)*100/A(221,3)
0370 B(17,1)=A(226,3)*100/A(221,3)
0380 B(18,1)=A(242,3)
0390 PRINT HEX(0A0A)
0400 PRINT "REPORT FOR DAY ";A1$
0410 PRINT "FOR CROP DAY ";A(1,3)
0420 PRINT HEX(0A0A)
0430 PRINT "TODATE LBS SUGAR MADE ";B(1,1)
0440 INPUT "CORRECT TODATE LBS SUGAR MADE ",B(1,1)
0450 PRINT HEX(0A)
0460 PRINT "TODATE MOISTURE % SUGAR ";B(2,1)
0470 INPUT "CORRECT TODATE MOISTURE % SUGAR",B(2,1)
0480 PRINT HEX(0A)
0490 PRINT "TODATE POL % SUGAR ";B(3,1)
0500 INPUT "CORRECT TODATE POL % SUGAR",B(3,1)
0510 PRINT HEX(0A)
0520 PRINT "TODATE STARCH % SUGAR ";B(4,1)
0530 INPUT "CORRECT TODATE STARCH % SUGAR",B(4,1)
0540 PRINT HEX(0A)
0550 PRINT "TODATE GRAIN SUGAR ";B(5,1)
0560 INPUT "CORRECT TODATE GRAIN SUGAR",B(5,1)
0570 PRINT HEX(0A)
0580 PRINT "TODATE LBS SUGAR SHIPPED ";B(18,1)
0590 INPUT "CORRECT TODATE LBS SUGAR SHIPPED",B(18,1)
0600 PRINT HEX(0A)
0610 PRINT "TODATE GALLONS FINAL MOLASSES MADE ";B(6,1)
```

```
0620 INPUT "CORRECT TODATE GALLONS FINAL MOLASSES MADE",B(6,1)
0630 PRINT HEX(0A)
0640 PRINT "TODATE BRIX OF FINAL MOLASSES MADE ";B(7,1)
0650 INPUT "CORRECT TODATE BRIX OF FINAL MOLASSES MADE",B(7,1)
0660 PRINT HEX(0A)
0670 PRINT "TODATE POL OF FINAL MOLASSES MADE ";B(8,1)
0680 INPUT "CORRECT TODATE POL OF FINAL MOLASSES MADE",B(8,1)
0690 PRINT HEX(0A)
0700 PRINT "TODATE GLUCOSE % FINAL MOLASSES MADE ";B(9,1)
0710 INPUT "CORRECT TODATE GLUCOSE % FINAL MOLASSES MADE",B(9,1)
0720 PRINT HEX(0A)
0730 PRINT "TODATE ASH % FINAL MOLASSES MADE ";B(10,1)
0740 INPUT "CORRECT TODATE ASH % FINAL MOLASSES MADE",B(10,1)
0750 PRINT HEX(0A)
0760 PRINT "TODATE CLERGET OF FINAL MOLASSES MADE ";B(11,1)
0770 INPUT "CORRECT TODATE CLERGET OF FINAL MOLASSES MADE",B(11,1)
0780 PRINT HEX(0A)
0790 PRINT "TODATE GALLONS OF FINAL MOLASSES SHIPPED ";B(12,1)
0800 INPUT "CORRECT TODATE GALLONS OF FINAL MOLASSES SHIPPED",B(12,1)
0810 PRINT HEX(0A)
0820 PRINT "TODATE BRIX OF FINAL MOLASSES SHIPPED ";B(13,1)
0830 INPUT "CORRECT TODATE BRIX OF FINAL MOLASSES SHIPPED",B(13,1)
0840 PRINT HEX(0A)
0850 PRINT "TODATE POL OF FINAL MOLASSES SHIPPED ";B(14,1)
0860 INPUT "CORRECT TODATE POL OF FINAL MOLASSES SHIPPED",B(14,1)
0870 PRINT HEX(0A)
0880 PRINT "TODATE GLUCOSE % FINAL MOLASSES SHIPPED ";B(15,1)
0890 INPUT "CORRECT TODATE GLUCOSE % FINAL MOLASSES SHIPPED",B(15,1)
0900 PRINT HEX(0A)
0910 PRINT "TODATE ASH % FINAL MOLASSES SHIPPED ";B(16,1)
0920 INPUT "CORRECT TODATE ASH % FINAL MOLASSES SHIPPED",B(16,1)
0930 PRINT HEX(0A)
0940 PRINT "TODATE CLERGET % FINAL MOLASSES SHIPPED ";B(17,1)
0950 INPUT "CORRECT TODATE CLERGET % FINAL MOLASSES SHIPPED",B(17,1)
0960 A(204,1)=B(1,1)/2000
0970 A(205,1)=(100-B(2,1))/100*A(204,1)
0980 A(206,1)=B(3,1)/100*A(204,1)
0990 A(207,1)=B(4,1)/100*A(204,1)
1000 A(208,1)=B(5,1)/100*A(204,1)
1010 A(211,1)=B(6,1)
1020 K=B(7,1)
1030 K1=62.2514+.240778534*K+.0007971907*K^2+.00000395521*K^3-1.247356E-8*K^4-1.94891E-11*K^5
1040 K1=K1/7.48
1050 A(212,1)=A(211,1)*K1/2000
1060 A(213,1)=A(212,1)*K/100
1070 A(214,1)=A(212,1)*B(8,1)/100
1080 A(215,1)=A(212,1)*B(9,1)/100
1090 A(216,1)=A(212,1)*B(10,1)/100
1100 A(217,1)=A(212,1)*B(11,1)/100
1110 A(220,1)=B(12,1)
1120 K=B(13,1)
1130 K1=62.2514+.240778534*K+.0007971907*K^2+.00000395521*K^3-1.247356E-8*K^4-1.94891E-11*K^5
1140 K1=K1/7.48
1150 A(221,1)=A(220,1)*K1/2000
1160 A(222,1)=A(221,1)*K/100
1170 A(223,1)=A(221,1)*B(14,1)/100
1180 A(224,1)=A(221,1)*B(15,1)/100
1190 A(225,1)=A(221,1)*B(16,1)/100
1200 A(226,1)=A(221,1)*B(17,1)/100
1210 A(242,1)=B(18,1)
1220 A(95,1)=(A(204,1)-A(204,2))*2000
```

```
1230 A(70,1)=(A(204,1)-A(205,1)-A(204,2)+A(205,2))*100/(A(204,1)-A(204,2))
1240 A(71,1)=(A(206,1)-A(206,2))*100/(A(204,1)-A(204,2))
1250 A(72,1)=(A(207,1)-A(207,2))*100/(A(204,1)-A(204,2))
1260 A(73,1)=(A(208,1)-A(208,2))*100/(A(204,1)-A(204,2))
1270 A(96,1)=A(211,1)-A(211,2)
1280 A(97,1)=A(242,1)-A(242,2)
1290 A(98,1)=A(220,1)-A(220,2)
1300 A(74,1)=(A(213,1)-A(213,2))*100/(A(212,1)-A(212,2))
1310 A(75,1)=(A(214,1)-A(214,2))*100/(A(212,1)-A(212,2))
1320 A(76,1)=(A(215,1)-A(215,2))*100/(A(212,1)-A(212,2))
1330 A(77,1)=(A(216,1)-A(216,2))*100/(A(212,1)-A(212,2))
1340 A(78,1)=(A(217,1)-A(217,2))*100/(A(212,1)-A(212,2))
1350 A(79,1)=(A(222,1)-A(222,2))*100/(A(221,1)-A(221,2))
1360 A(80,1)=(A(223,1)-A(223,2))*100/(A(221,1)-A(221,2))
1370 A(81,1)=(A(224,1)-A(224,2))*100/(A(221,1)-A(221,2))
1380 A(82,1)=(A(225,1)-A(225,2))*100/(A(221,1)-A(221,2))
1390 A(83,1)=(A(226,1)-A(226,2))*100/(A(221,1)-A(221,2))
1400 GOSUB '1(70,83)
1410 GOSUB '1(95,98)
1420 GOSUB '1(204,208)
1430 GOSUB '1(211,217)
1440 GOSUB '1(220,226)
1450 GOSUB '1(242,242)
1460 FOR J=1 TO 258
1470 A(J,1)=A(J,3)
1480 NEXT J
1490 FOR J=1 TO 258
1500 A(J,3)=A(J,2)
1510 NEXT J
1520 GOTO 1580
1530 DEFFN'1(X,Y)
1540 FOR J=X TO Y
1550 A(J,3)=A(J,1)
1560 NEXT J
1570 RETURN
1580 LOAD T "MRDACOWU" 10
```