```
0010 REM THIS IS THE START MODULE FOR THE MANUFACTURING REPORT PROGRAMS CALLED "MRSTART"
0020 COM B$64,B1$(6)60,A1$8,A2$(3)8,A(258,3),J$(10)16,H$(20)20,H(37),B(28,4),C(8,7),D(10,6),E(18,12),F(8,10),G(12,8)
0030 DIM I$(30)16,X(258),P1$48
0040 DIM U8$64,U9$8,U0,U3,U6,U9,P$64
0050 DIM Q$(2)64,Q6$64,Q5$64,U,Q4,Q5,Q6,Q7,Q8,Q9
0060 DATA SAVE DC CLOSE ALL
0070 SELECT ERROR >63
0080 A1$="  "
0090 FOR J=1 TO 258
0100 A(J,1),A(J,2),A(J,3)=0
0110 NEXT J
0120 FOR J=1 TO 35
0130 H(J)=0
0140 NEXT J
0150 DATA LOAD DC OPEN T "MRPARAMS"
0160 DATA LOAD DC #0,B$,A1$,J$(),H$(),I$(),H()
0170 DATA SAVE DC CLOSE #0
0180 REM SELECT STATEMENTS GO HERE
0182 REM NEXT STATEMENT SELECTS DATA DISK ADDRESS
0185 ON H(37) SELECT #1/310;#2/D11;#3/D12;#4/D13;#5/D14;#6/D20;#7/D21;#8/D22;#9/D23;#10/D24;#11/D25
0190 SELECT PRINT 005(80)
0200 PRINT HEX(03)
0210 PRINT HEX(0E);TAB(27);"MANUFACTURING REPORT MENU"
0215 PRINT TAB(34);"VERSION 2.1"
0216 PRINT TAB(40-LEN(B$)/2);B$
0220 PRINT HEX(0A0A)
0230 PRINT " 1.   Input Data for Daily Report"
0240 PRINT " 2.   Correct Data for Daily Report"
0250 PRINT " 3.   Print Data for Daily Report"
0260 PRINT " 4.   Print Todate Data File on Disk"
0270 PRINT " 5.   Print Daily Report"
0280 PRINT " 6.   Print Weekly Report"
0290 PRINT " 7.   Perform Stock in Process Calculations"
0300 PRINT " 8.   Help Routine for Daily Report"
0310 PRINT " 9.   End of Crop Correction Routine"
0320 PRINT "10.   Customize Program"
0330 PRINT "11.   Print Customized File"
0340 PRINT "12.   Print up Data Forms"
0350 PRINT "13.   Print Weekly Comparative Report Form"
0355 PRINT "14.   Back-up Data to Hard Disk (D13)"
0357 REM PRINT "15.   Lula Manufacturing Report"
0360 PRINT "16.   END"
0365 PRINT "17.   Delete Data Files at Start of Crop"
0370 PRINT HEX(0A0A)
0380 INPUT "WHICH ITEM NUMBER DO YOU WANT",X
0390 IF X=1 THEN 550
0400 IF X=2 THEN 1140
0410 IF X=3 THEN 1270
0420 IF X=4 THEN 1270
0430 IF X=5 THEN 1410
0440 IF X=6 THEN 1410
0450 IF X=7 THEN 1870
0460 IF X=8 THEN 1920
0470 IF X=9 THEN 1930
0480 IF X=10 THEN 2090
0490 IF X=11 THEN 2120
0500 IF X=12 THEN 2150
0510 IF X=13 THEN 1390
0515 IF X=14 THEN 2450
0520 IF X=15 THEN 2440
0525 IF X=16 THEN 2430
```

```
0527 IF X=17 THEN 2500
0530 GOTO 60
0540 REM ITEM 1 - DAILY REPORT INPUT
0550 GOSUB '1
0560 PRINT "DAILY DATA INPUT ROUTINE"
0570 DATA LOAD DC OPEN T#H(37),"000"
   : ERROR X=ERR
   : GOTO 800
0580 DATA SAVE DC CLOSE #H(37)
0590 P$="REPORT DATE (MM/DD/YY)?"
0600 GOSUB '220(P$)
0610 A2$(2)=U9$
0620 GOSUB '225(H(25),U9)
0630 H(27)=U9
0640 H(26)=U3
0650 REM U3= PREVIOUS DAY'S REPORT CROP DAY NUMBER
0660 CONVERT H(26)+1 TO A$,(###)
0670 DATA LOAD DC OPEN T#H(37),A$
   : ERROR X=ERR
   : GOTO 700
0680 DATA SAVE DC CLOSE #H(37)
0690 GOTO 740
0700 CONVERT H(26) TO A$,(###)
0710 DATA LOAD DC OPEN T#H(37),A$
   : ERROR X=ERR
   : GOTO 780
0720 DATA SAVE DC CLOSE #H(37)
0730 LOAD T "MRDATA" 10,2430
0740 INPUT "REPORT DATA ALREADY ENTERED - DO YOU WANT TO CORRECT IT? (Y OR N)",J$
0750 IF J$="Y" THEN 1180
0760 IF J$="N" THEN 60
0770 GOTO 740
0780 INPUT "MUST DO PREVIOUS DAY FIRST (KEY RETURN TO CONTINUE)",J$
0790 GOTO 60
0800 INPUT "NO DATA FILES ON DISK - DO YOU WANT TO START THE CROP (Y OR N)",K$
0810 IF K$="N" THEN 60
0820 IF K$="Y" THEN 840
0830 GOTO 800
0840 P$="DATE THAT CROP STARTED (MM/DD/YY)?"
0850 GOSUB '220(P$)
0860 DATA LOAD DC OPEN T "MRPARAMS"
0870 DATA LOAD DC #0,B$,A1$,J$(),H$(),I$(),H()
0880 DATA SAVE DC CLOSE #0
0890 A1$=U9$
0900 H(25)=U9
0910 H(26)=0
0920 A2$(2)=U9$
0930 SCRATCH T "MRPARAMS"
0940 DATA SAVE DC OPEN T ("MRPARAMS")"MRPARAMS"
0950 DATA SAVE DC #0,B$,A1$,J$(),H$(),I$(),H()
0960 DATA SAVE DC #0,END
0970 DATA SAVE DC CLOSE #0
0980 REM CONVERT JULIAN TO PROPER FORM
0990 J=U9-1
1000 GOSUB '224(J)
1010 GOSUB '223(Q9)
1020 H(27)=U9
1030 A1$=U9$
1040 X(1)=0
1050 X(243)=U9
1060 H(27)=H(25)
```

```
1070 CONVERT 0 TO A$,(###)
1080 DATA SAVE DC OPEN T#H(37),(15)A$
1090 DATA SAVE DC #H(37),A1$,X(),B1$()
1100 DATA SAVE DC #H(37),END
1110 DATA SAVE DC CLOSE #H(37)
1120 LOAD T "MRDATA" 10,2430
1130 REM START OF ITEM 2 - CORRECT DATA ROUTINE
1140 P$="ENTER DATE OF REPORT TO BE CORRECTED (MM/DD/YY)?"
1150 GOSUB '1
1160 PRINT "CORRECT DAILY REPORT DATA ROUTINE"
1170 GOSUB '220(P$)
1180 GOSUB '225(H(25),U9)
1185 IF U3<0 THEN 1240
1190 H(26)=U3+1
1200 CONVERT U3+1 TO A$,(###)
1210 DATA LOAD DC OPEN T#H(37),A$
   : ERROR X=ERR
   : GOTO 1240
1220 DATA SAVE DC CLOSE #H(37)
1230 LOAD T "MRDATACO" 10,2430
1240 INPUT "THIS REPORT NOT ON FILE - KEY RETURN TO CONTINUE",J$
1250 GOTO 60
1260 REM START OF ITEM 3 - PRINT DAILY REPORT DATA
1270 P$="DATE OF REPORT DATA TO BE PRINTED (MM/DD/YY)?"
1280 GOSUB '1
1290 PRINT "PRINT DAILY REPORT DATA ROUTINE"
1300 GOSUB '220(P$)
1310 GOSUB '225(H(25),U9)
1320 H(28)=X
1330 H(26)=U3+1
1340 CONVERT U3+1 TO A$,(###)
1350 DATA LOAD DC OPEN T#H(37),A$
   : ERROR X=ERR
   : GOTO 1240
1360 DATA SAVE DC CLOSE #H(37)
1370 LOAD T "MRDATAPR" 10,2430
1380 REM START OF DAILY AND WEEKLY REPORT
1390 H(34)=1
1400 X=6
1410 A2$(3)=A1$
1420 INPUT "DO YOU WANT REPORT CHECKING PAGE PRINTED (Y OR N)",J$
1430 IF J$="N" THEN 1470
1440 H(35)=1
1450 IF J$="Y" THEN 1470
1460 GOTO 1420
1470 IF X=6 THEN 1620
1480 GOSUB '1
1490 PRINT "PRINT DAILY REPORT ROUTINE"
1500 P$="REPORT FOR CROP DAY (MM/DD/YY)?"
1510 GOSUB '220(P$)
1520 INPUT "NUMBER OF REPORT COPIES REQUIRED",H(32)
1530 A2$(2)=U9$
1540 GOSUB '225(H(25),U9)
1550 H(26)=U3+1
1560 H(27)=U3
1570 CONVERT U3+1 TO A$,(###)
1580 DATA LOAD DC OPEN T#H(37),A$
   : ERROR X=ERR
   : GOTO 1240
1590 DATA SAVE DC CLOSE #H(37)
1600 H(28)=0
```

```
1610 GOTO 1860
1620 P$="LAST DAY INCLUDED IN THIS WEEKLY REPORT (MM/DD/YY)?"
1630 GOSUB '1
1640 PRINT "PRINT WEEKLY REPORT ROUTINE"
1650 GOSUB '220(P$)
1660 GOSUB '225(H(25),U9)
1670 H(26)=U3+1
1680 A2$(2)=U9$
1690 P$="FIRST DAY INCLUDED IN THIS WEEKLY REPORT (MM/DD/YY)?"
1700 GOSUB '220(P$)
1710 A2$(1)=U9$
1720 GOSUB '225(H(25),U9)
1730 H(27)=U3
1740 GOSUB '224(U9+1)
1750 GOSUB '223(Q9)
1760 INPUT "NUMBER OF THIS WEEKLY REPORT",H(31)
1770 IF H(34)=1 THEN 1790
1780 INPUT "NUMBER OF REPORT COPIES REQUIRED",H(32)
1790 INPUT "IS THIS OKAY (Y OR N)",J$
1800 IF J$="Y" THEN 1820
1810 GOTO 1620
1820 CONVERT H(26) TO A$,(###)
1830 DATA LOAD DC OPEN T#H(37),A$
   : ERROR X=ERR
   : GOTO 1240
1840 DATA SAVE DC CLOSE #H(37)
1850 H(28)=1
1860 LOAD T "MRCALC" 10
1870 GOSUB '1
1880 P$="DATE OF STOCK REPORT (MM/DD/YY)?"
1890 GOSUB '220(P$)
1900 A1$=U9$
1910 LOAD T "MRSTOCK" 10
1920 LOAD T "MRHELPC" 10
1930 P$="DATE OF LAST CROP DAY (MM/DD/YY)?"
1940 GOSUB '1
1950 PRINT "END OF CROP CORRECTION ROUTINE"
1960 GOSUB '220(P$)
1970 GOSUB '225(H(25),U9)
1980 H(26)=U3
1990 CONVERT H(26)+2 TO A$,(###)
2000 DATA LOAD DC OPEN T A$
   : ERROR X=ERR
   : GOTO 2040
2010 DATA SAVE DC CLOSE #0
2020 INPUT "THIS IS NOT LAST CROP DAY, KEY RETURN TO CONTINUE",J$
2030 GOTO 190
2040 DATA SAVE DC CLOSE #0
2050 CONVERT H(26)+1 TO A$,(###)
2060 DATA LOAD DC OPEN T#H(37),A$
   : ERROR X=ERR
   : GOTO 1240
2070 DATA SAVE DC CLOSE #H(37)
2080 LOAD T "MRENCROP" 10
2090 GOSUB '1
2100 PRINT "CUSTOMIZE ROUTINE"
2110 LOAD T "MRCUSTOM" 10
2120 GOSUB '1
2130 PRINT "PRINT CUSTOMIZED FILE"
2140 LOAD T "MRCUSTPR" 10
2150 LOAD T "MRBLANFM" 10
```

```
2160 DEFFN'1
2170 PRINT HEX(030A0A0A0A0A0A0A0A0A0A0A0A0A0A)
2180 RETURN
2190 DEFFN'220(U8$)
   : GOSUB '200(" "," ",8,0,U8$,2)
   : GOSUB '221(Q6$)
   : IF Q6$="E" THEN 2190
   : GOSUB '223(U9)
2200 PRINT AT(1,0);"IS DATE OK?   (Y/N)",U9$,U9;TAB(80);TAB(80);TAB(80)
   : GOSUB '200(" "," ",1,0," ",2)
   : IF Q6$="N" THEN 2190
   : IF Q6$<>"Y" THEN 2200
   : RETURN
2210 DEFFN'222(U8$)
   : GOSUB '200(" "," ",5,0,U8$,1)
   : GOSUB '223(Q9)
   : GOSUB '221(U9$)
2220 PRINT AT(1,0);"IS DATE OK?   (Y/N)",U9$,U9;TAB(80);TAB(80);TAB(80)
   : GOSUB '200(" "," ",1,0," ",2)
   : IF Q6$="N" THEN 2210
   : IF Q6$<>"Y" THEN 2220
   : RETURN
2230 DEFFN'221(U9$)
   : U0,U6,U9=0
   : $UNPACK(D=HEX(002F)) U9$ TO U0,U6,U9
   : ERROR U0=0
2240 IF U0<1 OR U0>12 OR U9<0 OR U9>99 THEN 2260
   : Q6$=HEX(001F1C1F1E1F1E1F1E1F1F1E1F1E1F)
   : IF MOD(U9,4)=0 THEN STR(Q6$,3,1)=HEX(1D)
   : IF U6<1 OR U6>VAL(STR(Q6$,U0+1,1)) THEN 2260
   : U9$="  /  /  "
   : CONVERT U0 TO STR(U9$,,2),(##)
   : CONVERT U6 TO STR(U9$,4,2),(##)
   : CONVERT U9 TO STR(U9$,7,2),(##)
   : STR(Q6$,,U0)=ADD STR(Q6$,2,U0)
2250 U9=U9*1E3+VAL(Q6$)+INT(U0/9)*256-VAL(STR(Q6$,U0+1,1))+U6
   : RETURN
2260 Q6$="E"
   : RETURN
2270 DEFFN'223(U9)
   : GOSUB '224(U9)
   : U9=Q9
   : Q9=INT(U9/1E3)
   : Q6$=HEX(001F3B5A7897B5D4F311304E6D)
   : IF MOD(Q9,4)=0 THEN STR(Q6$,3)=ADD ALL(01)
   : FOR U6=1 TO 12
   : IF VAL(STR(Q6$,U6+1,1))+INT(U6/9)*256>=U9-Q9*1E3 THEN 2280
   : NEXT U6
2280 U0=U9-Q9*1E3-VAL(STR(Q6$,U6))-INT(U6/10)*256
   : CONVERT U6*1E6+U0*1E3+Q9 TO U9$,(########)
   : U9$=XOR HEX(00001F00001F0000)
   : RETURN
2290 DEFFN'224(Q9)
   : U0=INT(365.25*(INT(Q9/1E3)-1))+Q9-INT(Q9/1E3)*1E3
   : Q9=INT(U0/365.25)
   : Q9=Q9-1+SGN(U0-INT(365.25*Q9))
   : Q9=Q9*1E3+(U0-INT(365.25*Q9))+1E3
   : RETURN
2300 DEFFN'225(U0,U6)
   : U3=INT(365.25*(INT(U6/1E3)-1))+U6-INT(U6/1E3)*1E3
   : U3=U3-(INT(365.25*(INT(U0/1E3)-1))+U0-INT(U0/1E3)*1E3)
```

```
   : IF U3<-18000 THEN 2302
2301 GOTO 2303
2302 U3=U3+36525
2303 RETURN
2310 DEFFN'200(Q$(1),Q$(2),U,Q4,Q5$,Q5)
   : Q6=Q9
   : SELECT PRINT 005
   : IF Q5$<>" " THEN PRINT AT(1,0);Q5$;TAB(80)
2320 KEYIN Q5$,2320,2320
2330 Q7=U-(Q4+2)*(INT(ABS(Q5)/2)-1)
   : IF U+Q4=0 AND Q5<2 THEN Q7=19
   : IF U+Q4=0 AND Q5>1 THEN Q7=64
   : PRINT AT(2,0);TAB(80);AT(2,0);
   : IF Q5>-1 AND Q5<3 THEN 2340
   : STR(Q6$,Q7+1)=" "
   : LINPUT STR(Q6$,,Q7)
   : GOTO 2350
2340 Q6$=" "
   : LINPUT ?STR(Q6$,,Q7)
2350 IF Q5>=2 THEN 2390
   : IF Q5=0 AND Q6$=" " THEN 2380
   : IF Q$()=" " THEN 2360
   : CONVERT Q$(1) TO Q7
   : CONVERT Q$(2) TO Q8
2360 IF LEN(Q6$)<>NUM(STR(Q6$,,LEN(Q6$))) THEN 2410
   : CONVERT Q6$ TO Q9
   : IF U+Q4=0 THEN 2370
   : IF ABS(Q9)>=10^ABS(U) OR INT(Q9*10^Q4)<>Q9*10^Q4 THEN 2410
2370 IF Q$()=" " THEN 2380
   : IF Q9<Q7 OR Q9>Q8 THEN 2410
2380 PRINT AT(1,0);TAB(80);TAB(80);TAB(80)
   : RETURN
2390 IF Q$()=" " THEN 2380
   : IF Q4=0 AND Q$(1)<=Q6$ AND Q$(2)>=Q6$ THEN 2380
   : IF Q4=0 THEN 2400
   : MAT SEARCH Q$()<,(INT((LEN(Q$())-1)/U)+1)*U>,=STR(Q6$,,U) TO Q5$ STEP U
   : Q9=INT((VAL(Q5$,2)-1)/U)+1
   : IF Q9>0 THEN 2380
2400 GOSUB 2420
   : GOTO 2330
2410 IF Q$()=" " THEN 2400
   : Q5$=ALL("d")
   : STR(Q5$,U+1,1)="."
   : PRINT AT(3,0);TAB(80);AT(3,0);HEX(07);"RE-ENTER   ";Q7;"<= X <=";Q8;"(";STR(Q5$,,U+Q4+1);")"
   : Q9=Q6
   : GOTO 2330
2420 DEFFN'255
   : PRINT HEX(07);AT(3,0);"RE-ENTER";TAB(80)
   : RETURN
2430 $END
2440  SELECT DISK/D13: LOAD T "MRSTART" 10,9999
2450 REM SCRATCH DISK D13 AND COPY DATA FILES TO D13
2460 SCRATCH DISK T/D13,LS=24,END=5759
2470 COPY T/D12, TO T/D13,
2480 LOAD T "MRSTART" 10,9999
2500 REM PROGRAM TO SCRATCH DATA FILE DISK
2510 INPUT "DO YOU WANT TO DELETE ALL DATA FILES TO START CROP (Y OR N)",J$
2520 IF J$="Y" THEN 2550
2530 IF J$="N" THEN 60
2540 GOTO 2510
2550 SCRATCH DISK T/D12,LS=24,END=5759
```

```
2560 LOAD T "MRSTART" 10,9999
```