

Sybilic Technologies

a quintessential partner in
business solutions

Date: 24 Nov 2025

Client Name : Brother Industries, Phils, Inc.
Address : First Philippines Industrial Park, Tanauan
Batangas, 4231 Philippines

Attention : Ms. Clarissa Africa

Subject : Point Mobile Data Sheet – PM95 and PM84

Dear Ms Clarissa,

Good day!

We are pleased to submit our proposal for the supply of Point Mobile Data Sheet – PM95 and PM84 for your review and approval.

Thank you for giving the opportunity to submit our proposal. Further, if you have any questions, please feel free to contact us.

Sincerely,

May Ann
Sybilic Technologies, Inc.
Phone: +63-917-321-2023

Sybilic Technologies, Inc.

Level 10-1 One Global Place, 5th Avenue & 25th Street, Bonifacio Global City, Taguig 1630 Philippines.
Phone Number: +63 917 142 2022, www.sybilic.com

Doc No.: 112425.0119

I. Price Quotation:

Part No.	Item Description	Qty	Unit Cost	Total Cost
PM95	Point Mobile – PM95 CPU: Octa-core 2.4 GHz processor - Operating System: Android 13 - Memory: 6 GB RAM DDR4, 64 GB UFS Flash - Extended Storage: MicroSD card slot (supports up to 256 GB) - Display: 6.0-inch FHD+ (2160 × 1080) Corning Gorilla Glass touch screen, brightness 500 cd/m² - Battery: Extended 7,020 mAh rechargeable Li-Polymer, user-replaceable - Camera: 16 MP rear camera with PDAF (auto-focus) - Slots: 1 MicroSD card slot, 1 Nano SIM / eSIM slot - Interface: USB Type-C, cradle charging interface (cradle not included) - Ingress Protection & Ruggedness: IP65 / IP68 certified - Drop resistance: 1.5 m to concrete (1.8 m with protective boot) MIL-STD-810H certified - Barcode Support: Integrated 2D imager supporting 1D and 2D codes including: - 1D: Code39, Code128, ITF 2/5, EAN-13, EAN-8, UPC-A, UPC-E, Codabar, GS1-128 - 2D: QR Code, PDF417, Data Matrix, Aztec, RSS-14 (Standard/Truncated/Stacked/Stacked Omni), RSS-Limited, RSS Expanded (Standard/Stacked) Accessories Included: - AC/DC Power Adaptor - LCD protection film - Country Plugs - Hand Strap - 1 Extended Battery	1	107,680.00	107,680.00
PM85	Point Mobile Data Sheet – PM84 CPU: Octa-core 2.0 GHz processor - Operating System: Android 13 - Memory: 4 GB RAM, 64 GB UFS Flash - Extended Storage: MicroSD card slot (supports up to 256 GB) - Display: 5.45-inch HD+ (720 × 1440) Corning Gorilla Glass touch screen, brightness 440 nits - Battery: Extended 7,020 mAh rechargeable Li-ion, user-replaceable - Camera: 13 MP rear camera (auto-focus) - Slots: 1 MicroSD card slot, 1 Nano SIM / eSIM slot - Interface: USB Type-C - Ingress Protection & Ruggedness: IP65 / IP67 certified - Drop resistance: 1.5 m to concrete (1.8 m with protective boot) MIL-STD-810H certified - Barcode Support: Integrated 2D imager supporting 1D and 2D codes including: - 1D: Code39, Code128, ITF 2/5, EAN-13, EAN-8, UPC-A, UPC-E, Codabar, GS1-128 - 2D: QR Code, PDF417, Data Matrix, Aztec, RSS-14 (Standard/Truncated/Stacked/Stacked Omni), RSS-	1	56,400.00	56,400.00

Sybilic Technologies, Inc.

Level 10-1 One Global Place, 5th Avenue & 25th Street, Bonifacio Global City, Taguig 1630 Philippines.

Phone Number: +63 917 142 2022, www.sybilic.com

Doc No.: 112425.0119

Sybilic Technologies

a quintessential partner in
business solutions

	- Limited, RSS Expanded (Standard/Stacked)			
	Accessories Included: - AC/DC Power Adaptor - LCD protection film - Country Plugs - Hand Strap - 1 Extended Battery			

Availability: (5-7 Days)

II. Terms and Conditions:

- 1) Price quoted are in Philippines pesos.
- 2) This proposal is valid for fifteen (15) days from the date of bid submission. Sybilic reserves the right to change the price after the validity period has expired.
- 3) Payment Terms: Upon Delivery 30 days payment terms. Payable to **Sybilic Technologies, Inc.**
- 4) Delivery:
 - a. For **STOCK** items, please allow us 7-10 business days lead-time.
 - b. For ***NON-STOCK** items, please allow us 30 - 60 business days lead-time.
 - c. Free Delivery within Metro Manila, Standard charges will be applicable for outside Metro Manila.
- 5) Installation
 - a. Above quoted price does not include Installation and services.
 - b. Any other components/accessories/installation works/services if not stated in here can be covered by a separate proposal.
- 6) Cancellation/Termination
 - a. If the customer request cancellation/termination of this agreement, prior to any activities executed, Sybilic will charge a cancellation fee equal to 30% of the total payment. However, order basis items are non-cancellable or exchangeable.
- 7) Confidentiality
 - a. The information contained in this proposal is to be treated as confidential and shall not be used or disclosed except to the customer's employees and consultants engaged in evaluating this proposal.

Conforme

Signature over Printed Name

Date:

Note:

Sybilic Technologies, Inc.

Level 10-1 One Global Place, 5th Avenue & 25th Street, Bonifacio Global City, Taguig 1630 Philippines.

Phone Number: +63 917 142 2022, www.sybilic.com

Doc No.: 112425.0119

PM84

ELEVATE YOUR BUSINESS WITH A PRACTICAL AND HIGH-QUALITY MOBILE COMPUTER

Enterprise Mobile Device for All Business Sizes

Meticulously designed, the PM84 stands out as a practical choice for businesses, yet delivers uncompromising performance. Powered by an octa-core processor and furnished with 4 GB RAM and 64 GB ROM standard storage, the device ensures a smooth user experience. A robust, easily replaceable 4,950 mAh (opt. 7,020 mAh) battery powers the device throughout the day. The back cover and the battery comprise one integrated part, contributing to increased safety and robustness, and offering a much easier on-the-spot battery replacement. PM84 features a 13 MP rear camera with Auto Focus for quick and clear on-site image capture, while 5 MP front camera facilitates video calls for clearer communication, especially when delivering real-time on-site information.

Productivity-Enhancing Business Features

Enjoy optimal user experience for your business with the PM84, certified by Android Enterprise Recommended. AER certified devices meet Google's strict requirements, including regular and consistent software and security updates. The unique Enterprise Hot-Swap feature saves time and safeguards your ongoing tasks, by allowing uninterrupted screen operation during battery replacement and initiating a safe shutdown countdown timer. Managing your devices has never been easier with Point Mobile Device Management (PMDM). It enables a remarkably straightforward and centralized process for the initial setup and updating of hundreds of devices. Furthermore, Point Mobile's extensive partnerships with third-party solution providers offer a variety of advanced MDM solutions from which you can choose to meet your specific business needs. The scan engine is optimized for fast and accurate data capture reading all commonly used 1D/2D symbologies, expanding the applicability of PM84 to various industries including retail, e-commerce, delivery services, transportation, and warehouse management.

Built for Durability and Longevity

Built to excel in demanding business environments, the PM84 boasts 1.8 m (6 ft.) drop resistance with the Rugged Boot and 1.5 m (5 ft.) without, onto granite and meets MIL-STD-810H drop standards. It passed a 500-cycle, 0.5 m (1.6 ft.) tumble test and operates within a temperature range of -20 °C to 60 °C (-4 °F to 140 °F), proving its suitability for even the harshest industrial settings. Equipped with Corning Gorilla Glass, the PM84 is designed for an extended lifecycle and exceptional durability.



Android
Enterprise
Recommended



Industries

Field Services
Transport & Logistics
Warehouse Management
Retail
Hospitality

Accessories

Standard
AC/DC Power Adaptor
Country Plug
LCD Protection Film
USB-C Cable
Battery
- Standard: 4,950 mAh
- Extended: 7,020 mAh
Hand Strap

Optional
Single Slot Cradle (opt. Ethernet)
4 Slot Battery Charger
Gun Handle
UHF RFID Reader
Rugged Boot



PM84

PERFORMANCE CHARACTERISTICS

Main processor

Octa-core @ 2.0 GHz

Operating system

Google Android Android 13 (upgradable to Android 15)
(GMS & AOSP) FOTA (Firmware Over The Air) update

Memory and storage

RAM/ROM 4 GB / 64 GB
micro SD Supports up to 512 GB using ExFAT file system
SIM 1 nano SIM

Sensor

Proximity sensor, Light ambient sensor,
Accelerometer, Gyro sensor, Digital
compass

PHYSICAL CHARACTERISTICS

Dimensions 164.8 x 78 x 17.6 mm
6.5 x 3.1 x 0.7 in.

Weight 266 g / 9.4 oz.

Display

5.45" IPS panel (720 x 1440 pixels), HD+
LED backlight
Daylight readable (440 nits, typical)
Wideviewing angle
Multi-touch capacitive
Corning Gorilla Glass

Power

Standard battery 4,950 mAh, 3.87 V, Li-Ion rechargeable
Extended battery 7,020 mAh, 3.87 V, Li-Ion rechargeable
Back-up battery 95 mAh, 3.7 V (10C), Enterprise Hot-Swap

Key & Buttons

Right Scan
Left Scan, Volume
Top Power

Voice & Audio

Dual microphones
Receiver
Speaker on front side (93 ± 3 dB)

Standard communications

USB 2.0 Type-C/OTG
POGO 2 pin
POGO 5 pin in rear

Notification

2 x Dual LEDs for power (R/G) and
warning (R/B) indication
Vibration

GLOBAL NAVIGATION SATELLITE SYSTEM

WLAN SKU: No GNSS
WWAN SKU: GNSS receiver support for GPS (A-GPS),
GLONASS, Galileo, and Beidou

WIRELESS

Wireless WAN

EDGE/GPRS/GSM 900/1800/850/1900
WCDMA B1/2/4/5/6/8/19
LTE FDD B1/2/3/4/5/7/8/12/13/17/19/20/25/26/28
/66
LTE TDD B38/39/40/41

Wireless LAN

Radio IEEE 802.11 a/b/g/n/ac/d/h/i/k/r/v,
1x1 MU-MIMO
Data rates 5 GHz: 802.11 a/n/ac: Up to 433 Mbps
2.4 GHz: 802.11 b/g/n: Up to 150 Mbps
Operating channels 1 to 13 (2412~2472 MHz)
36 to 165 (5180~5825 MHz)
Channel bandwidth 20, 40, 80 MHz
Security and encryption WEP / WPA / WPA2 / WEP, RC4 Algorithm /
TKIP, RC4 Algorithm / AES, Rijndael
Algorithm, EAP-TLS / EAP-TTLS / PEAP-
GTC / PEAP-MSCHAPv2 / LEAP supported,
WiFi Direct and Hot spot support, WPA3
Personal WPA3 Enterprise, Enhanced Open
(OWE)
Fast Roam 802.11r

Wireless PAN

Bluetooth Class I, ver. 5.1, BLE support

DATA CAPTURE

Integrated scan engine

Supporting 1D/2D barcode symbologies

Camera

Rear 13 MP, F. No. 1.8, Auto Focus
Front 5 MP

NFC (Near Field Communication)

NFC-Forum Reader for NFC Forum (Tag Types 1 to 5),
(NFC-IP Modes) P2P Active (106 to 424 kbps) Initiator and
Target, P2P Passive (106 to 424 kbps)
Initiator and Target
Reader ISO/IEC 14443 A, ISO/IEC 14443 B, ISO/IEC
(PCD - VCD) 15693, Mifare Classic 1K/4K, Mifare
DESFire, Mifare UltraLight®, Sony FeliCa

USER ENVIRONMENT

Operating temperature -20 °C to 60 °C
-4 °F to 140 °F

Storage temperature -25 °C to 70 °C
-13 °F to 158 °F

Humidity 95% non-condensing

Drop 1.8 m (6 ft.) with Rugged Boot and
1.5 m (5 ft.) without, multiple drops to
granite surface across the operating
temperature range, MIL-STD-810H

Tumble 500 cycles, 0.5 m (1.6 ft.) tumbles per
IEC 60068-2-32 specification

Rain/dust proof IP65 / IP67
(Sealing)

Electrostatic discharge ± 15 kV air discharge
± 8 kV contact discharge

REGULATORY APPROVALS AND COMPLIANCE

CB, CE, FCC, NRCAN, RCM, KC, CU, FAC, FSS, CST, SASO IECCE
(SIRC), BIS, WPC, IMDA, NBTC, MTC, RoHS, WEEE, REACH,
ANATEL, NOM019, NOM208, NOM-211 Parts 1 & 2 (IFITEL),
IFT012 SAR

ENTERPRISE SOLUTION

 **PMDM**
Simple yet powerful management solution

PMDM is a mobile device management solution for managing
and monitoring your Point Mobile Android devices.

Centralized management of enterprise devices is vital for better
productivity. You should provide a device configuration that the
workers can concentrate on their work with the device, and also
decrease the device downtime by predicting when to replace
the battery, etc.

 **EmKit**
Enterprise Mobility Kit

The EmKit™ is Point Mobile's value-added service kit engineered
for the pure benefit of system integrators. EmKit supports the
utilization, solution development, and secure management of
your business devices.

PULS - ANDROID UPDATE & SECURITY

PULS is a Point Mobile's lifetime solution, which extends the life
cycle of Android-based Point Mobile enterprise devices to up to
seven years after a product launch.

 **PULS**
Patches, updates & Lifetime Support

Stay up-to-date with the latest security updates for up to 7 year
Conveniently update your devices in the field by FOTA
Update Android Versions and use new features via PULS*

For further information, please visit www.pointmobile.com or
contact your regional sales representative.

*Android version updates may come with restrictions and could incur charges.

WARRANTY

Subject to the Terms and Conditions, PM84 carries 1 (one)
year-warranty period from the date of purchase against the
defective materials and manufacturing defects.

For the further inquiry, please contact:
service@pointmobile.com

Corporate Headquarters

Point Mobile Co., Ltd.
<https://www.pointmobile.com/en/contactus>
+82 2 3397 7870

NA Headquarters

Point Mobile Americas LLC
info@pointmobileamericas.com
+1 425 780 4452

Europe Headquarters

Point Mobile Europe GmbH
info.pmeg@pointmobile.com
+49 211 1588 5913

China Headquarters

Point Mobile China
info@pointmobile.com.cn
+86 755 8869 1169

PM95

LEAD THE FUTURE OF ENTERPRISE MOBILITY: DISCOVER THE 5G DEVICE THAT MEETS ALL YOUR NEEDS

Stay Connected With Lightning Speed

Introducing the PM95, your gateway to the lightning-fast world of 5G, offering a significant upgrade in data transmission speed for businesses. The 5G capability ensures instant transmission of large files such as high-resolution videos and AR content. Also enhanced by Wi-Fi 6E, the PM95 improves data security and battery efficiency inside your facility while maintaining faster speed. Its advanced network capacity invites business to digital transformation such as the use of IoT devices, paving the way for exponential productivity growth. The PM95 also delivers great processing power with the 2.4 GHz octa-core processor and Android 13 operating system. Available storage options are 6 GB / 64 GB and 8 GB / 128 GB—both utilizing UFS technology to further boost performance.

A Future-Defining Premium Device

The PM95 showcases thoughtful design choices, offering a high-end look and practical functionality at the same time. Its 6" FHD+ screen displays more information, while improving the device's aesthetic appeal. The device's ergonomic build provides comfortable grip and reduces slip risks. The 16 MP rear camera, reinforced with PDAF technology, captures clear images even when the object is moving. Another standout premium feature is the PM95's advanced BLE Beacon (optional), capable of transmitting location signals for up to 30 days even when main battery is detached. For extended use, an optional 7,020 mAh battery is available.

Extra Powers for Wider Application

The PM95 excels in vocal communication with three microphones supporting noise-cancellation, two 3W 100±3 dB speakers, and 3.5 mm jack compatible with PTT headset. A dedicated physical button on the right side enables PTT (Push-To-Talk) for instant and clear communication among the workforce. An additional emergency button on top of the device meets the MCPTT (Mission-Critical Push-to-Talk) standard for highly specialized application. For added versatility, the PM95 offers an optional IC/MSR for physical payment solutions and NFC for fast, contactless payments. It comes with EMV contact and contactless L1 certification and support for Master and VISA cards.



Exceptional Durability for Worry-Free Usage

Crafted to perfection by Point Mobile's experienced team, the PM95 is exceptionally durable and ready for harsh environments. With IP68 and IP65 ratings, it's highly resilient to dust and water. The PM95 can withstand multiple drops to concrete from 1.8 m (6 ft.) with the Rugged Boot and 1.5 m (5 ft.) without it, meeting MIL-STD-810H drop standards. The Corning Gorilla Glass protecting the screen adds an extra layer of durability, ensuring a worry-free user experience.

Industries

Field Services
Transport & Logistics
Warehouse Management
Retail
Hospitality

Accessories

Standard
AC/DC Power Adaptor
Country Plug
LCD Protection Film
Battery - Standard: 4,950 mAh
- Extended: 7,020 mAh
Hand Strap

Optional
Single Slot Cradle (opt. Ethernet)
4 Slot Cradle
4 Slot Battery Charger
Gun Handle
UHF RFID Reader
Rugged Boot



PM95



PERFORMANCE CHARACTERISTICS

Main processor

Octa-core @ 2.4 GHz

Operating system

Google Android (GMS & AOSP) Android 13 (upgradable to Android 18)*
FOTA (Firmware Over The Air) update

Memory and storage

RAM/ROM 6 GB / 64 GB (UFS) or 8 GB / 128 GB (UFS)
micro SD Supports up to 512 GB using ExFAT file system
SIM 1 nano SIM and eSIM

Sensor

Proximity sensor, Light ambient sensor,
Accelerometer, Gyro sensor,
Digital compass, SAR sensor,
Barometer sensor (optional)

PHYSICAL CHARACTERISTICS

Dimensions 164.8 x 78 x 17.6 mm
3.7 x 2.7 x 0.4 in.

Weight 283 g / 10 oz.

Display 6" (1080 x 2160 pixels), FHD+
LED backlight
Daylight readable (500 nits, typical)
Multi-touch capacitive
Corning Gorilla Glass

Power

Standard battery 4,950 mAh, 3.87 V, Li-Ion rechargeable
Extended battery 7,020 mAh, 3.87 V, Li-Ion rechargeable
Back-up battery 95 mAh 3.7 V (10C), Enterprise Hot-Swap

Key & Buttons

Right PTT, Scan
Left Power, Scan, Volume
Top Emergency

Voice & Audio

3 microphones (noise-cancelling)
Receiver (T3/M3 HAC-compliant)
PTT, MCPTT support
Headset jack (3.5 mm) - PTT compatible
Bluetooth® wireless headset support
2 speakers (100±3 dB, Max. 3 W, SmartPA support)

Standard communications 15 W USB 3.0 Type-C, QC3 support
POGO 2 pin
POGO 5 pin in rear

Notification 2 x Dual LEDs for power (R/G) and
warning (R/B) indication
Vibration
Beep

GLOBAL NAVIGATION SATELLITE SYSTEM

WLAN SKU: No GNSS
WWAN SKU: Qualcomm GNSS
A-GPS supports for XTRA (GPS, Galileo, GLONASS, BeiDou, QZSS)
Dual-Band GNSS: L1/G1/E1/B1 (GPS, GLONASS, Galileo
BeiDou, QZSS) + L5/E5a/BDSB2a (GPS, Galileo, BeiDou, QZSS)

WIRELESS

Wireless WAN (5G/4G/3G/2G)

5G NR Sub6 n1/2/3/5/7/8/12/13/14/20/25/26/28/29/
NSA and SA 30/38/40/41/48/66/71/77/78/79
Sub-6 CA, FDD+TDD, FDD+TDD 2CA
DL 4x4 MIMO n1/2/3/7/25/30/38/40/41/
48/66/77/78/79
UL 2x2 MIMO n77/78
4G LTE B1/2/3/4/5/7/8/12/13/14/17/18/19/20/
25/26/28/29/30/38/39/40/41/42/43/
46(LAA)/48/66/71
DL 4x4 MIMO B1/2/3/4/7/25/30/38/40/41/
42/43/48/66
Support 4CA
3G B1/2/4/5/6/8/19
2G GSM/GPRS/EDGE 850/900/1800/1900

Wireless LAN

Radio IEEE 802.11 a/b/g/n/ac/ax/d/h/i/k/r/v
CCX v4 supported
WiFi Direct and Hot spot support
2x2 MU-MIMO
Wi-Fi 6E, DBS
Data rates 6GHz: 802.11ax: up to 2402 Mbps
5 GHz: 802.11 a/n/ac/ax: up to 2402 Mbps
2.4 GHz: 802.11 b/g/n/ax up to 286.8 Mbps

Operating channels 1 to 13 (2412~2472 MHz)
36 to 165 (5180~5825 MHz)
1 to 233 (5955~7115 MHz)
Channel bandwidth 20, 40, 80, 160 MHz

Security and encryption WEP / WPA / WPA2 / WPA3 / WEP, RC4
Algorithm / TKIP, RC4 Algorithm / AES,
Rijndael Algorithm, EAP-FAST / EAP-TLS /
EAP-TTLS / PEAP-GTC / PEAP-MSCHAPv2 /
PEAP-TLS / LEAP
Fast Roam CCKM, 802.11r

Wireless PAN

Bluetooth Class I (opt. Class 2), ver. 5.2, BLE support
Beacon (optional, transmits signals for up to
30 days, power-off and without the main
battery)

DATA CAPTURE

Integrated scan engine

Supporting 1D/2D barcode symbologies

Camera

Rear 16 MP, LED flash, F. No. 2.0,
Phase Detection Auto Focus (PDAF)
Front 5 MP

NFC (Near Field Communication)

NFC-Forum Reader for NFC Forum (Tag Types 1 to 5)
(NFC-IP Modes)
Reader ISO/IEC 14443 A, ISO/IEC 14443 B, ISO/IEC
(PCD - VCD) 15693, Mifare Classic 1K/4K, Mifare
DESFire, Mifare UltraLight®, Sony FeliCa

PAYMENT

Payment method NFC, IC/MSR (optional)

EMV Contact L1/Contactless L1

Network** Mastercard, Visa

USER ENVIRONMENT

Operating temperature -20 °C to 60 °C
-4 °F to 140 °F

Storage temperature -25 °C to 70 °C
-13 °F to 158 °F

Humidity 95% non-condensing

Drop 1.8 m (6 ft.) with Rugged Boot and
1.5 m (5 ft.) without it, multiple drops to
concrete across the operating temperature
range, MIL-STD-810H

Tumble 500 cycles, 1 m (3.3 ft.) tumbles per
IEC 60068-2-32 specification

Rain/dust proof IP68 and IP65
(Sealing)

Electrostatic discharge ± 15 kV air discharge
± 8 kV contact discharge

REGULATORY APPROVALS AND COMPLIANCE

RCM, CE/CB, KC, FCC, UKCA, NBTC, CITC, RoHS, WEEE, REACH

ENTERPRISE SOLUTION

PMDM
Simple yet powerful management solution

PMDM is a mobile device management solution for managing
and monitoring your Point Mobile Android devices.

Centralized management of enterprise devices is vital for better
productivity. You should provide a device configuration that the
workers can concentrate on their work with the device, and also
decrease the device downtime by predicting when to replace
the battery, etc.

EmKit
Enterprise Mobility Kit

The EmKit™ is Point Mobile's value-added service kit engineered
for the pure benefit of system integrators. EmKit supports the
utilization, solution development, and secure management of
your business devices.

PULS - ANDROID UPDATE & SECURITY

PULS is a Point Mobile's lifetime solution, which extends the life
cycle of Android-based Point Mobile enterprise devices to up to
seven years after a product launch.

PULS
Patches, updates & Lifetime Support

Stay up-to-date with the latest security updates for up to 7 years
Conveniently update your devices in the field by FOTA
Update Android Versions and use new features via PULS***

For further information, please visit www.pointmobile.com or
contact your regional sales representative.

WARRANTY

Subject to the Terms and Conditions, PM95 carries 1 (one)
year-warranty period from the date of purchase against the
defective materials and manufacturing defects.

For the further inquiry, please leave your message here:
<https://www.pointmobile.com/en/contactus>

***Android version updates may come with restrictions and could incur charges.

*The Android version may vary based on the mobile processor product roadmap. The
upgradable version is subject to change on the manufacturer's policy and condition.

**For additional information regarding compatibility with other payment networks,
please reach out to us via contacts below.

Corporate Headquarters
Point Mobile Co., Ltd.
<https://www.pointmobile.com/en/contactus>
+82 2 3397 7870

NA Headquarters
Point Mobile Americas LLC
info@pointmobileamericas.com
+1 202 798 0786

Europe Headquarters
Point Mobile Europe GmbH
info.pmeg@pointmobile.com
+49 211 1588 5913

China Headquarters
Point Mobile China
info@pointmobile-cn.com
+86 755 8869 1169