

MDF Bundle Reference — Brothertown/Natick Project

Source of truth: MDF 1.9a — MDFields19a_UTF8.txt (Buseman, 2006) Deprecated markers (\1s–\4p etc.) are excluded. **Section-boundary markers** (start new hierarchical sections): \lx, \ps, \pn, \sn, \se

Overview

Tag	Description	Bundle Group	Section Boundary	In Natick Output
\lx	lexeme or headword of the lexical entry	Record Header		
\hm	homonym number	Record Header	—	
\lc	lexical citation	Record Header	—	—
\ph	phonetic/phonemic form	Record Header	—	—
\se	subentry (a polymorphemic form or a phrase)	Part-of-Speech / Sense Section		
\ps	part of speech	Part-of-Speech / Sense Section		
\pn	part of speech (national)	Part-of-Speech / Sense Section		—
\sn	sense number	Part-of-Speech / Sense Section		
\gv	gloss (vernacular)	Gloss & Definition	—	—
\dv	definition (vernacular)	Gloss & Definition	—	—
\ge	gloss (English)	Gloss & Definition	—	
\re	reversal form (English)	Gloss & Definition	—	—
\we	word-level gloss (English)	Gloss & Definition	—	—
\de	definition (English)	Gloss & Definition	—	—
\gn	gloss (national)	Gloss & Definition	—	—
\rn	reversal form (national)	Gloss & Definition	—	—
\wn	word-level gloss (national)	Gloss & Definition	—	—
\dn	definition (national)	Gloss & Definition	—	—
\gr	gloss (regional)	Gloss & Definition	—	—
\rr	reversal form (regional)	Gloss & Definition	—	—
\wr	word-level gloss (regional)	Gloss & Definition	—	—
\dr	definition (regional)	Gloss & Definition	—	—
\lt	literal meaning	Literal Meaning / Scientific Name	—	—
\sc	scientific name	Literal Meaning / Scientific Name	—	

Tag	Description	Bundle Group	Section Boundary	In Natick Output
\rf	reference to notebooks, texts, etc.	Example Sentences	—	
\xv	example sentence (vernacular)	Example Sentences	—	
\xe	translation of example (English)	Example Sentences	—	
\xn	translation of example (national)	Example Sentences	—	—
\xr	translation of example (regional)	Example Sentences	—	—
\uv	usage (vernacular)	Usage	—	—
\ue	usage (English)	Usage	—	—
\un	usage (national)	Usage	—	—
\ur	usage (regional)	Usage	—	—
\ev	encyclopedic information (vernacular)	Encyclopedic Information	—	—
\ee	encyclopedic information (English)	Encyclopedic Information	—	—
\en	encyclopedic information (national)	Encyclopedic Information	—	—
\er	encyclopedic information (regional)	Encyclopedic Information	—	—
\ov	only restrictions (vernacular)	Restrictions	—	—
\oe	only restrictions (English)	Restrictions	—	—
\on	only restrictions (national)	Restrictions	—	—
\or	only restrictions (regional)	Restrictions	—	—
\lf	lexical function label	Lexical Functions	—	
\lv	vernacular lexeme referenced by the lexical function	Lexical Functions	—	
\le	lexical function (English gloss)	Lexical Functions	—	
\ln	lexical function (national gloss)	Lexical Functions	—	—
\lr	lexical function (regional gloss)	Lexical Functions	—	—
\sy	synonym	Synonyms / Antonyms	—	—
\an	antonym	Synonyms / Antonyms	—	—

Tag	Description	Bundle Group	Section Boundary	In Natick Output
\mr	morphemic representation	Morphology	—	
\cf	confer/cross-reference	Cross-References	—	
\ce	cross-reference (English gloss)	Cross-References	—	
\cn	cross-reference (national gloss)	Cross-References	—	—
\cr	cross-reference (regional gloss)	Cross-References	—	—
\mn	main entry form	Main Entry / Variants	—	—
\va	variant forms	Main Entry / Variants	—	
\ve	variant comment (English)	Main Entry / Variants	—	—
\vn	variant comment (national)	Main Entry / Variants	—	—
\vr	variant comment (regional)	Main Entry / Variants	—	—
\bw	borrowed word	Borrowed Word	—	—
\et	etymology	Etymology	—	
\eg	etymology-gloss	Etymology	—	
\es	etymology-source	Etymology	—	
\ec	etymology-comment	Etymology	—	
\pd	paradigm set	Paradigm	—	—
\pdl	paradigm label	Paradigm	—	—
\pdv	paradigm vernacular form	Paradigm	—	—
\pde	paradigm form (English gloss)	Paradigm	—	—
\pdn	paradigm form (national gloss)	Paradigm	—	—
\pdr	paradigm form (regional gloss)	Paradigm	—	—
\sg	singular form	Inflection Forms	—	—
\pl	plural form	Inflection Forms	—	
\rd	reduplication form(s)	Inflection Forms	—	—
\tb	table	Table	—	—
\sd	semantic domain	Semantic Domain	—	—
\is	index of semantics	Semantic Domain	—	—
\th	thesaurus	Semantic Domain	—	—
\bb	bibliographic reference	Bibliographic / Picture	—	—
\pc	picture	Bibliographic / Picture	—	—
\nt	notes, etc.	Notes	—	
\np	notes on phonology	Notes	—	—
\ng	notes on grammar	Notes	—	

Tag	Description	Bundle Group	Section Boundary	In Natick Output
\nd	notes on discourse	Notes	—	—
\na	notes on anthropology	Notes	—	—
\ns	notes on sociolinguistics	Notes	—	—
\nq	questions	Notes	—	—
\so	source of data	Source / Status / Datestamp	—	
\st	status	Source / Status / Datestamp	—	—
\dt	datestamp	Source / Status / Datestamp	—	—

Bundle Groups (Recommended Ordering per MDF 1.9a)

Tags are listed in the recommended field order from the official `Order_of_Fields` section.

Record Header

Section-boundary marker(s): \lx

Order	Tag	Description	Section Boundary	In Natick Output
1	\lx	lexeme or headword of the lexical entry		
2	\hm	homonym number	—	
3	\lc	lexical citation	—	—
4	\ph	phonetic/phonemic form	—	—

Part-of-Speech / Sense Section

Section-boundary marker(s): \se, \ps, \pn, \sn

Order	Tag	Description	Section Boundary	In Natick Output
1	\se	subentry (a polymorphemic form or a phrase)		
2	\ps	part of speech		
3	\pn	part of speech (national)		—
4	\sn	sense number		

Gloss & Definition

Order	Tag	Description	Section Boundary	In Natick Output
1	\gv	gloss (vernacular)	—	—
2	\dv	definition (vernacular)	—	—
3	\ge	gloss (English)	—	
4	\re	reversal form (English)	—	—
5	\we	word-level gloss (English)	—	—
6	\de	definition (English)	—	—
7	\gn	gloss (national)	—	—
8	\rn	reversal form (national)	—	—
9	\wn	word-level gloss (national)	—	—

Order	Tag	Description	Section Boundary	In Natick Output
10	\dn	definition (national)	—	—
11	\gr	gloss (regional)	—	—
12	\rr	reversal form (regional)	—	—
13	\wr	word-level gloss (regional)	—	—
14	\dr	definition (regional)	—	—

Literal Meaning / Scientific Name

Order	Tag	Description	Section Boundary	In Natick Output
1	\lt	literal meaning	—	—
2	\sc	scientific name	—	

Example Sentences

Order	Tag	Description	Section Boundary	In Natick Output
1	\rf	reference to notebooks, texts, etc.	—	
2	\xv	example sentence (vernacular)	—	
3	\xe	translation of example (English)	—	
4	\xn	translation of example (national)	—	—
5	\xr	translation of example (regional)	—	—

Usage

Order	Tag	Description	Section Boundary	In Natick Output
1	\uv	usage (vernacular)	—	—
2	\ue	usage (English)	—	—
3	\un	usage (national)	—	—
4	\ur	usage (regional)	—	—

Encyclopedic Information

Order	Tag	Description	Section Boundary	In Natick Output
1	\ev	encyclopedic information (vernacular)	—	—
2	\ee	encyclopedic information (English)	—	—
3	\en	encyclopedic information (national)	—	—
4	\er	encyclopedic information (regional)	—	—

Restrictions

Order	Tag	Description	Section Boundary	In Natick Output
1	\ov	only restrictions (vernacular)	—	—
2	\oe	only restrictions (English)	—	—
3	\on	only restrictions (national)	—	—
4	\or	only restrictions (regional)	—	—

Lexical Functions

Order	Tag	Description	Section Boundary	In Natick Output
1	\lf	lexical function label	—	
2	\lv	vernacular lexeme referenced by the lexical function	—	
3	\le	lexical function (English gloss)	—	
4	\ln	lexical function (national gloss)	—	—
5	\lr	lexical function (regional gloss)	—	—

Synonyms / Antonyms

Order	Tag	Description	Section Boundary	In Natick Output
1	\sy	synonym	—	—
2	\an	antonym	—	—

Morphology

Order	Tag	Description	Section Boundary	In Natick Output
1	\mr	morphemic representation	—	

Cross-References

Order	Tag	Description	Section Boundary	In Natick Output
1	\cf	confer/cross-reference	—	
2	\ce	cross-reference (English gloss)	—	
3	\cn	cross-reference (national gloss)	—	—
4	\cr	cross-reference (regional gloss)	—	—

Main Entry / Variants

Order	Tag	Description	Section Boundary	In Natick Output
1	\mn	main entry form	—	—
2	\va	variant forms	—	
3	\ve	variant comment (English)	—	—
4	\vn	variant comment (national)	—	—
5	\vr	variant comment (regional)	—	—

Borrowed Word

Order	Tag	Description	Section Boundary	In Natick Output
1	<code>\bw</code>	borrowed word	—	—

Etymology

Order	Tag	Description	Section Boundary	In Natick Output
1	<code>\et</code>	etymology	—	
2	<code>\eg</code>	etymology-gloss	—	
3	<code>\es</code>	etymology-source	—	
4	<code>\ec</code>	etymology-comment	—	

Paradigm

Order	Tag	Description	Section Boundary	In Natick Output
1	<code>\pd</code>	paradigm set	—	—
2	<code>\pdl</code>	paradigm label	—	—
3	<code>\pdv</code>	paradigm vernacular form	—	—
4	<code>\pde</code>	paradigm form (English gloss)	—	—
5	<code>\pdn</code>	paradigm form (national gloss)	—	—
6	<code>\pdr</code>	paradigm form (regional gloss)	—	—

Inflection Forms

Order	Tag	Description	Section Boundary	In Natick Output
1	<code>\sg</code>	singular form	—	—
2	<code>\pl</code>	plural form	—	
3	<code>\rd</code>	reduplication form(s)	—	—

Table

Order	Tag	Description	Section Boundary	In Natick Output
1	<code>\tb</code>	table	—	—

Semantic Domain

Order	Tag	Description	Section Boundary	In Natick Output
1	<code>\sd</code>	semantic domain	—	—
2	<code>\is</code>	index of semantics	—	—
3	<code>\th</code>	thesaurus	—	—

Bibliographic / Picture

Order	Tag	Description	Section Boundary	In Natick Output
1	<code>\bb</code>	bibliographic reference	—	—

Order	Tag	Description	Section Boundary	In Natick Output
2	\pc	picture	—	—

Notes

Order	Tag	Description	Section Boundary	In Natick Output
1	\nt	notes, etc.	—	
2	\np	notes on phonology	—	—
3	\ng	notes on grammar	—	
4	\nd	notes on discourse	—	—
5	\na	notes on anthropology	—	—
6	\ns	notes on sociolinguistics	—	—
7	\nq	questions	—	—

Source / Status / Datestamp

Order	Tag	Description	Section Boundary	In Natick Output
1	\so	source of data	—	
2	\st	status	—	—
3	\dt	datestamp	—	—

All Tags Quick Reference (Alphabetical)

Tag	Description	Bundle Group	Section Boundary	In Natick Output
\an	antonym	Synonyms / Antonyms	—	—
\bb	bibliographic reference	Bibliographic / Picture	—	—
\bw	borrowed word	Borrowed Word	—	—
\ce	cross-reference (English gloss)	Cross-References	—	
\cf	confer/cross- reference	Cross-References	—	
\cn	cross-reference (national gloss)	Cross-References	—	—
\cr	cross-reference (regional gloss)	Cross-References	—	—
\de	definition (English)	Gloss & Definition	—	—
\dn	definition (national)	Gloss & Definition	—	—
\dr	definition (regional)	Gloss & Definition	—	—
\dt	datestamp	Source / Status / Datestamp	—	—
\dv	definition (vernacular)	Gloss & Definition	—	—

Tag	Description	Bundle Group	Section Boundary	In Natick Output
\ec	etymology-comment	Etymology	—	
\ee	encyclopedic information (English)	Encyclopedic Information	—	—
\eg	etymology-gloss	Etymology	—	
\en	encyclopedic information (national)	Encyclopedic Information	—	—
\er	encyclopedic information (regional)	Encyclopedic Information	—	—
\es	etymology-source	Etymology	—	
\et	etymology	Etymology	—	
\ev	encyclopedic information (vernacular)	Encyclopedic Information	—	—
\ge	gloss (English)	Gloss & Definition	—	
\gn	gloss (national)	Gloss & Definition	—	—
\gr	gloss (regional)	Gloss & Definition	—	—
\gv	gloss (vernacular)	Gloss & Definition	—	—
\hm	homonym number	Record Header	—	
\is	index of semantics	Semantic Domain	—	—
\lc	lexical citation	Record Header	—	—
\le	lexical function (English gloss)	Lexical Functions	—	
\lf	lexical function label	Lexical Functions	—	
\ln	lexical function (national gloss)	Lexical Functions	—	—
\lr	lexical function (regional gloss)	Lexical Functions	—	—
\lt	literal meaning	Literal Meaning / Scientific Name	—	—
\lv	vernacular lexeme referenced by the lexical function	Lexical Functions	—	
\lx	lexeme or headword of the lexical entry	Record Header		
\mn	main entry form	Main Entry / Variants	—	—
\mr	morphemic representation	Morphology	—	
\na	notes on anthropology	Notes	—	—
\nd	notes on discourse	Notes	—	—
\ng	notes on grammar	Notes	—	—
\np	notes on phonology	Notes	—	—
\nq	questions	Notes	—	—

Tag	Description	Bundle Group	Section Boundary	In Natick Output
\ns	notes on sociolinguistics	Notes	—	—
\nt	notes, etc.	Notes	—	
\oe	only restrictions (English)	Restrictions	—	—
\on	only restrictions (national)	Restrictions	—	—
\or	only restrictions (regional)	Restrictions	—	—
\ov	only restrictions (vernacular)	Restrictions	—	—
\pc	picture	Bibliographic / Picture	—	—
\pd	paradigm set	Paradigm	—	—
\pde	paradigm form (English gloss)	Paradigm	—	—
\pdl	paradigm label	Paradigm	—	—
\pdn	paradigm form (national gloss)	Paradigm	—	—
\pdr	paradigm form (regional gloss)	Paradigm	—	—
\pdv	paradigm vernacular form	Paradigm	—	—
\ph	phonetic/phonemic form	Record Header	—	—
\pl	plural form	Inflection Forms	—	
\pn	part of speech (national)	Part-of-Speech / Sense Section		—
\ps	part of speech	Part-of-Speech / Sense Section		
\rd	reduplication form(s)	Inflection Forms	—	—
\re	reversal form (English)	Gloss & Definition	—	—
\rf	reference to notebooks, texts, etc.	Example Sentences	—	
\rn	reversal form (national)	Gloss & Definition	—	—
\rr	reversal form (regional)	Gloss & Definition	—	—
\sc	scientific name	Literal Meaning / Scientific Name	—	
\sd	semantic domain	Semantic Domain	—	—
\se	subentry (a polymorphemic form or a phrase)	Part-of-Speech / Sense Section		
\sg	singular form	Inflection Forms	—	—
\sn	sense number	Part-of-Speech / Sense Section		
\so	source of data	Source / Status / Datestamp	—	

Tag	Description	Bundle Group	Section Boundary	In Natick Output
\st	status	Source / Status / Datestamp	—	—
\sy	synonym	Synonyms / Antonyms	—	—
\tb	table	Table	—	—
\th	thesaurus	Semantic Domain	—	—
\ue	usage (English)	Usage	—	—
\un	usage (national)	Usage	—	—
\ur	usage (regional)	Usage	—	—
\uv	usage (vernacular)	Usage	—	—
\va	variant forms	Main Entry / Variants	—	—
\ve	variant comment (English)	Main Entry / Variants	—	—
\vn	variant comment (national)	Main Entry / Variants	—	—
\vr	variant comment (regional)	Main Entry / Variants	—	—
\we	word-level gloss (English)	Gloss & Definition	—	—
\wn	word-level gloss (national)	Gloss & Definition	—	—
\wr	word-level gloss (regional)	Gloss & Definition	—	—
\xe	translation of example (English)	Example Sentences	—	—
\xn	translation of example (national)	Example Sentences	—	—
\xr	translation of example (regional)	Example Sentences	—	—
\xv	example sentence (vernacular)	Example Sentences	—	—

Generated from MDFields19a_UTF8.txt (MDF 1.9a). Do not edit manually.