mid-test

程式碼

主程式

用到code review的地方像是名稱從cal改進成TicketCalculator

```
• • •
                   }else if(isMember==0){
    return 1000;
                  if(isPackageTicket==0) {
    if (isHoliday == 1) {//600
        if(isMember==1){
                                }else if(isMember==0){
   return 600;
                         } else if (isHoliday == 0) {//500
   if(isMember==1){
                                return 400;
}else if(isMember==0){
return 500;
                                throw new Exception("格式錯誤");
                   throw new Exception("格式錯誤");
```

測試程式

mid-test 1

```
package org.example;
import org.junit.jupiter.api.Test;
import org.junit.jupiter.params.ParameterizedTest;
import org.junit.jupiter.params.provider.CsvFileSource;
import static org.junit.jupiter.api.Assertions.*;
class calTest {

    @ParameterizedTest
    @CsvFileSource(resources = "/test.csv", numLinesToSkip = 1)
    void calpriceal(int isHoliday, int isMember, int isPlayoff, int isPackageTicket,int expect)throws Exception {
        int p= TicketCalculator.calPrice(isHoliday,isMember,isPlayoff,isPackageTicket);
        assertEquals(p, expect);
    }
}
```

測試檔案 test.csv

mid-test 2

isHoliday	isMember	isPlayoff	isPackageTicket	expect	
0	0	0	0	500	
0	0	0	1	250	
0	0	1	0	1000	
0	0	1	1	1000	
0	1	0	0	400	
0	1	0	1	250	
0	1	1	0	800	
0	1	1	1	800	
1	0	0	0	600	
1	0	0	1	250	
1	0	1	0	1000	
1	0	1	1	1000	
1	1	0	0	480	
1	1	0	1	250	
1	1	1	0	800	
1	1	1	1	800	

mid-test 3