

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

mean	sum	n
42	252	6

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14



mean	sum	n
18.5	37	2

London	large	22
London	small	16



19.0	38	2
------	----	---

Beijing	large	121
Beijing	small	56




88.5	177	2
------	-----	---

`group_by() + summarise()`

group_by()

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

```
pollution %>% group_by(city)
```

```
pollution %>% group_by(city)
## Source: local data frame [6 x 3]
## Groups: city
##
##      city  size amount
## 1 New York large    23
## 2 New York small   14
## 3  London large    22
## 4  London small   16
## 5 Beijing large   121
## 6 Beijing small    56
```

group_by() + summarise()

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

```
pollution %>% group_by(city) %>%  
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14



city	mean	sum	n
New York	18.5	37	2

London	large	22
London	small	16



London	19.0	38	2
--------	------	----	---

Beijing	large	121
Beijing	small	56



Beijing	88.5	177	2
---------	------	-----	---

```
pollution %>% group_by(city) %>%  
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14

London	large	22
London	small	16

Beijing	large	121
Beijing	small	56

city	mean	sum	n
New York	18.5	37	2

city	mean	sum	n
New York	18.5	37	2
London	19.0	38	2
Beijing	88.5	177	2

Beijing	88.5	177	2
---------	------	-----	---

```
pollution %>% group_by(city) %>%  
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14

London	large	22
London	small	16

Beijing	large	121
Beijing	small	56

city	mean	sum	n
New York	18.5	37	2
London	19.0	38	2
Beijing	88.5	177	2

```
pollution %>% group_by(city) %>%  
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```


city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14

London	large	22
London	small	16

Beijing	large	121
Beijing	small	56

city	mean	sum	n
New York	18.5	37	2
London	19.0	38	2
Beijing	88.5	177	2

```
pollution %>% group_by(city) %>%  
  summarise(mean = mean(amount), sum = sum(amount), n = n())
```

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	mean
New York	18.5
London	19.0
Beijing	88.5

```
pollution %>% group_by(city) %>% summarise(mean = mean(amount))
```

city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	size	amount
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



size	mean
large	55.3
small	28.6

```
pollution %>% group_by(size) %>% summarise(mean = mean(amount))
```

ungroup()

city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56



city	particle size	amount ($\mu\text{g}/\text{m}^3$)
New York	large	23
New York	small	14
London	large	22
London	small	16
Beijing	large	121
Beijing	small	56

```
pollution %>% ungroup()
```

country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



tb

country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3

```
tb %>%  
  group_by(country, year)
```

country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



country	year	cases
Afghanistan	1999	2
Afghanistan	2000	2
Brazil	1999	4
Brazil	2000	4
China	1999	6
China	1999	6

```
tb %>%  
  group_by(country, year) %>%  
  summarise(cases = sum(cases))
```

country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3



country	year	cases
Afghanistan	1999	2
Afghanistan	2000	2
Brazil	1999	4
Brazil	2000	4
China	1999	6
China	1999	6



country	cases
Afghanistan	4
Brazil	8
China	12

```
tb %>%
```

```
  group_by(country, year) %>%
  summarise(cases = sum(cases)) %>%
  summarise(cases = sum(cases))
```


Hierarchy of information

country	year	sex	cases
Afghanistan	1999	female	1
Afghanistan	1999	male	1
Afghanistan	2000	female	1
Afghanistan	2000	male	1
Brazil	1999	female	2
Brazil	1999	male	2
Brazil	2000	female	2
Brazil	2000	male	2
China	1999	female	3
China	1999	male	3
China	2000	female	3
China	2000	male	3

country	year	cases
Afghanistan	1999	2
Afghanistan	2000	2
Brazil	1999	4
Brazil	2000	4
China	1999	6
China	2000	6

country	cases
Afghanistan	4
Brazil	8
China	12

cases
24

Larger units of analysis

