1

17

Ecology: Data Paper

- 2 Appendix S1 for Demography of the understory herb Heliconia acuminata (Heliconiaceae) in
  3 an experimentally fragmented tropical landscape
- Emilio M. Bruna<sup>1,2,3</sup>, Maria Uriarte<sup>4</sup>, Maria Rosa Darrigo<sup>3</sup>, Paulo Rubim<sup>3</sup>, Cristiane F.

  Jurinitz<sup>3</sup>, Eric R. Scott<sup>1</sup>, & W. John Kress<sup>5</sup>
- Department of Wildlife Ecology and Conservation, University of Florida, PO Box 110430,
   Gainesville, FL 32611-0430, USA
- $^{\rm 2}$  Center for Latin American Studies, University of Florida, PO Box 115530, Gainesville, FL  $^{\rm 2}$  32611-5530, USA
- <sup>3</sup> Biological Dynamics of Forest Fragments Project, INPA-PDBFF, CP 478, Manaus, AM
   <sup>10</sup> 69011-970, Brazil
- <sup>4</sup> Department of Ecology, Evolution and Environmental Biology, Columbia University, 1200
   Amsterdam Ave., New York, New York 10027, USA
- Department of Botany, National Museum of Natural History, PO Box 37012, Smithsonian
   Institution, PO Box 37012, Washington DC, USA

16 Author Note

18

## Appendix S1

- The dimensions of the Heliconia Demographic Project (HDP) plots are  $50 \times 100$ m, and each plot is subdivided into 50 contiguous subplots of  $10 \times 10$ m to facilitate the surveys.
- $_{21}$  Figures S1 and S2 show the orientation of each HDP plot and numbering of the subplots.




Figure S1. Schematic of the orientation and layout of the *Heliconia Demographic Plots* in forest fragments.




Figure S2. Schematic of the orientation and layout of each Heliconia Demographic Plot in continuous forest.