1

17

Ecology: Data Paper

- Appendix S1 for Demography of the understory herb Heliconia acuminata (Heliconiaceae) in

 an experimentally fragmented tropical landscape
- Emilio M. Bruna^{1,2,3}, Maria Uriarte⁴, Maria Rosa Darrigo³, Paulo Rubim³, Cristiane F.
- Jurinitz³, Eric R. Scott¹, Osmaildo Ferreira da Silva³, & W. John Kress⁵
- ⁶ Department of Wildlife Ecology and Conservation, University of Florida, PO Box 110430,
- Gainesville, FL 32611-0430, USA
- ⁸ Center for Latin American Studies, University of Florida, PO Box 115530, Gainesville, FL
- 9 32611-5530, USA
- $^{\rm 3}$ Biological Dynamics of Forest Fragments Project, INPA-PDBFF, CP 478, Manaus, AM
- 11 69011-970, Brazil
- Department of Ecology, Evolution and Environmental Biology, Columbia University, 1200
- Amsterdam Ave., New York, New York 10027, USA
- $^{\rm 5}$ Department of Botany, National Museum of Natural History, PO Box 37012, Smithsonian
- Institution, PO Box 37012, Washington DC, USA

16 Author Note

Corresponding author: Emilio M. Bruna (embruna@ufl.edu)

18

Appendix S1

- The dimensions of the Heliconia Demographic Project (HDP) plots are 50×100 m, and each plot is subdivided into 50 contiguous subplots of 10×10 m to facilitate the surveys.
- $_{21}$ Figures S1 and S2 show the orientation of each HDP plot and numbering of the subplots.




Figure S1. Schematic of the orientation and layout of the *Heliconia Demographic Plots* in forest fragments.




Figure S2. Schematic of the orientation and layout of each Heliconia Demographic Plot in continuous forest.