



Webservice – Technical Documentation

Index

1. Description	3
2. Authentication.....	4
• AuthenticateClient	4
• ValidateSession	5
• CloseSession	6
3. Products	6
• ProductsTree	6
• Products	7
• ProductTypes.....	8
• RestrictedProducts.....	9
• CanceledProducts.....	10
• Optionals	11
• OptionalsPrice	12
• OptionalsComplete	13
• CustomizationTables	14
• CustomizationOptions.....	15
• Colors.....	16
• Stocks	17
• StocksByCountry	18
• OrderV1	19
• ServiceOrderV1	22
• CancelOrderV1	24
• OrderDetailsV1	25
• OrdersV1	26
• ApprovalMockups	27
• NotApproveMockup.....	28
• ApproveMockup.....	29
4. Updates	30
• OrdersV2	30

1. Description

This document is intended to show all methods implemented and working. For each method, the input and output parameters are described, and an output example is presented. This application is webservice and works with soap and rest protocol.

Endpoint: ws.stricker-europe.com

SOAP endpoint: ws.stricker-europe.com/StrickerService.svc?singlewsdl

Swagger: ws.stricker-europe.com/api-docs/v1

2. Authentication

- `AuthenticateClient` – Provides session token

Structure of the input				
Field	Type	Required	Description	Example
AccessKey	string	true	Client access key	Dd322dm2d3masd

Structure of the output			
Field	Type	Description	Example
Token	string	Token	a8fa5d7e982de4f3a70266dc4418a5b0
ErrorCode	int	Error code	11
ErrorMessage	string	Error message	Access key required

- `ValidateSession` – Check if the session token is still valid

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	a8fa5d7e982de4f3a70266dc4418a5b0

Structure of the output			
Field	Type	Description	Example
Status	int	Token	1
ErrorCode	int	Error code	
ErrorMessage	string	Error message	

- [CloseSession](#) – Close session

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	a8fa5d7e982de4f3a70266dc4418a5b0

NOTE: Does not return information

3. [Products](#)

- [ProductsTree](#) - List of full product tree (reference, SKUs, prices, customization options...)

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
ProductsTree	array	Product list	
Count	int	Total Products	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- **Products** - List of product properties by main reference (reference, name, description)

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
Products	array	Product list	
Count	int	Total Products	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- [ProductTypes](#) - List of product types (description, sub-types)

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
Types	array	Product types	
Count	int	Total Products	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- [RestrictedProducts](#) - List of restricted products by country

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c

Structure of the output			
Field	Type	Description	Example
RestrictedProducts	array	Restricted Products	
Count	int	Total Products	1000
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- CanceledProducts - List of canceled products

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c

Structure of the output			
Field	Type	Description	Example
CanceledProducts	array	Canceled Products	
Count	int	Total Products	1000
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- **Optionals** - List of product optionals properties (SKU, reference, color, size, capacity, price)

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
Optionals	array	Product optionals	
Count	int	Total Optionals	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- **OptionalsPrice** - List with options price for each product

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
OptionalsPrice	array	Product optionals price	
Count	int	Total Optionals	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- **OptionalsComplete** - List of product optionals properties combined with product properties (reference, SKU, name, description, color, size, capacity, price)

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
OptionalsComplete	array	Product optionals with all information	
Count	int	Total Optionals	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- CustomizationTables - List the customization tables/techniques prices

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
CustomizationTables	array	Customization Tables	
Count	int	Total Customization Tables	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- [CustomizationOptions](#) - List of product customization possibilities (reference, component, location, area, customization type, price)

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
CustomizationOptions	array	Customization Options	
Count	int	Total Customization Options	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- [Colors](#) - List of color codes and names

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
Colors	array	Colors	
Count	int	Total Colors	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- [Stocks](#) - List of product stock and future stock entries (SKU, stock)

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN

Structure of the output			
Field	Type	Description	Example
Stocks	array	Stocks	
Count	int	Total stocks	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- [StocksByCountry](#) - List of product stock and future stock entries by country (SKU, stock)

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Lang	string	true	Language	EN
Country	string	true	Country	PT

Structure of the output			
Field	Type	Description	Example
Stocks	array	Stocks	
Count	int	Total stocks	1000
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- OrderV1 – Insert new order

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Test	bool	false	Indicate if it's order test	true
Order	array	true	Order	



Order field			
Field	Type	Description	Example
Sku	String	Product reference	81190-103
Quantity	Int	Quantity	1
LineType	String	Line type (SIMPLE or PRINT)	SIMPLE
WaitArtWork	Bool	Wait art work (personalization)	False
Sample	Bool	Sample	False
Observation	String	Observations	test
ServiceOrderLines	Array	Service order lines (personalization)	
Destination	Array	Shipping address	
Courier	String	Economy or Express	Economy
InternalReference	String	Client order id	Teste123
relatedOrderStamp	String		
shippingDate	String	Shipping date	
noShipping	Bool	True – the order shipping won't follow the default Paul-Stricker	False

ServiceOrderLines field				
Field	Type	Required	Description	Example
ServCode	String	True	Service code	11007.12.25.TRS1-01-01
Color1	String	false	Color 1	Blue
Color2	String	False	Color 2	
Color3	String	False	Color 3	
Color4	String	False	Color 4	
Color5	String	False	Color 5	
LogoArea	Decimal	True	Logo area	1
LogoWidth	Decimal	True	Logo width	1.2
LogoHeight	Decimal	True	Logo height	1
Approved	Bool	True	Approved	true
Files	array	True	Files (FileName, FileExtension, FileBytes)	

Destination field				
Field	Type	Required	Description	Example
AddressLine1	String	True	Client name	Client Test
AddressLine2	String	True	Street name	Street Test
PostalCode	String	True	Postal code	3000
ExtensionPostalCode	String	True	Extension postal code	3000
City	String	True	City	Coimbra
Country	String	True	Country	PT
PhoneNumber	String	True	Phone number	12345654
Email	String	False	Email	stricker@stricker.pt
State	String	False	State (only for BR)	SP

Structure of the output			
Field	Type	Description	Example
OrderDetails	array	Order result	
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- **ServiceOrderV1** – Add personalization to order

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Test	bool	false	Indicate if it's order test	true
Order	array	true	Service Order	



Order field				
Field	Type	Required	Description	Example
OrderStamp	String	True	Order number	ws3123214234234234
ServCode	String	True	Service code	11007.12.25.TRS1-01-01
Color1	String	false	Color 1	Blue
Color2	String	False	Color 2	
Color3	String	False	Color 3	
Color4	String	False	Color 4	
Color5	String	False	Color 5	
LogoArea	Decimal	True	Logo area	1
LogoWidth	Decimal	True	Logo width	1.2
LogoHeight	Decimal	True	Logo height	1
Approved	Bool	True	Approved	true
Files	array	True	Files (FileName, FileExtension, FileBytes)	

Structure of the output			
Field	Type	Description	Example
OrderDetails	array	Service Order result	
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- CancelOrderV1 – Cancel order

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Test	bool	false	Indicate if it's order test	true
CancelOrder	array	true	Cancel Order	



CancelOrder field				
Field	Type	Required	Description	Example
OrderStamp	String	True	Order number	ws3123214234234234
Reason	String	True	Reason to cancel order	Test

Structure of the output			
Field	Type	Description	Example
Canceled	Bool	Cancel Order result	true
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- OrderDetailsV1 – Get order details

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Test	bool	false	Indicate if it's order test	true
OrderStamp	string	true	Order number	ws1231231241342234

Structure of the output			
Field	Type	Description	Example
OrderDetails	array	Order result	
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- OrdersV1 – List of orders

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Test	Bool	false	Indicate if it's order test	true
Status	string	true	Order status	SHIPPED
Number	Int	False	Number of orders	100

Structure of the output			
Field	Type	Description	Example
OrderDetails	array	Order result	
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session

- [ApprovalMockups](#) – List of client mockups

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c

Structure of the output			
Field	Type	Description	Example
OrderDetails	array	Approval mockups result	
Count	int	Number of mockups	100
ErrorCode	Int	Error code	22
ErrorMessage	String	Error message	Invalid Session

- NotApproveMockup – Not Approve mockup

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
NotApproveMockup	array	true	Not Approval description	



ApproveMockup field				
Field	Type	Required	Description	Example
OrderNumber	String	True	Order number	CSO-54132154654
Version	int	True	Order version	1
Observations	String	True	Observations	Test
FileName	String	True	File name	Test
FileExtension	String	True	File extension	.pdf
FileBytes	Bytes	True	File bytes	

Structure of the output			
Field	Type	Description	Example
Success	bool	Response to request	True
ErrorCode	Int	Error code	22
ErrorMessage	String	Error message	Invalid Session

- ApproveMockup – Approve mockup

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
ApproveMockup	array	true	Approval description	



ApproveMockup field				
Field	Type	Required	Description	Example
OrderNumber	String	True	Order number	CSO-54132154654
Version	int	True	Order version	1

Structure of the output			
Field	Type	Description	Example
Success	bool	Response to request	True
ErrorCode	Int	Error code	22
ErrorMessage	String	Error message	Invalid Session

4. Updates

- [OrdersV2](#) - Upgrade to OrdersV1. It now contains pagination and ordering and allows you to obtain a list of orders via the website

Structure of the input				
Field	Type	Required	Description	Example
Token	string	true	Token	8c355a3as5cf5b30b46c58b9f6e4cf2c
Test	Bool	false	Indicate if it's order test	true
Status	string	true	Order status	SHIPPED
Number	Int	False	Number of orders	100
Page	Int	False	Number of page	1
OrderBy	Bool	False	Order (asc or desc)	Asc
OrderSite	Bool	False	Orders site or not	true

Structure of the output			
Field	Type	Description	Example
OrderDetails	array	Order result	
Currency	string	Currency	EUR
Language	string	Language	EN
ErrorCode	int	Error code	22
ErrorMessage	string	Error message	Invalid Session