# Avaliação 08 - SOR 2

Aluno: Bruno Silveira dos Anjos Lima

P8 de Informática

Etapa 1: Instalação do SSH Server

⌂ Recursos opcionais

+ Adicionar um recurso

Ações mais recentes

⚙	Servidor OpenSSH	Instalado

Ver histórico de recursos opcionais

Recursos instalados

Localizar um recurso opcional instalado 🔍

Classificar por: Nome ∨

⚙	Ambiente de Script Integrado do Windows PowerShell	3,41 MB
		12/08/2021
⚙	Assistência Rápida da Microsoft	1,44 MB
⚙	Bloco de notas	316 KB
⚙	Cliente OpenSSH	5,05 MB
⚙	Fax e Scanner do Windows	8,94 MB

Configurações relacionadas

Mais recursos do Windows

🔍 Obtenha ajuda

28°C Pred. limpo   23:42 13/12/2021

Administrador: Prompt de Comando

```
Microsoft Windows [versão 10.0.19042.1348]
(c) Microsoft Corporation. Todos os direitos reservados.

C:\WINDOWS\system32> secedit /configure /cfg %windir%\inf\defltbase.inf /db defltbase.sdb /verbose

A tarefa foi concluída. Ocorreram avisos para alguns atributos durante esta operação. O aviso pode ser ignorado.
Consulte o log %windir%\security\logs\scesrv.log para obter informações detalhadas.

C:\WINDOWS\system32>
C:\WINDOWS\system32>sc config sshd start=auto
[SC] ChangeServiceConfig ÊXITO

C:\WINDOWS\system32>net start sshd
O serviço solicitado já foi iniciado.

Para obter mais ajuda, digite NET HELPMSG 2182.


C:\WINDOWS\system32>netsh advfirewall add rule name="SSH PORT 22" dir=in action=allow protocol=TCP localport=22
O seguinte comando não foi encontrado: advfirewall add rule "name=SSH PORT 22" dir=in action=allow protocol=TCP localport=22.

C:\WINDOWS\system32>netsh advfirewall firewall add rule name="SSH PORT 22" dir=in action=allow protocol=TCP localport=22
Ok.


C:\WINDOWS\system32>
```

Etapa 2: Instalação do Putty

PuTTY release 0.76 (64-bit) Setup   —   □   ✕

Destination Folder

Click Next to install to the default folder or click Change to choose another.

Install PuTTY release 0.76 (64-bit) to:

C:\Program Files\PuTTY\

Change...

Back   Next   Cancel

PuTTY release 0.76 (64-bit) Setup

Product Features

Select the way you want features to be installed.

- Install PuTTY files
- Add shortcut to PuTTY on the Desktop
- Put install directory on the PATH for command prompts
- Associate .PPK files with PuTTYgen and Pageant

This feature requires 4314KB on your hard drive.

Back   Install   Cancel

PuTTY release 0.76 (64-bit) Setup

Completed the PuTTY release 0.76 (64-bit) Setup Wizard

Click the Finish button to exit the Setup Wizard.

☑ View README file

Back   **Finish**   Cancel

PuTTY Configuration

Category:

- Session
  - Logging
- Terminal
  - Keyboard
  - Bell
  - Features
- Window
  - Appearance
  - Behaviour
  - Translation
  - Selection
  - Colours
- Connection
  - Data
  - Proxy
  - SSH
  - Serial
  - Telnet
  - Rlogin
  - SUPDUP

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address)   Port
[   ]   [22]

Connection type:
(●) SSH   ( ) Serial   ( ) Other: Telnet ▾

Load, save or delete a stored session

Saved Sessions
[   ]

Default Settings   Load
                                          Save
                                          Delete

Close window on exit:
( ) Always   ( ) Never   (●) Only on clean exit

About   Help   Open   Cancel

Administrador: Prompt de Comando

```
Microsoft Windows [versão 10.0.19042.1348]
(c) Microsoft Corporation. Todos os direitos reservados.

C:\WINDOWS\system32>ssh-keygen
Generating public/private rsa key pair.
Enter file in which to save the key (C:\Users\bruno/.ssh/id_rsa):
Created directory 'C:\Users\bruno/.ssh'.
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in C:\Users\bruno/.ssh/id_rsa.
Your public key has been saved in C:\Users\bruno/.ssh/id_rsa.pub.
The key fingerprint is:
SHA256:5A6LesaUt6sIRjh4tVu0Bwwb4xFtt4gKSo6Mm8ztwkk bruno@LAPTOP-PI1FJO1Q
The key's randomart image is:
+---[RSA 3072]----+
|     *o          |
|    . Bo .       |
|     +o+o..      |
|+. ..o.=.        |
|@o....+ S        |
|=E. o+.=         |
|*+ooo....        |
|+B ++ .          |
|   =+....        |
+----[SHA256]-----+

C:\WINDOWS\system32>
```