

Ipkiss Tester

URL

https://5897-168-181-51-168.ngrok-free.app/

Test script

```
--  
# Reset state before starting tests  
  
POST /reset
```

RUN TESTS!

✅ Reset state before starting tests

POST /reset

Expected: 200 OK

Got: 200 OK

✅ Get balance for non-existing account

GET /balance?account_id=1234

Expected: 404 0

Got: 404 0

✅ Create account with initial balance

POST /event {"type":"deposit", "destination":"100", "amount":10}

Expected: 201 {"destination": {"id":"100", "balance":10}}

Got: 201 {"destination": {"id":"100", "balance":10}}

✅ Deposit into existing account

POST /event {"type":"deposit", "destination":"100", "amount":10}

Expected: 201 {"destination": {"id":"100", "balance":20}}

Got: 201 {"destination": {"id":"100", "balance":20}}

✅ Get balance for existing account

GET /balance?account_id=100

Expected: 200 20

Got: 200 20

✅ Withdraw from non-existing account

POST /event {"type":"withdraw", "origin":"200", "amount":10}

Expected: 404 0

Got: 404 0

✅ Withdraw from existing account

POST /event {"type":"withdraw", "origin":"100", "amount":5}

Expected: 201 {"origin": {"id":"100", "balance":15}}

Got: 201 {"origin": {"id":"100", "balance":15}}

✅ Transfer from existing account

POST /event {"type":"transfer", "origin":"100", "amount":15, "destination":"300"}

Expected: 201 {"origin": {"id":"100", "balance":0}, "destination": {"id":"300", "balance":15}}

Got: 201 {"origin": {"id":"100", "balance":0}, "destination": {"id":"300", "balance":15}}

✅ Transfer from non-existing account

POST /event {"type":"transfer", "origin":"200", "amount":15, "destination":"300"}

Expected: 404 0

Got: 404 0