

```
C:\Users\C_COOR_NOM>cd Desktop\Kata 2
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>virtualenv K2
```

```
created virtual environment CPython3.9.6.final.0-64 in 87770ms
```

```
creator CPython3Windows(dest=C:\Users\C_COOR_NOM\Desktop\Kata 2\K2, clear=False, no_vcs_ignore=False, global=False)
```

```
seeder FromAppData(download=False, pip=bundle, setuptools=bundle, wheel=bundle, via=copy, app_data_dir=C:\Users\C_COOR_NOM\AppData\Local\pypa\virtualenv)
```

```
added seed packages: pip==22.0.3, setuptools==60.6.0, wheel==0.37.1
```


```
activators BashActivator,BatchActivator,FishActivator,NushellActivator,PowerShellActivator,PythonActivator
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>
```

C:\Users\C_COO
C:\Users\C_COO
created virtua
creator CPyt
seeder FromA
added seed
activators B

C:\Users\C_COO
C:\Users\C_COO



```
C:\Users\C_COOR_NOM>cd Desktop\Kata 2
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>virtualenv K2
```

```
created virtual environment CPython3.9.6.final.0-64 in 87770ms
```

```
creator CPython3Windows(dest=C:\Users\C_COOR_NOM\Desktop\Kata 2\K2, clear=False, no_vcs_ignore=False, global=False)
```

```
seeder FromAppData(download=False, pip=bundle, setuptools=bundle, wheel=bundle, via=copy, app_data_dir=C:\Users\C_COOR_NOM\AppData\Local\py\virtualenv)
```

```
added seed packages: pip==22.0.3, setuptools==60.6.0, wheel==0.37.1
```

```
activators BashActivator,BatchActivator,FishActivator,NushellActivator,PowerShellActivator,PythonActivator
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>.\K2\Scripts\activate
```

```
(K2) C:\Users\C_COOR_NOM\Desktop\Kata 2>pip freeze
```

```
(K2) C:\Users\C_COOR_NOM\Desktop\Kata 2>pip install python-dateutil
```

```
Collecting python-dateutil
```

```
Using cached python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
```

```
Collecting six>=1.5
```

```
Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)
```

```
Installing collected packages: six, python-dateutil
```

```
Successfully installed python-dateutil-2.8.2 six-1.16.0
```

```
(K2) C:\Users\C_COOR_NOM\Desktop\Kata 2>pip freeze
```

```
python-dateutil==2.8.2
```

```
six==1.16.0
```

```
(K2) C:\Users\C_COOR_NOM\Desktop\Kata 2>
```

```
C:\Users\C_COOR_NOM>cd Desktop\Kata 2
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>virtualenv K2
```

```
created virtual environment CPython3.9.6.final.0-64 in 87770ms
```

```
creator CPython3Windows(dest=C:\Users\C_COOR_NOM\Desktop\Kata 2\K2, clear=False, no_vcs_ignore=False, global=False)
```

```
seeder FromAppData(download=False, pip=bundle, setuptools=bundle, wheel=bundle, via=copy, app_data_dir=C:\Users\C_COOR_NOM\AppData\Local\py\virtualenv)
```

```
added seed packages: pip==22.0.3, setuptools==60.6.0, wheel==0.37.1
```

```
activators BashActivator,BatchActivator,FishActivator,NushellActivator,PowerShellActivator,PythonActivator
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>.\K2\Scripts\activate
```

```
(K2) C:\Users\C_COOR_NOM\Desktop\Kata 2>pip freeze
```

```
(K2) C:\Users\C_COOR_NOM\Desktop\Kata 2>pip install python-dateutil
```

```
Collecting python-dateutil
```

```
Using cached python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
```

```
Collecting six>=1.5
```

```
Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)
```

```
Installing collected packages: six, python-dateutil
```

```
Successfully installed python-dateutil-2.8.2 six-1.16.0
```

```
(K2) C:\Users\C_COOR_NOM\Desktop\Kata 2>pip freeze
```

```
python-dateutil==2.8.2
```

```
six==1.16.0
```

```
(K2) C:\Users\C_COOR_NOM\Desktop\Kata 2>deactivate
```

```
C:\Users\C_COOR_NOM\Desktop\Kata 2>
```