



Loading Certificates

Updating Public Certificate and Private Keys

THE BEST RUN



General Note:

Certificates are attached to note 2054553 (*Certificates - AT Communication.zip*).

In order to use test and production systems, there are two pairs of certificates.

TEST

- Public Key Certificate - Chave Cifra Publica AT (Produção).cer
- Private Key Certificate - TesteWebServices.pse

PRODUCTION

- Public Key Certificate - Chave Cifra Publica AT (Produção).cer
- Private Key Certificate - 504569759.pse

The ROOT certificate can be downloaded from the tax authority website and is not included in the attachment of Note 2054553 anymore.

ROOT CA

- Global Chambersign Root - 2008

You will need to do two types of configuration:

1. Configure the WS-Security PSE Other System Encryption Certs (WSSCRT)¹ for cipher some fields in the message header part.
 - a. For this we need to put the public key certificate in the folder
 - i. WS Security Other system encryption (both TEST and PRODUCTION Systems)
2. Create an SSL client ID to hold both the Private Key Certificate and the ROOT CA certificate, to be used in the SSL connection.

¹ Storage location of the keys for sending encrypted messages.

TABLE OF CONTENTS

1 UPLOAD PUBLIC CERTIFICATE 4

1.1 Retrieve Public Certificate..... 4

1.2 Configure WSSCRT 5

2 UPLOAD ROOT CERTIFICATE 8

3 CONFIGURE SSL CLIENT WITH PRIVATE KEY..... 10

1 UPLOAD PUBLIC CERTIFICATE

1.1 Retrieve Public Certificate

1. Go to the website of the tax authority:

<https://faturas.portaldasfinancas.gov.pt/testarLigacaoWebService.action>

Use your user credentials if needed

Note: If no user credentials are available, the Public Certificate can be obtained from Note 2054553.

2. Scroll down and click on **aqui** to download the latest certificates.

Requisitos:

O código fonte foi desenvolvido para a versão **Java SE 1.6**.

Dependências necessárias para compilação e execução:


- **jaxws-rt (versão 2.1.4)**
- **com.jgoodies (versão 1.2.1)**

Para obter o descritor de dependências Maven clique **aqui**.

Certificados:

Poderá obter os certificados para efetuar ligação ao webservice de teste **aqui**.


3. In the Zip-File you can find the public key **Chave Cifra Publica AT (Produção).cer**.




4. Follow the steps in section **Configure WSSCRT** to upload the public certificate to your system.

1.2 Configure WSSCRT


1. Go to transaction STRUST.




2. Create the **SAP PSE** for the folder if it is not yet available.




2.1. Choose the default values if you don't need to change anything.




2.2. The entry should look like below.




3. Select the public key with the file browser.



4. The result should look like below. Press the **Add to Certificate List** button.




5. The result of all the above steps should be as below.




2 UPLOAD ROOT CERTIFICATE


1. Go to the website of the tax authority: <https://faturas.portaldasfinancas.gov.pt/>
2. Choose  symbol next to the URL. (Chrome Browser is preferred)



3. Go to tab **Certification Path** Tab.
4. Choose the root certificate (first on the list) and choose **View Certificate**.



5. Go to the **Details** Tab.
6. To ensure that you are downloading the correct certificate, please check the values of fields **Valid from** and **Valid to**.
7. If everything is up-to-date, click on **Copy to file...**





8. The instructions of uploading the root certificate will be explained in the next section.

3 CONFIGURE SSL CLIENT WITH PRIVATE KEY


1. Go to transaction **STRUST** and choose **Environment -> SSL Client Identities**.




2. Add a new entry **WSPTAT** to the table as shown below. Save the entry and press  (back button).
Note: It is necessary to create a transport request.




3. Go to **File** and load the **TEST Private Key PSE** or **PRODUCTION Private key Certificate PSE**.




4. In case you are updating the root certificate, please add the root certificate that you have downloaded in the previous section. The certificate will be loaded in the context of the Private Key Certificate that was loaded in the previous step.



5. Choose **Add to Certificate List**.



6. At the end go to **MENU -> PSE -> Save As**. Select **SSL Client** and choose the identity that you have created in step 2. Choose .



7. After the installation of the certificates, please restart the SMICM services.

www.sap.com/contactsap

© 2019 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

The information contained herein may be changed without prior notice. Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and/or platform directions and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, and they should not be relied upon in making purchasing decisions.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies. See www.sap.com/copyright for additional trademark information and notices.

THE BEST RUN

