

SAFT Portugal – Global

Contents

1.	Overview.....	2
2.	Process flow.....	2
2.1	SAFT Monitor Cockpit.....	3
2.1.1	Display Log.....	5
2.1.2	Resubmit.....	7
2.1.3	Manual Communication.....	8
2.2	Reprint SAFT Approval Document.....	10
3.	Transaction list.....	12
4.	Technical overview.....	12
4.1	SAP / Tax Authorities Portal Communications.....	12
4.1.1	Firewall.....	13
4.1.2	Certificates.....	13
4.1.2.1	SAFT.....	13
4.1.2.2	Digital Signature.....	13
4.1.3	Username / Password.....	14
4.1.4	Troubleshooting.....	15
4.2	Configuration.....	16
4.2.1	Number ranges.....	16
4.2.2	Assign Number ranges by Delivery Type.....	16
4.2.3	Mapping Delivery Type.....	16
4.2.4	Password Checksum.....	17
4.2.5	Rejection Codes.....	17
4.2.6	Layout – New Output Type.....	18
4.2.7	Layout – Standard texts.....	20
4.2.8	Layout – Output determination.....	22
4.3	Enhancements.....	26
4.3.1	Transportation date/time conversion.....	26
4.4	Authorizations.....	27

Reference document	Link
--------------------	------


PLD WM-P006437-N006957 PLD - SAFT Portugal	https://te360.sharepoint.com/sites/TEISPROJECTProd/Evora%20SAFT%20interface%20for%20deliveries/Shared%20Documents/Forms/AllItems.aspx
--	---

1. Overview

According to Portugal Decree Law no 198/2012, it is mandatory for all companies to make an online communication to the Tax Authorities of all domestic movements of goods. One of the allowed modes of online communication is triggering a Web Service which will hold the details of Company, Customer and delivery documents header and product details in the communication message.

2. Process flow

Process Diagram



Description

When Shipment status is set to **"5-Shipment Completion"**, the Post Goods Issue (**"PGI"**) is triggered automatically.

The SAFT interface from SAP system to Tax PT Authorities Portal “servicos.portaldasfinancas.gov.pt” is called automatically at “**PGI**”, using the Web service solution. The response returns the approval ID which is stored in the table field “**WSPT_LIKP-APPR_ID**”.

When Shipment status is set to “**7-Shipment End**”, the SAFT Approval Document is printed automatically.

Example:

 **Print Preview of P713LASRECP1 Page 00001 of 00001**



TYCO ELECTRONICS-COMPON. ELEC, LDA
VAT : PT501486429
Evora Warehouse 1188
Estrada de Almeirim
7009-505 EVORA
PORTUGAL

Delivery no: **PT/6038397685**

Shipment No.: 25661913
Customer no.: 3168209
Customer VAT No: PT501967570
Mode of transport:
Document date: 05-Jun-2018
Carrier: Transporte Proprio

Código Identificação da Autoridade Tributária e Aduaneira nº 6605748046

Sakd-Processado por programa certificado nº 631/AT

Ship To:
Customer Number 3168209
Metalorigor Lda
Apartado 434
7002-505 EVORA
PORTUGAL

2.1 SAFT Monitor Cockpit

Transaction WSPT_MONI

Monitoring Tool for Web Services (Portugal)

General Selection Criteria

Company Code

Document Status

Document Category

Selection Criteria for Delivery Documents

☐ Deliveries

Delivery Document Number

to

Selection Criteria for Shipping Documents

☐ Shipping Documents

Shipping Document Number

to

Additional Parameters

Plant

Storage Location

Act. Gds Mvmnt Date

Response Date

Approval ID

Rejection Code

Created By

Layout

to

to

☐ Process Historical Documents

Action	Field	Data
Click on "Get Variant..."		
Double click on the variant	Variant name	EV_AUT_SAFT or EV_IND_SAFT
Specify selection data	Company code	Data updated by using the variant
	Plant	Data updated by using the variant
	Deliveries	Mark Deliveries to open field "Delivery Document Number"
	Delivery Document Number	Ex: 6038350121
	Act. Gds Mvmnt Date	
Click on "Execute"		

Monitoring Tool for Web Services (Portugal)

General Selection Criteria

Company Code: 1069
 Document Status:
 Document Category:

Selection Criteria for Delivery Documents

☒ Deliveries
 Delivery Document Number: 6038350121 to

Selection Criteria for Shipping Documents

☐ Shipping Documents
 Shipping Document Number: to

Additional Parameters

Plant: 1188
 Storage Location:
 Act. Gds Mvmnt Date: to
 Response Date: to
 Approval ID:
 Rejection Code:
 Created By:
 Layout:
☐ Process Historical Documents

Monitoring Tool for Web Services (Portugal)											
Refresh ReSubmit Display Log History Communicated Manually											
Delivery	Doc Catg	File ID	Mat. Doc.	MatYr	Doc Type	Doc Level	CoCode	Lock PGI	Doc Status	Approval ID	Resp Dt
6038350121	SD		264609728	2018	LB		1069	☐	A	6592445274	2018.06.04

When the SAFT interface runs successfully the “**Document Status**” is set with “**A-Approved**” and the returned “**Approval ID**” is displayed.

2.1.1 Display Log

When the SAFT interface runs unsuccessfully the “**Document Status**” is set with:

- “E-Error” – No communication with Portal
- “R-Rejected” – Delivery data was communicated with Portal but it is rejected

With the Monitor cockpit, the corresponding status and log messages are displayed

Transaction WSPT_MONI

Monitoring Tool for Web Services (Portugal)

General Selection Criteria

Company Code 

Document Status

Document Category



Selection Criteria for Delivery Documents

☒ Deliveries

Delivery Document Number to



Selection Criteria for Shipping Documents

☐ Shipping Documents

Shipping Document Number to



Additional Parameters

Plant 

Storage Location 

Act. Gds Mvmnt Date to 

Response Date to 

Approval ID 

Rejection Code 

Created By

Layout

☐ Process Historical Documents

Action	Field	Data
Click on “Get Variant...” 		
Double click on the variant	Variant name	EV_AUT_SAFT or EV_IND_SAFT
Specify selection data	Company code	Data updated by using the variant
	Plant	Data updated by using the variant

	Deliveries	Mark Deliveries to open field "Delivery Document Number"
	Delivery Document Number	Ex: 6039142647
	Act. Gds Mvmnt Date	
Click on "Execute"		

Monitoring Tool for Web Services (Portugal)												
Refresh ReSubmit Display Log History Communicated Manually												
Delivery	Doc Catg	File ID	Mat. Doc.	MatYr	Doc Type	Doc Level	CoCode	Lock PGI	Doc Status	ApprovalID	Resp Dt	Created by
6039142647	SD		267459021	2018	LB		1069	☐	E		2018.07.02	SV041797

Action	Field	Data
Select line		
Click on "Display Log"		

Display logs						
Technical Information Help						
Date/Time/User	Nu...	External ID	Object text	Sub-object text	Transac...	
2018.07.02 11:08:59 SV041797	3	6039142647_0...	WSPT	MONITOR	VTWABU	
Problem class Additional Inform	3					
T...	Message Text					
	4010000535,6039142647,001,SD,N,SV041797,20180702,110859,C,Record updated in WSPT_LIKP table.					
	SOAP:1023 SRT: Processing error in Internet Communication Framework: ("Connect to servicos.portaldasfi...					
	4010000535,6039142647,001,SD,E,SV041797,20180702,110859,C,Record updated in WSPT_LIKP table.					

2.1.2 Resubmit

When the SAFT interface runs unsuccessfully the **"Document Status"** is set with:

- **"E-Error"** – No communication with Portal
- **"R-Rejected"** – Delivery data was communicated with Portal but rejected

With the Monitor cockpit, the corresponding status and log messages are displayed

After the root cause is fixed, the interface can be resubmitted:

Transaction WSPT_MONI

Monitoring Tool for Web Services (Portugal)										
Refresh ReSubmit Display Log History Communicated Manually										
Delivery	Doc Catg	File ID	Mat. Doc.	MatYr	Doc Type	Doc Level	CoCode	Lock PGI	Doc Status	Approval...
60391426...	SD		267459021	2018	LB		1069	☐	E	

Action	Field	Data
Select line		
Click on "ReSubmit"		

2.1.3 Manual Communication

When the SAFT interface runs unsuccessfully the **"Document Status"** is set with:

- **"E-Error"** – No communication with Portal
- **"R-Rejected"** – Delivery data was communicated with Portal but rejected

With the Monitor cockpit, the corresponding status and log messages are displayed

When the status is **"E-Error"** and the root cause of no communication is due to the unavailability of **Tax Authorities Portal** then a manual communication by phone must be followed:

-Phone number: 210493950

-VAT No: 501486429/1

-Access code: 740543

The approval ID is obtained by phone, then using the monitor cockpit, update the delivery with the corresponding approval ID:

Transaction WSPT_MONI

Monitoring Tool for Web Services (Portugal)										
Refresh ReSubmit Display Log History Communicated Manually										
Delivery	Doc Catg	File ID	Mat. Doc.	MatYr	Doc Type	Doc Level	CoCode	Lock PGI	Doc Status	Approval...
6034962038	SD		252707290	2018	LB		1069	☐	E	

Action	Field	Data
Select line		
Click on "Communicated Manually"		

Monitoring Tool for Web Services (Portugal)

Refresh ReSubmit Display Log History Communicated Manually

Delivery Doc Catg File ID Mat. Doc. MatYr Doc Type Doc Level CoCode Lock PGI Doc Status Approval... Resp Dt

6034962038	SD		252707290	2018	LB		1069	☐	E		2018.05.03
------------	----	--	-----------	------	----	--	------	--------------------------	---	--	------------

Communicated Manually

Delivery 6034962038

Reference LB 1/4010000041

Approval ID

Movement Start Date 2018.05.03

Movement Start Time 09:34:38

✓ ✗

Action	Field	Data
Enter the Approval ID obtained previously by phone	Approval ID	Ex: 1097895391
	Movement Start Date	
	Movement Start Time	
Click on "Continue"		

Monitoring Tool for Web Services (Portugal)

Refresh ReSubmit Display Log History Communicated Manually

Delivery Doc Catg File ID Mat. Doc. MatYr Doc Type Doc Level CoCode Lock PGI Doc Status Approval... Resp Dt

6034962038	SD		252707290	2018	LB		1069	☐	E		2018.05.03
------------	----	--	-----------	------	----	--	------	--------------------------	---	--	------------

Communicated Manually

Delivery 6034962038

Reference LB 1/4010000041

Approval ID 1097895391

Movement Start Date 2018.05.03

Movement Start Time 09:34:38

✓ ✗

Monitoring Tool for Web Services (Portugal)

Refresh ReSubmit Display Log History Communicated Manually

Delivery	Doc Catg	Approval ID	Resp Dt	Created by	Created on	Time	By	Changed on	Changed at	Move St Dt	Move St Tm	Flag	Active	Shp ...	Manually Com.	Reference
6034962038	SD	1097895391	2018.05.03	SV035756	2018.05.03	08:34:38	TE335590	2018.07.04	09:23:52	2018.05.03	09:34:38		☒		☒	LB 1/4010000041

After updating the approval ID in the cockpit, the following actions are required:

- 1- Reprint SAFT Approval Document (see details on the next point)

- 2- Resubmit the Interface (See details on the previous point)

This step is required to send the total information of the corresponding delivery to the Tax Authorities Portal. This data must be sent on the next 5 working days after goods are dispatched.

2.2 Reprint SAFT Approval Document

Transaction VL71

Output from Deliveries

Output

Output Type		to		
Transmission Medium		to		
Sort order	01			
Processing Mode	1			

Deliveries

Shipping Point/Receiving Pt		to		
Delivery		to		
Reference		to		
Ship-to party		to		
Goods issue date		to		
Delivery date		to		
Route		to		
Route Schedule		to		

Printer Control

Print profile	
Output Device	

Action	Field	Data
Click on "Get Variant..."		
Double click on the variant	Variant name	EV_EV10_SAFT or EV_EV20_SAFT
Specify selection data	Delivery	Ex: 6038991533
Click on "Execute"		

Output from Deliveries

🕒 📄

Output

Output Type	ZSFT	to		➡
Transmission Medium		to		➡
Sort order	01			
Processing Mode	2			

Deliveries

Shipping Point/Receiving Pt	EV10	to		➡
Delivery	6038991533	to		➡
Reference		to		➡
Ship-to party		to		➡
Goods issue date		to		➡
Delivery date		to		➡
Route		to		➡
Route Schedule		to		➡

Output from Deliveries

🕒 📄 🗨️ 📊 📄 🖨️ 🖨️ ⏪ ⏩ ⏴ ⏵

Delivery	Item	Out.	Med	Role	Name 1	City	ShPt	Deliv.date	GI Date
☐ 6038991533		ZSFT	1	WE	Magicalmetal Lda	Arraiolos	EV10	2018.06.27	2018.06.27

Action	Field	Data
Select the line		
Click on "Process"		

Output from Deliveries

🕒 📄 🗨️ 📊 📄 🖨️ 🖨️ ⏪ ⏩ ⏴ ⏵

Delivery	Item	Out.	Med	Role	Name 1	City	ShPt	Deliv.date	GI Date
☒ 6038991533		ZSFT	1	WE	Magicalmetal Lda	Arraiolos	EV10	2018.06.27	2018.06.27

The output is reprinted



TYCO ELECTRONICS-COMPON. ELEC, L.D.A
VAT : PT501486429
Evora Warehouse 1188
Estrada de Almeirim
7009-505 EVORA
PORTUGAL

Delivery no: **PT/6038991533**

Shipment No.: 25776474
Customer no.: 3168211
Customer VAT No: PT507267893
Mode of transport:
Document date: 26-Jun-2018
Carrier: Transporte Proprio

Código Identificação da Autoridade Tributária e Aduaneira nº 6683792970
OIEQ-Processado por programa certificado nº 631/AT

Ship To:
Customer Number 3168211
Magimetal Lda
P. Industrial de Arraiolos R.A.L.8
7040-131 ARRAIOLOS
PORTUGAL

3. Transaction list

Transaction	Description
WSPT_MONI	Monitoring Tool for Web Services (Portugal)
VL70	Reprint "SAFT Approval Document"
WSPT_STORE_PASS	Manage Username and Password for Web Services

Program	Description
SIPT_SAFT_STORE_PSE	Uploading PSE Files for Digital Signature
SIPT_INTERVAL_SIGN_OBD	Portugal: Digital Signature Generation for Numbering Intervals for OBD
SSF_ALERT_CERTEXPIRE	Check expired certificates/expire near future

4. Technical overview

Functional and technical details are specified on the PLD document (links available above on the Reference documents)

4.1 SAP / Tax Authorities Portal Communications

Below is a summary of technical requirements for the Webservice interface between SAP server and Tax Authorities Portal:

These requirements are described in SAP OSS notes 1901250 and 1901252

- o Minimum cryptolib version required – TE SAP system has already the minimum version required
- o Minimum kernel version is required – TE SAP system has already the minimum version required
- o Install certificates: see note 2054553 - attachment 'Loading_Certificates.zip'.

- o To enable the Web Services, configure the end points as described in the attached documents
"Guidelines_for_endpt_config1_v2.ZIP" and "Guidelines_for_endpt_config2_v2.ZIP"
in the sequence

You must have HTTPS connectivity from your ERP landscape to the address
<https://servicos.portaldasfinancas.gov.pt:701/sgdtws/documentosTransporte> and
<https://servicos.portaldasfinancas.gov.pt:401/sgdtws/documentosTransporte>

HTTPS Traffic should be open for the ports 701(Test port), 401(Production port) in both
directions
in your Firewall, between all ERP servers and WWW

Please see below embedded document for additional technical details:



SAFT_TE_SETUP
Technical Requirements

4.1.1 Firewall

See below the firewall request sent to the network team:



SAFT_TE_SETUP_FIREWALL.xlsx

4.1.2 Certificates

There are SAFT and Digital Signature certificates installed in SAP Application Server by Basis Team. These are required for SAFT Webservice interface. When these certificates expire Basis Team would need to download it from SAP Portal and reinstall the corresponding certificates.

4.1.2.1 SAFT

For any details on how to install certificates please see sap note 2054553.

Report SSF_ALERT_CERTEXPIRE - Check expired certificates/expire near future

4.1.2.2 Digital Signature

Report SIPT_SAFT_STORE_PSE - Uploading PSE Files for Digital Signature

SIPT_SAFT_STORE_PSE has to be run to upload different PSE files depending on the role of each client. (The role is displayed at transaction SCC4).

-For systems with other roles different than "P",

"TEST_CERTIFICATE_nopin.pse" attached to note 1517894 has to be uploaded with SIPT_SAFT_STORE_PSE. (Do not try to upload the ".zip")

-For systems with role "P":

a. The Product Data in the SAP Service MarketPlace has to be properly maintained (Specially important to check after some release upgrade).

b. The productive encryption certificate for the current SID has to be downloaded from the SAP Service Marketplace. After a release upgrade, a new PSE file might be required. See note 2151028

c. The PSE file from previous step (b) is the one to be uploaded with SIPT_SAFT_STORE_PSE on "Production" systems.

4.1.3 Username / Password

The webservice interface requires username and password which is stored in the SAP Application server.

Transaction WSPT_STORE_PASS

The screenshot shows the SAP transaction 'Manage Username and Password for Web Services'. The interface is divided into several sections:

- Parameters for SD:** Contains fields for 'Company Code' and 'Delivery Type'. The 'Company Code' field is highlighted with a red box and a yellow background, and a small icon is visible to its right.
- Authentication Info:** Contains fields for 'Username' and 'Password'.
- Function Selection:** Contains three radio buttons: 'Insert Entry' (selected), 'Delete Entry', and 'List Entries'.

Action	Field	Data
Enter parameters	Company Code	1069
	Delivery Type	LB, LF or LR
	Username	501486429/3
	Password	SAP_1069
	Insert Entry	X
Click on "Execute"		

Manage Username and Password for Web Services

Parameters for SD

Company Code

Delivery Type

Authentication Info

Username


Password

Function Selection

☒ Insert Entry

☐ Delete Entry

☐ List Entries



Action	Field	Data
Click on "Continue"		
Repeat the steps for all relevant delivery types		

4.1.4 Troubleshooting

Below is the list of issues and solutions found during test phase:

Error description	Solution
Error "pse_not_found" in function SSFPSE_PARAMETER. Context:WSSE - Applic:WSSCRT - BL001	SAP note 2078513: See note 1901252 - Setup_PT_WS. See note 1901252 - Guidelines endpoint config1 v2
BL001 - PRX_PROTO_NOT_SUPPORTED Proxy protocol IF_WSPROTOCOL_WS_HEADER is not available	Set Logical port is default in SOAMANAGER. Class/Method CL_WSPT_COMMUNICATION_AT->CALL_PROXY; Protocol IF_WSPROTOCOL_WS_HEADER
SOAP:1023 SRT: Processing error in Internet Communication Framework: ("SSL handshake with servicos.portaldasfinancas.gov.pt:701	ssl/client_ciphersuites = 662:HIGH:MEDIUM:+e3DES:!aNULL:!eNULL parameter is missing

4.2 Configuration

4.2.1 Number ranges

Transaction SNRO

Object	RV_BELEG
Number ranges	From-To
ZH	4010000000-4019999999
ZI	4020000000-4029999999
ZJ	4030000000-4039999999
ZZ	4040000000-4049999999

4.2.2 Assign Number ranges by Delivery Type

Transaction SM30

Table SIPT_NUMBR_OBD_V

N R	DelType	Signature	Active	Serie s	CompCode
ZH	LB	X	X	1	1069
ZI	LF	X	X	1	1069
ZJ	RL	X	X	1	1069
ZI	ZXPS	X	X	1	1069

4.2.3 Mapping Delivery Type

Transaction SM30

Table WSPT_MOVE_TYPE

DelType	MovType
LB	GR
LF	GR
RL	GR
ZXPS	GR

4.2.4 Password Checksum

Transaction SM30

Table RSECACHK

PROGNAME	CHSUM	PREFIX
WSPT_STORE_PASSWORD	B0C7CDC1E5C26F889A35CB61A8790CD0	/WSPT/DELIVERY/

4.2.5 Rejection Codes

Transaction SM30

Table WSPT_V_REJ_CODES

RejCode	Desc
-1	PARÂMETRO DE ENTRADA INVÁLIDO;
-10	O REMETENTE NÃO TEM ATIVIDADE REGISTRADA;
-11	O NIF DO ADQUIRENTE NÃO CORRESPONDE AO ANTERIORMENTE FORNECIDO;
-12	NÃO FOI POSSÍVEL VERIFICAR SE O REMETENTE TEM ATIVIDADE ABERTA;
-13	NÃO PODE SER ALTERADO UM DOCUMENTO DE TRANSPORTE QUANDO A DATA DE INÍCIO JÁ DECORREU;
-14	AS REFERÊNCIAS DE DOCUMENTO GLOBAL PARA DOCUMENTOS COM TIPO DE EMISSÃO 4, TÊM QUE SER DO TIPO 3;
-15	NÃO PODE ADICIONAR REFERÊNCIAS PARA OUTROS DOCUMENTOS, UMA VEZ QUE ESTE DOCUMENTO JÁ É REFERENCIADO POR DOCUMENTOS PARCIAIS;
-16	NÃO PODE ALTERAR A DATA DE EMISSÃO DO DOCUMENTO;
-17	A DATA DE INÍCIO DE TRANSPORTE NÃO PODE SER ANTERIOR A 2013
-2	O NÚMERO DO DOCUMENTO GLOBAL NÃO CORRESPONDE A NENHUM DOCUMENTO DE TRANSPORTE EXISTENTE;
-3	JÁ FOI INSERIDO UM DOCUMENTO DE TRANSPORTE COM O NÚMERO FORNECIDO;
-4	JÁ FOI ANULADO O DOCUMENTO DE TRANSPORTE COM O NÚMERO FORNECIDO;
-5	ESTADO DE DOCUMENTO DE TRANSPORTE INVÁLIDO;
-6	A DATA DE INÍCIO DE TRANSPORTE NÃO PODE SER ANTERIOR À DATA ATUAL;

-7	O NIF DO REMETENTE NÃO CORRESPONDE AO ANTERIORMENTE FORNECIDO;
-8	O CÓDIGO AT ESTÁ PREENCHIDO MAS NÃO EXISTE DOCUMENTO DE TRANSPORTE;
-9	O Nº DE DOCUMENTO DE TRANSPORTE É DIFERENTE DO ANTERIORMENTE FORNECIDO;
-99	ERRO INTERNO;
0	DOCUMENTO REGISTADO COM SUCESSO.
1	UTILIZADOR NÃO PREENCHIDO;
10	VALIDADE DA CREDENCIAL EXPIRADA;
11	CHAVE SIMÉTRICA INVÁLIDA;
12	CHAVE SIMÉTRICA REPETIDA;
13	ESTRUTURA DA SENHA INVÁLIDA;
2	TAMANHO DO UTILIZADOR INCORRETO;
3	NIF INVÁLIDO;
33	PEDIDO SOAP INVÁLIDO;
4	UTILIZADOR COM FORMATO INVÁLIDO;
5	SUBUTILIZADOR COM FORMATO INVÁLIDO;
50	HEADER INEXISTENTE OU VAZIO;
51	O NIF NÃO ESTÁ PREENCHIDO NO HEADER;
52	NÃO FOI POSSÍVEL VERIFICAR SE O UTILIZADOR TEM PERMISSÕES PARA ACEDER A ESTA OPERAÇÃO;
6	SENHA NÃO PREENCHIDA;
7	CODIFICAÇÃO BASE64 INVÁLIDA;
8	CIFRA DA CHAVE PÚBLICA INVÁLIDA;
9	FORMATO DO TIMESTAMP INVÁLIDO;
99	ERRO NA VALIDAÇÃO DA SENHA (SENHA ERRADA, ACESSO SUSPENSO, ETC.).

4.2.6 Layout – New Output Type

OutputType	Program	Layout
ZSFT	ZZSDM038	Z0000-SF-0001

New Output type: “**ZSFT-SAFT Approval PGI**”

IMG Path: Logistics Execution->Shipping->Output Control->Output Determination->Maintain Output Determination for Outbound Deliveries->Maintain Output Types

Display IMG

Existing BC Sets BC Sets for Activity Activated BC Sets for Activity

Structure

- Logistics Execution
 - Direct Store Delivery
 - Decentralized WMS Integration
 - Warehouse Management
 - Shipping
 - Basic Shipping Functions
 - Configure Global Shipping Data
 - Shipping Point and Goods Receiving Point Determination
 - Scheduling
 - Routes
 - Incompletion Control for Deliveries
 - Serial Numbers
 - Availability Check and Transfer of Requirements
 - Output Control
 - Output Determination
 - Maintain Output Determination for Outbound Deliveries
 - Maintain Condition Tables
 - Maintain Output Types

Display View "Output Types": Overview

Application

Dialog Structure

- Output Types
 - Mail title and texts
 - Processing routines
 - Partner functions

OutputT...	Name
ZSFT	SAFT Approval PG1

Display View "Processing routines": Details

Form

Dialog Structure

- Output Types
 - Mail title and texts
 - Processing routines**
 - Partner functions

Output Type **SFT** SAFT Approval PGI

Application V2 Shipping

Transm. Medium 1 Print output

Layout module

Processing routines

Processing 1

Program	ZZSDM038
Form Routine	ENTRY
Form	Z0000-SF-0001

New Layout: **Z0000-SF-0001**

Transaction SE71

Form Painter: Request

Form **Z0000-SF-0001** Create

Language EN

Subobjects

- ☒ Header
- ☐ Pages
- ☐ Windows
- ☐ Page Window
- ☐ Paragraph Formats
- ☐ Character Formats
- ☐ Documentation

Display Change

4.2.7 Layout – Standard texts

The following standard texts are used on the “**SAFT Approval Document**”

Transaction SO10

Standard Text “ZEV_PT_SAFT_ERROR_TEXT”

Standard Text: Request

Standard Text

Text Name

Text ID Standard text

Language

 Display  Change  Create

Display Standard text: ZEV_PT_SAFT_ERROR_TEXT Language EN

F..	L	Row	Text	R
		1.....2.....3.....4.....5.....6.....7..		
*			ERRO-SEM APROVAÇÃO DA AT: &GV_WSPT_LIKP_REJ-REJ_TEXT&	

Standard Text “ZEV_PT_SAFT_TEXT”

Standard Text: Request

Standard Text

Text Name 

Text ID Standard text

Language

 Display  Change  Create

Display Standard text: ZEV_PT_SAFT_TEXT Language EN		
  		
F..	L	Row Text
		1.....2.....3.....4.....5.....6.....
*		Código Identificação da Autoridade Tributária e Aduaneira nº
=		GV_WSPT_LIKP-APPR_ID

Standard Text “ZEV_PT_DELIVERY_SIGNATURE”

Standard Text: Request	
 	
Standard Text	
Text Name	ZEV_PT_DELIVERY_SIGNATURE
Text ID	ST Standard text
Language	EN
 Display  Change  Create	

Display Standard text: ZEV_PT_DELIVERY_SIGNATURE Language EN		
  		
F..	L	Row Text
		1.....2.....3.....4.....5.....6.....7..
*		GV_SIPT_LIKP-PRINT_CHAR-Processado por programa certificado nº 631/AT

4.2.8 Layout – Output determination

The output “ZSFT-SAFT Approval” is printed when shipment status is set to “7”.

The required master data is maintained:

For the 3 local subcontractors the output ZSFT is to use printer “P713LASRECP1” then the key combination by ship-to is used.

For other scenarios the output ZSFT is to use printer “**P713EXPSAP**” then the key combination by destination country is used.

Transaction VV22

Change Output - Condition Records : Shipping

Key combination

Output Type 

Action	Field	Data
Enter data	Output Type	ZSFT
Click on “Enter”		

Change Output - Condition Records : Shipping

Key combination

Output Type

Key Combination

☒ Ship Point/Deliv.type/Ship-To Pt

☐ Del. type/Ship Point/Dest. Ctry

☐ DlvType/Shipping Point

Action	Field	Data
Select Key Combination	Key Combination	Ship Point/Deliv.type/Ship-To Pt
Click on “Enter”		

Change SAFT Approval PG (ZSFT): Selection

    Condition Info

Shipping Point/Receiving Pt	☒	
Delivery Type	☒	
Ship-to party		to 

Action	Field	Data
Enter data	Shipping Point	EV10 or EV20
	Delivery Type	LB or LF
	Ship-to party	3168211, 3168210 or 3168209
Click on "Execute"		

Change SAFT Approval PG (ZSFT): Selection

    Condition Info

Shipping Point/Receiving Pt	EV10	
Delivery Type	LB	
Ship-to party	3168211	to 

Action	Field	Data
Enter data	Ship-to	3168211, 3168210 or 3168209
	Function	SH
	Medium	1
	Date/Time	3
Select line		
Click on "Communication"		

Change Condition Records (SAFT Approval PGI): Communication

Variable Key

Ship Point	Del. type	Ship-to party	Description
EV10	LB	3168211	Magicmetal Lda

Print Output

Output Device P713LASRECP1

Number of messages

Spool request name

Suffix 1

Suffix 2

SAP cover page Do Not Print ▼

Recipient

Department

Cover Page Text

Authorization

Storage Mode 3 Print and archive ▼

☒ Print immediately

☐ Release after output

Action	Field	Data
Enter data	Output Device	P713LASRECP1
	Print immediately	X
	Storage Mode	3
Click on "Save"		

Master data determination using Key combination **"Del. Type/Ship Point/Dest. Ctry"**:

Change Output - Condition Records SAFT Approval PGI ZSFT

Key combination

Output Type SAFT Approval PGI

Key Combination

☐ Ship Point/Deliv.type/Ship-To Pt
☒ Del. type/Ship Point/Dest. Ctry
☐ DlvType/Shipping Point

Action	Field	Data
Enter data	Delivery Type	LB or LF
	Shipping Point	EV10 or EV20
	Destination Country	PT
Click on "Execute"		

Change Condition Records (SAFT Approval PGI): Fast Change

Communication  

Delivery Type Delivery for subcon.
 Shipping Point TE Evora shipping point

Condition Recs.

D...	Name	Funct	Partner	M...	Da...	Lan...
PT	Portugal	SH		1	3	

Action	Field	Data
Enter data	Destination Country	PT
	Function	SH
	Medium	1
	Date/Time	3
Select line		
Click on "Communication"		

Change Condition Records (SAFT Approval PGI): Communication

Variable Key

Del. type	Ship Point	Dest. Ctry	Description
LB	EV10	PT	Portugal

Print Output

Output Device	P713EXPSAP		☒ Print immediately
Number of messages			☐ Release after output
Spool request name			
Suffix 1			
Suffix 2			
SAP cover page	Do Not Print		
Recipient			
Department			
Cover Page Text			
Authorization			
Storage Mode	3 Print and archive		

Action	Field	Data
Enter data	Output Device	P713EXPSAP
	Print immediately	X
	Storage Mode	3
Click on "Save"		

4.3 Enhancements

4.3.1 Transportation date/time conversion

The enhancement Badi **"WSPT_BADI_MOVE_GOODS->CHANGE_MVT_TIME"** is used to determine the Portuguese local date and time of transport when the time is not specified on the delivery.

An additional time can be used with the variable **"ZSAFT_ADDTIME"** set in the table TVARV.

The additional time is set with 600 seconds:

TVARV: Display of Entries Found




Table to be searched: TVARV Table

Number of hits: 1

Runtime: 0 Maxim












NAME	TYPE	NUMB	SIGN	OPTI	LOW	HIGH
ZSAFT_ADDTIME	P		I	EQ	600	

4.4 Authorizations

See below the authorization request:



SRM Governance
Request Form - SAF