



Portugal

Generated on: 2026-09-04 12:24:25 GMT+0000

SAP S/4HANA | 2025 FPS01 (Feb 2026)

Public

Original content: https://help.sap.com/docs/SAP_S4HANA_ON-PREMISE/9b351d6e33a0496598e4b58782565e8a?locale=en-US&state=PRODUCTION&version=2025.001

Warning

This document has been generated from SAP Help Portal and is an incomplete version of the official SAP product documentation. The information included in custom documentation may not reflect the arrangement of topics in SAP Help Portal, and may be missing important aspects and/or correlations to other topics. For this reason, it is not for production use.

For more information, please visit <https://help.sap.com/docs/disclaimer>.

Portugal

Use

In addition to the general functions, there are country/region-specific functions available that comprise a range of features to meet legal requirements and common business requirements in Portugal. These all support you in effectively carrying out your daily business and are explained in detail in this section of the product assistance for Portugal.

i Note

Please consider the following Portugal-specific information for processing your payments/account clearing:

- During payment/account clearing processing, you must use only one customer ID in a payment document.

If more than one customer ID is used in the same payment document, the system stores the different customer IDs at item level in the payment document items, and does not identify a customer ID at document header level.

In such a case, when you generate the SAF-T file, the system will not be able to identify which customer ID to insert in the XML file from item level, and does not find an ID in the document at header level either. In this case, the system leaves the field empty in the XML file, which results in a validation error.

- Do not use the same business partner ID as a customer ID and a supplier ID in the same document.

If you use a business partner ID as customer ID and supplier ID in the same document for payments/account clearing, a validation error comes up when you try to generate the SAF-T file. When you create a payment document during payment/account clearing processing and you use a BP as a customer and also as a supplier, the system creates two BP lines in the payment document. In this case, the BP data is saved at item level. However, when you generate the SAF-T file, the system won't be able to find a BP ID in the payment document header to include in the XML file. In this case, the system leaves the field empty in the XML file, which results in a validation error.

You can use a business partner ID either as customer or as supplier, but not for both in the same document.

- Do not use more than one customer ID or a supplier ID and a customer ID assigned to the line items in the same document.

When the journal entry contains more than one line item, the line items cannot have different customers assigned; or a customer to one line item and a supplier to the other line item. We suggest that you post these items as separate journal entries, not as line items of the same journal entry.

Cross-Application Functions

This section provides you with cross-application functions and processes that help you to fulfill the legal requirements of doing business in Portugal. The following documentation describes these Portugal-specific functions that are used in several applications, for example, the digital signature of invoices and billing documents, which can be created in [Sales and Distribution \(SD\)](#), [Materials Management \(MM\)](#), or [Financial Accounting \(FI\)](#).

Digital Signature of Invoices

According to legal requirements in Portugal, as of January 1, 2011, software that is used to create invoices and billing documents must be able to digitally sign the data using an RSA algorithm. SAP S/4HANA allows you to fulfill these legal requirements (outlined in [Portaria n.º 363/2010 de 23 de Junho](#)) for invoices created using automatic and manual processes in [Sales and Distribution \(SD\)](#), [Materials Management \(MM\)](#), and [Financial Accounting \(FI\)](#).

SAP's software has been certified by the tax authorities in Portugal ([AT](#)) with a private/public encryption key. Once you have uploaded private encryption keys to your SAP S/4HANA production systems, each system uses its key to digitally sign the following documents:

- Billing/Delivery documents created in SD and MM for a Portuguese sales organization
- Invoices, debit memos, and credit memos created manually in FI for a Portuguese company code
- Invoices/debit memos and credit memos created in Settlement Management for Portuguese company code

You also need to include signature information in printed documents.

The tax authorities can then use SAP's public key to check the authenticity of the digital signatures on your invoices and billing documents.

i Note

The Portugal-specific functions described in the following documentation can be used only for Portuguese company codes. In FI and SD only, the functions are also supported for Portuguese subunits of foreign company codes, such as Portuguese sales organizations. For more information, see [Customizing Digital Signatures for Foreign Company Codes](#).

Acquisition of SAP Encryption Keys

Use

SAP's software has been certified by the tax authorities in Portugal ("Direção Geral dos Impostos, DGC") with a private/public encryption key. This private encryption key is needed to encrypt data and digitally sign billing documents and invoices. You can obtain certificates from SAP that include the SAP private encryption key. This information is stored in a PSE file that you have to download to your local PC and then upload to a production system.

Prerequisites

This is custom documentation. For more information, please visit [SAP Help Portal](#).

Process

1. You install the latest version of the Common Crypto Library (COMMONCRYPTOLIB) on each production system. You can download COMMONCRYPTOLIB from the SAP Support Portal at [Software Downloads](#). COMMONCRYPTOLIB provides the functions for creating and verifying digital signatures within SAP systems. For more information about how to download COMMONCRYPTOLIB, see SAP Note [1848999](#).

i Note

For more information about the Common Crypto Library (COMMONCRYPTOLIB), see SAP note [397175](#).

2. You apply the necessary Kernel patch as required for your Release level. For more information, see SAP Note [1526521](#). For more information about downloading and installing the patch, see SAP Note [19466](#).
3. You implement the other technical requirements explained in SAP Note [1484221](#), SAP Note [1517894](#) and SAP Note [1520970](#).
4. You download PSE files that contain the certification information and the encryption key to your local PC. You must download one PSE file for each of your production systems in which you create billing documents in **Sales and Distribution** (SD) and **Materials Management** (MM), and manual invoices in **Financial Accounting** (FI) with a Portuguese company code.

i Note

SAP also provides you with a test certificate including a test encryption key for non-production systems as an attachment to SAP Note [1517894](#). Be aware that due to security reasons, the digital signatures created with the test encryption key differ from those that are created using the SAP private encryption key for production systems.

For more information, see [Downloading PSE Files for Digital Signatures](#).

5. You upload a PSE file to each of your production systems. For more information, see [Uploading PSE Files for Digital Signatures](#).

⚠ Caution

Ensure that you use the official SAP certificate in your production systems and not the test certificate.

6. Your SAP systems read the PSE file and store the certificate with the private encryption key in the database.
7. You make the necessary settings in the Customizing for SD, MM, and FI in each of your production systems. For more information about these settings, see [Customizing for Digital Signature of Invoices](#).

Result

When you create an invoice or billing document for a Portuguese company code in an SAP S/4HANA system that has the private encryption key, the system generates a digital signature for each document and stores it in the database. For more information, see [Digital Signature Generation](#).

When you print an invoice or billing document that requires a digital signature, the system can include digital signature information in the printout as required by law. For more information, see [Digital Signature Data in Printed Invoices](#).

[Downloading PSE Files for Digital Signature](#)

Before you can digitally sign documents in your system, you must obtain a PSE file including the private encryption key from SAP for each of your production systems, that is, systems whose client role is **Production**. You can see the client role for a system using the SCC4 transaction.

[Uploading PSE Files for Digital Signature](#)

Downloading PSE Files for Digital Signature

Before you can digitally sign documents in your system, you must obtain a PSE file including the private encryption key from SAP for each of your production systems, that is, systems whose client role is **Production**. You can see the client role for a system using the SCC4 transaction.

For information about how to download PSE files for a production system, see SAP Note [2151028](#).

For information about how to download PSE files for a non-production (test) system, see SAP Note [2540839](#).

⚠ Caution

SAP makes a new version of the PSE file available for each product release. If you upgrade to a new release, always make sure that you download and install a version of the PSE file that is compatible with your system.

Parent topic: [Acquisition of SAP Encryption Keys](#)

Related Information

[Uploading PSE Files for Digital Signature](#)

Uploading PSE Files for Digital Signature

Prerequisites

- You have downloaded one PSE file for each combination of your production system and SAP NetWeaver release from SAP Service Marketplace. For more information, see [Downloading PSE Files for Digital Signatures](#).
- Your user has the S_RZL_ADM authorization object.
- You have completed all of the steps in the process for acquiring an SAP encryption key, including the installation of SAPCRYPTOLIB and the necessary kernel patch. For more information, see [Acquisition of SAP Encryption Key](#).

Context

Before your SAP production systems can start digitally signing invoices and billing documents, you must upload the SAP private encryption key to each system that you use for billing for Portuguese company codes. The SAP private encryption key is included in the PSE files that you download from SAP Service Marketplace.

Procedure

For each production system, proceed as follows:

1. Start the SIPT_SAFT_STORE_PSE program in transaction SE38.
2. Browse to the location on your local PC where the PSE file is stored.
3. Run the program.

Results

Your SAP system uploads the PSE file from your local PC and stores it in a secure area of your servers. Note that the uploaded PSE file is not visible in the STRUST transaction.

Each time your system needs to digitally sign a document, it accesses this information. For more information, see [Digital Signature Generation](#).

Task overview: [Acquisition of SAP Encryption Keys](#)

Related Information

[Downloading PSE Files for Digital Signature](#)

Customizing for Digital Signature of Invoices

According to legal requirements in Portugal, digitally signed documents must be numbered sequentially and chronologically. Get an overview of what you, as the key user for configuration, need to consider when you configure your number range intervals for digital signature generation.

In Customizing, you record number range intervals for Portuguese company codes that you use to create billing documents and manual invoices. You flag each number range interval that is relevant for digital signature and enter a leading document type and series.

The system uses the leading document type and series as input for digital signature generation. According to law, an invoice number must be part of the input for signature generation. The law also specifies that the system must create this invoice number in the same way as the value for the 4.1.4.1. field (InvoiceNo) in the Standard Audit File for Tax Purposes (SAF-T).

The specifications for this field are as follows:

XX1/100000008

Where XX is an internal code (SAP uses the leading document type), followed by a space, followed by the number of the number range series (1 in this example), followed by a slash (/), followed by the sequential invoice number.

Note the following:

- The **leading document type** is particularly important when you use one number range interval for documents with different document types. In this case, you should select one type as the leading document type. The system then uses this leading document type as the internal code for all document types that use this number range interval. Alternatively, you can enter a document type that exists in your system but is not used for document creation. The system then uses this leading document type as the internal code for all document types that use this number range interval.
- We recommend that you use a different **series** for different number range intervals for the same document type. The series is not an SAP concept. The system checks that a value is entered in this field, and for FI and SD only, makes sure the combination of leading document type and series is unique. However, the system does not validate the actual content of the field. You can use the series to best meet your own requirements. For example, if for some reason a large gap occurs in the sequential numbering for a number range interval for a company code in a fiscal year, you could continue to use the number range interval but with a different series.

[Customizing Digital Signature and ATCUD for SD Billing Documents](#)

Find out which settings are required to create SD billing documents with digital signatures and ATCUD codes that comply with the legal requirements in Portugal.

[Customizing Digital Signature and ATCUD for FI Invoices](#)

Find out which settings are required to create FI invoices with digital signatures and ATCUD codes that comply with the legal requirements in Portugal.

[Customizing ATCUD for FI Payment Receipts](#)

Find out which settings are required to create FI payment receipts with ATCUD codes that comply with the legal requirements in Portugal.

[Customizing Digital Signature for Self-Billing Documents \(MM\)](#)

To create self-billing documents with digital signatures that comply with the legal requirements in Portugal, record the number ranges and make the required settings in Customizing.

[Customizing Digital Signature for Foreign Company Codes](#)

Some companies have foreign company codes to which Portuguese organizational units are assigned (referred to as subunits); for example, a Portuguese sales organization assigned to a Brazilian company code. To generate digital signatures for FI invoices and SD billing documents created by Portuguese subunits, certain Customizing settings are required.

[Customizing Digital Signature and ATCUD for SD Delivery Documents](#)

Find out which settings are required to create SD delivery documents with digital signatures that comply with the legal requirements in Portugal.

[Customizing Digital Signature and ATCUD for Settlement Documents](#)

Find out which settings are required to create settlement documents with digital signatures that comply with the legal requirements in Portugal.

[Customizing for Printing Invoices with Digital Signature Data](#)

Customizing Digital Signature and ATCUD for SD Billing Documents

Find out which settings are required to create SD billing documents with digital signatures and ATCUD codes that comply with the legal requirements in Portugal.

Prerequisites

You have checked whether you need to implement the user exit described in SAP Note [595327](#).

Procedure

1. Maintain the required VAT registration numbers for your company codes in Customizing for [Financial Accounting Global Settings \(New\)](#) under [Global Parameters for Company Code](#) [Tax](#) [VAT Registration Numbers \(VAT Reg.No.\)](#) [Define Domestic VAT Registration Numbers](#) and [Define Foreign VAT Registration Numbers](#).
2. Enter all relevant foreign company codes in Customizing for [Sales and Distribution](#) under [Billing](#) [Billing Documents](#) [Country-Specific Features](#) [Country-Specific Features for Portugal](#) [Digital Signature](#) [Enable Foreign Company Codes and Sales Orgs. for Digital Signatures in SD](#) (SIPT_CCODE_SD_VC view).
3. Define billing types in Customizing for [Sales and Distribution](#) under [Billing](#) [Billing Documents](#) [Define Billing Types for Sales](#) (VOFA transaction).
4. Create number ranges for the billing types in Customizing for [Sales and Distribution](#) under [Billing](#) [Billing Documents](#) [Define Number Ranges for Billing Documents](#) (SNUM view).

i Note

To create SD billing documents that contain the ATCUD code, you must use dedicated number ranges. You can't use existing number ranges that have already been used to create SD billing documents without the ATCUD code. For more information about ATCUD, see [ATCUD in SD and FI Print Layouts](#).

⚠ Caution

Number ranges with alpha-numeric prefixes are not supported in digital signature for Portugal.

5. Record the number ranges and assign a billing type and series to each of them in Customizing for [Sales and Distribution](#) under [Billing](#) [Billing Documents](#) [Country-Specific Features](#) [Country-Specific Features for Portugal](#) [Digital Signature](#) [Record Number Ranges for Digital Signature of Billing Documents \(SD\)](#) (SIPT_NUMBR_SD_V view).

To create SD billing documents with the ATCUD code, you must assign a series ID that starts with B and adheres to specific naming conventions. Only number ranges that fulfill these requirements can be sent to the authorities to request the validation code for the ATCUD. Note that the series must be unique within the company code.

For more information about the naming conventions, see the FI help for the [Series](#) field.

⚠ Caution

Make sure you carefully read the documentation of the [Record Number Ranges for Digital Signature of Billing Documents \(SD\)](#) Customizing activity. Due to Despacho 8632/2014, you will be forced to activate digital signature generation for number ranges that you enter in this activity, and deactivation is then no longer possible.

When the SD billing document is released to accounting, an FI accounting document type is required, for example, RV. Make sure that you maintain the assigned number range number of this FI document type in the Customizing activity [Record Number Ranges for Digital Signature of Invoices \(FI\)](#). Do not activate the digital signature checkbox and make sure that the series **does not** start with F. No ATCUD is required for this FI posting.

6. Assign a [SAF-T Document Type](#) to each number range in Customizing for [Sales and Distribution](#) under [Billing](#) [Billing Documents](#) [Country-Specific Features](#) [Country-Specific Features for Portugal](#) [Digital Signature](#) [Assign SAF-T Document Types to Number Ranges \(SD\)](#) (SIPT_NUMBR_SD_V2 view).

This legal document type is defined by the tax authorities and is part of the information that you send to the authorities when you request the validation code for ATCUD.

7. Maintain the validation code for the number range series in the [Manage Series Validation Code for Portugal](#) report (GL0_PT_SVC transaction).

The report retrieves and displays all series IDs that adhere to the naming conventions. You can then filter for business process [B \(SD Billing\)](#) to see the relevant series IDs with the corresponding series document type (for example, FT or NC). For new entries with the status [Initial](#), enter the validation code that you received from the authorities. When you save, the status changes to [Active](#).

Note that you have to request the validation code for invoices, credit memos, and debit memos. Cancellations don't require a validation code.

When you print billing documents or generate the SAF-T report, the system retrieves the validation code from this report.

For more information, see [Manage Series Validation Code for Portugal](#).

⚠ Caution

After you've created your first billing document with ATCUD, make sure you don't change the configuration of the corresponding number range in the [Record Number Ranges for Digital Signature of Billing Documents \(SD\)](#) activity. If you make changes, the system will prevent the creation of billing documents because of inconsistent configuration settings.

Task overview: [Customizing for Digital Signature of Invoices](#)

Related Information

[Customizing Digital Signature and ATCUD for FI Invoices](#)

This is custom documentation. For more information, please visit [SAP Help Portal](#).

[Customizing ATCUD for FI Payment Receipts](#)

[Customizing Digital Signature for Self-Billing Documents \(MM\)](#)

[Customizing Digital Signature for Foreign Company Codes](#)

[Customizing Digital Signature and ATCUD for SD Delivery Documents](#)

[Customizing Digital Signature and ATCUD for Settlement Documents](#)

[Customizing for Printing Invoices with Digital Signature Data](#)

Customizing Digital Signature and ATCUD for FI Invoices

Find out which settings are required to create FI invoices with digital signatures and ATCUD codes that comply with the legal requirements in Portugal.

Procedure

1. If you manually create invoices, debit memos, and credit memos for a Portuguese company code in **Financial Accounting (FI)**, activate the SIPT application in transaction BF11.
2. Maintain the required VAT registration numbers for your company codes in Customizing for **Financial Accounting Global Settings (New)** under **Global Parameters for Company Code** **Tax** **VAT Registration Numbers (VAT Reg.No.)** **Define Domestic VAT Registration Numbers** and **Define Foreign VAT Registration Numbers**.
3. Enter all relevant foreign company codes in Customizing for **Financial Accounting (New)** under **Accounts Receivable and Accounts Payable** **Business Transactions** **Country-Specific Settings** **Portugal** **Enable Foreign Company Codes for Digital Signatures in FI**.
4. Define document types in Customizing for **Financial Accounting (New)** under **Financial Accounting Global Settings (New)** **Document** **Document Types** **Define Document Types**.
5. Define number ranges in Customizing for **Financial Accounting (New)** under **Financial Accounting Global Settings (New)** **Document** **Document Number Ranges** **Define Document Number Ranges**.

i Note

To create FI invoicing documents that contain the ATCUD code, you must use dedicated number ranges. You can't use existing number ranges that have already been used to create FI invoicing documents without the ATCUD code. For more information about ATCUD, see [ATCUD in SD and FI Print Layouts](#).

⚠ Caution

Number ranges with alpha-numeric prefixes are not supported in digital signature for Portugal.

6. Configure the number ranges in Customizing for **Financial Accounting** under **Accounts Receivable and Accounts Payable** **Business Transactions** **Country-Specific Settings** **Portugal** **Record Number Ranges for Digital Signature of Invoices (FI)** (SIPT_NUMBR_FI_V view).

To create FI invoicing documents with the ATCUD code, you must assign a series ID that starts with F and adheres to specific naming conventions. Only number ranges that fulfill these requirements can be sent to the authorities to request the validation code for the ATCUD. Note that the series must be unique within the company code.

For more information about the naming conventions, see the F1 help for the **Series** field.

i Note

- If digital signatures have been generated for a number range interval, do not deactivate digital signature generation for this number range interval.
- Ensure that each combination of leading document type and series entered for a company code and fiscal year is unique.
- Assign a leading document type and a series to each number range interval, regardless of whether digital signature generation is activated for the interval.

7. Assign a **SAF-T Document Type** to each number range in Customizing for **Financial Accounting** under **Accounts Receivable and Accounts Payable** **Business Transactions** **Country-Specific Settings** **Portugal** **Assign SAF-T Document Types to Number Ranges (FI)** (SIPT_NUMBR_FI_V2 view).

This legal document type is defined by the tax authorities and is part of the information that you send to the authorities when you request the validation code for ATCUD.

8. Maintain the validation code for the number range series in the **Manage Series Validation Code for Portugal** report (GL0_PT_SVC transaction).

The report retrieves and displays all series IDs that adhere to the naming conventions. You can then filter for business process **F (FI)** to see the relevant series IDs with the corresponding series document type (for example, FT or NC). For new entries with the status **Initial**, enter the validation code that you received from the authorities. When you save, the status changes to **Active**.

Note that you have to request the validation code for invoices, credit memos, and debit memos. Cancellations don't require a validation code or digital signature. Configure a separate number range number for cancellations with inactive digital signature flag SIGN_NUMB in view SIPT_NUMBR_FI_V.

When you print FI invoicing documents or generate the SAF-T report, the system retrieves the validation code from this report.

For more information, see [Manage Series Validation Code for Portugal](#).

⚠ Caution

After you've created your first FI invoicing document with ATCUD, make sure you don't change the configuration of the corresponding number range in the activities **Record Number Ranges for Digital Signature of Invoices (FI)** (SIPT_NUMBR_FI_V view) and **Assign SAF-T Document Types to Number Ranges (FI)** (SIPT_NUMBR_FI_V2 view). If you make changes, the system will prevent the creation of FI invoicing documents because of inconsistent configuration settings.

Task overview: [Customizing for Digital Signature of Invoices](#)

Related Information

[Customizing Digital Signature and ATCUD for SD Billing Documents](#)

[Customizing ATCUD for FI Payment Receipts](#)

[Customizing Digital Signature for Self-Billing Documents \(MM\)](#)

[Customizing Digital Signature for Foreign Company Codes](#)

Customizing ATCUD for FI Payment Receipts

Find out which settings are required to create FI payment receipts with ATCUD codes that comply with the legal requirements in Portugal.

Procedure

1. Define document types in Customizing for **Financial Accounting (New)** under **Financial Accounting Global Settings (New)** > **Document** > **Document Types** > **Define Document Types** .
2. Define number ranges in Customizing for **Financial Accounting (New)** under **Financial Accounting Global Settings (New)** > **Document** > **Document Number Ranges** > **Define Document Number Ranges** .

i Note

To create payment receipts that contain the ATCUD code, you must use dedicated number ranges. You can't use existing number ranges that have already been used to create FI payment receipts without the ATCUD code.

3. Configure the number ranges in Customizing for **Financial Accounting** under **Accounts Receivable and Accounts Payable** > **Business Transactions** > **Country-Specific Settings** > **Portugal** > **Record Number Ranges for Digital Signature of Invoices (FI)** (SIPT_NUMBR_FI_V view).

To create FI payment receipts with the ATCUD code, you must assign a series ID that starts with P and adheres to specific naming conventions. Only number ranges that fulfill these requirements can be sent to the authorities to request the validation code for the ATCUD. Note that the series must be unique within the company code.

For more information about the naming conventions, see the FI help for the **Series** field.

i Note

- o Ensure that each combination of leading document type and series entered for a company code and fiscal year is unique.
- o Assign a leading document type and a series to each number range interval.
- o Digital signature is not required for payment receipts, so you must not select the **Digital Signature** checkbox.

4. Assign a **SAF-T Document Type** to each number range in Customizing for **Financial Accounting** under **Accounts Receivable and Accounts Payable** > **Business Transactions** > **Country-Specific Settings** > **Portugal** > **Assign SAF-T Document Types to Number Ranges (FI Payment Receipts)** (SIPT_NUMBR_PY_V2 view).

This legal document type is defined by the tax authorities and is part of the information that you send to the authorities when you request the validation code for ATCUD.

5. Maintain the validation code for the number range series in the **Manage Series Validation Code for Portugal** report (GL0_PT_SVC transaction).

The report retrieves and displays all series IDs that adhere to the naming conventions. You can then filter for business process **P (Payment Receipts FI)** to see the relevant series IDs with the corresponding series document type (for example, RG or RC). For new entries with the status **Initial**, enter the validation code that you received from the authorities. When you save, the status changes to **Active**.

When you print FI invoicing documents or generate the SAF-T report, the system retrieves the validation code from this report.

Task overview: [Customizing for Digital Signature of Invoices](#)

Related Information

[Customizing Digital Signature and ATCUD for SD Billing Documents](#)

[Customizing Digital Signature and ATCUD for FI Invoices](#)

[Customizing Digital Signature for Self-Billing Documents \(MM\)](#)

[Customizing Digital Signature for Foreign Company Codes](#)

[Customizing Digital Signature and ATCUD for SD Delivery Documents](#)

[Customizing Digital Signature and ATCUD for Settlement Documents](#)

[Customizing for Printing Invoices with Digital Signature Data](#)

[SAP Note 3263160](#) 📄

[Manage Series Validation Code for Portugal](#)

Customizing Digital Signature for Self-Billing Documents (MM)

To create self-billing documents with digital signatures that comply with the legal requirements in Portugal, record the number ranges and make the required settings in Customizing.

As a key user for configuration, you can check and make changes to configuration settings or create new ones if needed in your configuration environment. To open the configuration activities, use the **Search** function in your configuration environment. Within each activity, you can find detailed documentation by choosing **Configuration Help**.

Procedure

1. In the **Create Number Groups** activity, create number groups to be used in sequential numbering for Self-Billing.

▶ **SAP Customizing Implementation Guide** > **Materials Management** > **Logistic Invoice Verification** > **Evaluated Receipt Settlement** > **ERS Invoice Numbering** > **Create Number Groups** .

2. In **Create ERS Invoice Number Ranges** activity, create number ranges to be used in sequential numbering for Self-Billing.

i Note

To create Self-Billing documents that contain ATCUD code, you must use dedicated new number ranges. You can't use existing number ranges that have already been used to create Self-Billing documents without the ATCUD code. For Number ranges created as part of ATCUD, use the new configuration [Record ATCUD Number Ranges for Digital Signature of Self-Billing Documents](#) (SIPT_NUMBR_MMN_V) which replaces the old configuration [Record Number Ranges for Digital Signature of Self-Billing Documents \(MM\)](#) (SIPT_NUMBR_MM_V)

3. In the [Record ATCUD Number Ranges for Digital Signature of Self-Billing Documents](#) activity, enter your number ranges and assign SAF-T document type and series to each of them. Different delivery types cannot share the same official document numbering range.

To create Self-Billing documents with the ATCUD code, you must ensure the following:

- a. Create series code adhering to the below naming conventions:

- Series identifier must have four characters and can be upto 35 characters.
- The first two characters must start with **S1/S2** for Self-Billing postings using MIRO/MRRL/MRIS/MR8M/MRNB/MRER. Number ranges for normal invoice postings should have series starting with **S1** and cancellations/reversals should have series starting with **S2**.
- Series must start with **N** for Self-Billing in Consignment processes using MRKO.
- To ensure uniqueness of series identifier, it is recommended that the next characters to have the Sub Object values (6 characters) and Number Range Number value (2 characters) separated by '-'. The three parts of series identifier would be separated by - like **XX-XXXXXX-XX**.

For example: Series for entry for normal invoice postings from MRRL with sub object **SO0001** and number range number **N1** is recommended to be **S1-SO0001-N1**.

- Series must not be repeated for a company code.
- **SAFT Document Type** must be assigned to a new entry.
- A configuration entry is not be editable if the series status is **Active**.

- b. Enter the **SAFT Document Type** classification by choosing one from following list:

- FT Invoice
- ND Debit Memo
- NC Credit Memo

i Note

Only number ranges that fulfill these requirements can be sent to the authorities to request the validation code for the ATCUD. The series identifier must be unique within the company code.

4. Run the [Manage Series Validation Code - Portugal](#) report.

The report retrieves and displays all series identifiers that adhere to the naming conventions. You can then filter the **Business Process** to see the relevant series identifiers with the corresponding series document type.

- Self-Billing (MM) **S**
- Self-Billing Consignment (MRKO) **N**

For new entries with the status **Initial**, enter the validation code that you received from the tax authorities. When you save, the status changes to **Active**.

For more information, see [Manage Series Validation Code for Portugal](#)

i Note

After you've registered the number range series identifier, you can no longer make changes in the configuration. Deleting a number range series identifier is allowed after you set the status of the number range series identifier as **Finished/Cancelled**.

Parent topic: [Customizing for Digital Signature of Invoices](#)

Related Information

[Customizing Digital Signature and ATCUD for SD Billing Documents](#)
[Customizing Digital Signature and ATCUD for FI Invoices](#)
[Customizing ATCUD for FI Payment Receipts](#)
[Customizing Digital Signature for Foreign Company Codes](#)
[Customizing Digital Signature and ATCUD for SD Delivery Documents](#)
[Customizing Digital Signature and ATCUD for Settlement Documents](#)
[Customizing for Printing Invoices with Digital Signature Data](#)

Customizing Digital Signature for Foreign Company Codes

Some companies have foreign company codes to which Portuguese organizational units are assigned (referred to as subunits); for example, a Portuguese sales organization assigned to a Brazilian company code. To generate digital signatures for FI invoices and SD billing documents created by Portuguese subunits, certain Customizing settings are required.

i Note

We recommend that you use these functions only if it is not possible to create a separate Portuguese company code to which you link all Portuguese subunits.

Procedure

- Enter foreign company codes that use Portuguese subunits in the following Customizing activities:
 - [Enable Foreign Company Codes for Digital Signatures in FI](#)
 - [Enable Foreign Company Codes and Portuguese Sales Orgs. for Digital Signatures in SD](#)
 - [Assign Plants for Foreign Company Code](#)

You do this in Customizing for **Cross-Application Components** under **General Application Functions** > **Digital Signature** > **Country-Specific Settings** > **Portugal** > **Foreign Company Code Settings**.

- Make the required settings for number ranges, document types, and series. For more information, see [Customizing for Digital Signature of Invoices](#).

i Note

- You must define separate number ranges that are used exclusively by a specific Portuguese subunit.
- You must record **all** number ranges that are used by the foreign company code in the relevant Customizing activity for number ranges. You then activate digital signature creation only for the number ranges that are used by the Portuguese subunits.

Parent topic: [Customizing for Digital Signature of Invoices](#)

Related Information

[Customizing Digital Signature and ATCUD for SD Billing Documents](#)
[Customizing Digital Signature and ATCUD for FI Invoices](#)
[Customizing ATCUD for FI Payment Receipts](#)
[Customizing Digital Signature for Self-Billing Documents \(MM\)](#)
[Customizing Digital Signature and ATCUD for SD Delivery Documents](#)
[Customizing Digital Signature and ATCUD for Settlement Documents](#)
[Customizing for Printing Invoices with Digital Signature Data](#)

Customizing Digital Signature and ATCUD for SD Delivery Documents

Find out which settings are required to create SD delivery documents with digital signatures that comply with the legal requirements in Portugal.

As a key user for configuration, you can check and make changes to configuration settings or create new ones if needed in your configuration environment. To open the configuration activities, use the [Search](#) function in your configuration environment. Within each activity, you can find detailed documentation by choosing [Configuration Help](#).

Procedure

- Maintain number ranges for number range object RV_BELEG, to be used in sequential numbering for delivery.

i Note

To create SD delivery documents that contain the ATCUD code, you must use dedicated new number ranges. You can't use existing number ranges that have already been used to create SD delivery documents without the ATCUD code. You would have to delete existing number range configuration entries to proceed.

- In the [Record Number Ranges for Digital Signature of Outbound Delivery Documents](#) activity, enter your number ranges and assign SAF-T document type and series to each of them. Different delivery types cannot share the same official document numbering range.

To create SD delivery documents with the ATCUD code, you must ensure the following:

- Create series code adhering to the below naming conventions:

- Series identifier must have four characters and should must start with D.
- To ensure uniqueness of series identifier, it is recommended that the second and third characters of the series code are extracted from the number range number.

i Note

An exception would be considered for entries with number range containing non-alphanumeric special characters (Example: "1@").

- Characters allowed for series identifier are: [A-Z], [a-z], [0-9], [_-]; Separators cannot be used in the beginning or at the end. There cannot be two or more consecutive separators.

- Enter the SAFT Document Type classification by choosing one from following list:

- GR Delivery document
- GT Transport document
- GA Transport document for own fixed assets

- GC Consignment slip
- GD Return delivery document

i Note

Only number ranges that fulfill these requirements can be sent to the authorities to request the validation code for the ATCUD. The series identifier must be unique within the company code.

3. Run the **Manage Series Validation Code - Portugal** report.

The report retrieves and displays all series identifiers that adhere to the naming conventions. You can then filter for **Business Process D** (Deliveries) to see the relevant series identifiers with the corresponding series document type. For new entries with the status **Initial**, enter the validation code that you received from the tax authorities. When you save, the status changes to **Active**.

When you print delivery documents or generate the SAF-T report, the system retrieves the validation code which is assigned after completing the activity this report..

For more information, see [Manage Series Validation Code for Portugal](#)

i Note

After you've registered the number range series identifier, you can no longer make changes in the configuration. Deleting a number range series identifier is allowed after you set the status of the number range series identifier as **Finished/Cancelled**.

Parent topic: [Customizing for Digital Signature of Invoices](#)

Related Information

[Customizing Digital Signature and ATCUD for SD Billing Documents](#)
[Customizing Digital Signature and ATCUD for FI Invoices](#)
[Customizing ATCUD for FI Payment Receipts](#)
[Customizing Digital Signature for Self-Billing Documents \(MM\)](#)
[Customizing Digital Signature for Foreign Company Codes](#)
[Customizing Digital Signature and ATCUD for Settlement Documents](#)
[Customizing for Printing Invoices with Digital Signature Data](#)

Customizing Digital Signature and ATCUD for Settlement Documents

Find out which settings are required to create settlement documents with digital signatures that comply with the legal requirements in Portugal.

As the key user for configuration, you can check and make changes to configuration settings or create new ones if needed in your configuration environment. To open the configuration activities, use the search function in your configuration environment. Within each activity, you can find detailed documentation by choosing **Configuration Help**.

1. In the **Maintain Number Ranges for Settlement Documents Portugal** activity, create number ranges to be used in sequential numbering for Settlement Documents entering the Company code.

i Note

To create settlement documents that contain the ATCUD code, you must use dedicated number ranges. You can't use existing number ranges that have already been used to create settlement documents without the ATCUD code.

2. In the **Record Number Ranges for Settlement Documents Portugal** activity under **SAP Customizing Implementation Guide > Logistics - General > Settlement Management > Settlement Documents > Country/Region-Specific Settings > Portugal > Record Number Ranges for Settlement Documents Portugal**, enter your number ranges and company code, to be assigned to a settlement type and series. Alternatively, if this customizing activity is unavailable in your configuration environment, you can maintain the number ranges and company code in the SIPT_NUMBR_SET_V view using the SM30 transaction.

i Note

You cannot enter the **Settlement Document Type** that belongs to a category classified as reversal. Settlement Document Category 02 **Single Document of Type Invoice Reversal** and Settlement Document Category 04 **Single Document of Type Credit Memo Reversal** is classified as reversal.

To create Settlement documents with the ATCUD code, you must ensure the following:

- a. Create series code adhering to the below naming conventions:

- Series identifier must have four characters and must start with L.
- To ensure uniqueness of series, it is recommended that the second and third characters of the series code are extracted from the number range number.

i Note

Exception would be for entries with number range containing non-alphanumeric special characters (Example: "1@").

- Allowed characters for series identifier are: [A-Z], [a-z], [0-9], [._-]; Separators cannot be used at the beginning or at the end, and there cannot be two or more consecutive separators.

- b. For those series which follow the naming convention, assign the **SAF-T Document Type** classification for the Settlement type in the activity **Assign SAF-T Document Types to Number Ranges of Settlement Documents**, under **SAP Customizing Implementation Guide > Logistics - General > Settlement Management > Settlement Documents > Country/Region-Specific Settings > Portugal > Assign SAF-T Document Types to Number ranges of Settlement Documents** by choosing one from following list:

- FT Invoice
- NC Credit Memo
- ND Debit Memo

Only number ranges that fulfill these requirements can be sent to the authorities to request the validation code for the ATCUD. Note that the series must be unique within the company code.

3. Run the [Manage Series Validation Code Portugal](#) report.

The report retrieves and displays all series IDs that adhere to the naming conventions. You can then filter for business process L (Settlement Management) to see the relevant series IDs with the corresponding series document type. For new entries with the status **Initial**, enter the validation code that you received from the tax authorities. When you save, the status changes to **Active**.

When you print Settlement documents or generate the SAF-T report, the system retrieves the validation code from this report. For more information, see [Manage Series Validation Code for Portugal](#)

Caution

After you've registered the number range series identifier, you can no longer make changes in the configuration. Deleting a number range series identifier is allowed after you set the status of the number range series identifier as **Finished/Cancelled**.

Parent topic: [Customizing for Digital Signature of Invoices](#)

Related Information

[Customizing Digital Signature and ATCUD for SD Billing Documents](#)
[Customizing Digital Signature and ATCUD for FI Invoices](#)
[Customizing ATCUD for FI Payment Receipts](#)
[Customizing Digital Signature for Self-Billing Documents \(MM\)](#)
[Customizing Digital Signature for Foreign Company Codes](#)
[Customizing Digital Signature and ATCUD for SD Delivery Documents](#)
[Customizing for Printing Invoices with Digital Signature Data](#)

Customizing for Printing Invoices with Digital Signature Data

Context

To print **SD billing documents** and **manually created FI invoices** with the legally required digital signature data, we recommend that you use the following objects:

- For FI invoices and SD billing documents: Adobe form [Layout for Digitally Signed Invoices \(Portugal\)](#) (SIPT_INV).

You can use this form as a template for creating your own form.

- For FI invoices:
 - Print program SIPT_FI_PRINV
 - Correspondence type SIPT1
- For SD billing documents:
 - Print program SD_INVOICE_PRINT01
 - Output type SIP1

The required Customizing settings are described below.

i Note

For information about implementing your own printing solution instead of the standard functions described here (either partially or completely), see SAP Note [2310937](#) .

To print **MM invoices** with digital signatures, you must define your own form and print program using the standard print functions. In this case, you must make sure you include the required legal text in your form. For more information, see [Digital Signature Data in Printed Invoices](#).

Procedure

1. Define Adobe form.

You can use the Adobe form [Layout for Digitally Signed Invoices \(Portugal\)](#) (SIPT_INV) as delivered or as a template for creating your own form. You access the form in Customizing for [Financial Accounting \(New\)](#) under [Financial Accounting Global Settings \(New\)](#) [Correspondence](#) [PDF-Based Forms](#) [Define Forms for Correspondence](#) .

2. Make sure the correspondence settings for FI and the output settings for SD have been made in your system. For more information, see the following:

- [Customizing for Printing FI Invoices](#)
- [Customizing for Printing SD Billing Documents](#)

3. Assign document types to simplified invoices.

If you print simplified invoices, you can define that the title “Simplified Invoice” is used in the printout header instead of the standard header “Invoice”. You make this setting in Customizing for [Cross-Application Components](#) under [General Application Functions](#) [Digital Signature](#) [Country-Specific Settings](#) [Portugal](#) [Printout Settings \(FI and SD\)](#) [Specify Document Types for Simplified Invoices \(FI\)](#) [or Specify Document Types for Simplified Invoices \(SD\)](#).

Note that you can also access the Customizing activities for simplified invoices as follows:

- For FI in Customizing for [Financial Accounting \(New\)](#) under [Accounts Receivable and Accounts Payable](#) [Business Transactions](#) [Country-Specific Settings](#) [Portugal](#) [Digital Signature](#) [Printout Settings](#).
- For SD in Customizing for [Sales and Distribution](#) under [Billing](#) [Billing Documents](#) [Country-Specific Features](#) [Country-Specific Features for Portugal](#) [Digital Signature](#) [Printout Settings](#).

4. Specify the share capital and the number/location of the register at the commercial registry office (required entries on the printout).

You do this in Customizing for [Financial Accounting \(New\)](#) under [Financial Accounting Global Settings \(New\)](#) [Global Parameters for Company Code](#) [Enter Global Parameters](#).

To access the corresponding fields, display the details for your company code and choose the [Additional Parameters](#) pushbutton. Note that you have to use the [Next Page \(Page Down\)](#) pushbutton to scroll down the list of parameters.

5. If required, use the Business Add-In (BAdI) [BAdI: Modify Printout of Signed Invoices \(Portugal\)](#) (SIPT_PRINV_BADI) to change the text or values that the system prints on a digitally signed invoice (FI) or billing document (SD).

You can use this BAdI only in combination with the standard print programs SIPT_FI_PRINV and SD_INVOICE_PRINT01. Also, the print form that you use must have the same data structure as the print program.

You access the BAdI in Customizing for [Cross-Application Components](#) under [General Application Functions](#) [Digital Signature](#) [Country-Specific Settings](#) [Portugal](#) [Printout Settings \(FI and SD\)](#).

For more information about using the BAdI to adapt the print layout (for example, adding headers, footers, and a company logo), see SAP Note [2310937](#).

Task overview: [Customizing for Digital Signature of Invoices](#)

Related Information

[Customizing Digital Signature and ATCUD for SD Billing Documents](#)
[Customizing Digital Signature and ATCUD for FI Invoices](#)
[Customizing ATCUD for FI Payment Receipts](#)
[Customizing Digital Signature for Self-Billing Documents \(MM\)](#)
[Customizing Digital Signature for Foreign Company Codes](#)
[Customizing Digital Signature and ATCUD for SD Delivery Documents](#)
[Customizing Digital Signature and ATCUD for Settlement Documents](#)

Customizing for Printing FI Invoices

Context

To print manually created FI invoices with digital signatures, you must make sure the following correspondence settings have been made in Customizing for [Financial Accounting \(New\)](#) under [Financial Accounting Global Settings \(New\)](#) [Correspondence](#).

Procedure

1. Define Correspondence Types (transaction 0B77).

Make sure there is an entry for correspondence type [SIPT1 \(Digitally Signed Invoices \(Portugal\)\)](#). If users need to log on in other languages to print invoices, make sure there is an appropriate description for this correspondence type in the relevant languages.

2. [PDF-Based Forms](#) [Define Form Names for Correspondence Printing](#)

Here, you assign the PDF form to the correspondence type. Make sure there is an entry with the following properties:

- **Company code:** Your company code
- **Program name:** SIPT_FI_PRINV
- **Form ID:** PT
- **Form:** SIPT_INV (or the name of your own form)

3. Create Report Variants for Correspondence (transaction SA38)

Call print program SIPT_FI_PRINV and make sure there is a program variant called DEFAULT with the following recommended settings:

- **Form ID:** PT
- **Correspondence type:** SIPT1

4. Assign Programs for Correspondence Types (transaction 0B78)

Make sure there is an entry with the following parameters:

- **Company code:** Your company code
- **Correspondence type:** SIPT1

- **Program name:** SIPT_FI_PRINV
- **Program variant:** DEFAULT

5. Determine Call-Up Functions

Make sure there is an entry with the following properties:

- **Company code:** Your company code
- **Correspondence type:** SIPT1
- **DocEnt:** Selected
- **Pmnt:** Not selected
- **DocDsp:** Selected
- **AccDsp:** Selected

Customizing for Printing SD Billing Documents

Use

To print SD billing documents with digital signatures, you must make sure the following settings have been made in your system.

For more information about printing SD billing documents, see SAP Note [2228611](#) .

Procedure

1. Define output types.

In Customizing for **Cross-Application Components** under **Output Control** > **Define Output Types** , make sure there is an entry for output type SIP1 (**Billing Document (PT)**) for the application object BILLING_DOCUMENT with callback class CL_SIPT_OUTPUT_CONTROL.

2. Assign form template.

In Customizing for **Cross-Application Components** under **Output Control** > **Assign Form Templates** , make sure there is an entry with the following properties:

- **Application Object Type:** BILLING_DOCUMENT
- **Output Type:** SIP1
- **Form Type:** 2 pdf-Based Print Form (Legacy)

Note that this setting ensures that forms created in lower releases function correctly.

- **Form Template ID:** SIPT_INV
- **Program:** SD_INVOICE_PRINT01
- **Form Routine:** ENTRY

i Note

Print program SD_INVOICE_PRINT01 automatically calls the Business Add-In (BAdI) implementation SIPT_SD_BIL_IMPL01 of the BAdI **BAdI for Billing Document Adobe Printing Program** (BADI_SD_BIL_PRINT01). For information about using your own enhancement implementation of this BAdI, see SAP Note [2310937](#) .

3. Configure the print log.

Call the view **Application Object Type** (APOC_I_OBJ_TYPEV) in transaction SM30 and make sure the **Legacy OC** field has the value **NAST Message Control** for the application object type BILLING_DOCUMENT. This setting allows the callback class to write messages to the print log during printing.

i Note

If the **Legacy OC** field does not have the **NAST Message Control** value in your release, you must ensure that it is left blank.

4. Define business rules for output determination.

In Customizing for **Cross-Application Components** under **Output Control** > **Define Business Rules for Output Determination** , show the rules for the billing document. Check that the required settings have been configured, in particular the following:

- **Output Type** tab: Assign the required billing types to the output type SIP1 (**Billing Document (PT)**) and specify the dispatch time.
- **Output Relevance** tab: For output type SIP1, specify the output relevance for the required document posting statuses.

i Note

If there are no entries in the **Determination Step** field under **Select Business Rules**, the required BRF+ files have not been imported into your system. For information about importing the files, see SAP Note [2248229](#) .

Master Data in Digitally Signed Invoices (FI and SD Only)

This section of the documentation describes the legal requirements for master data used in digitally signed SD billing documents and manually created FI invoices.

More Information

[Changes to Customer Master Data](#)

[Master Data in Printouts of FI Invoices and SD Billing Documents](#)

Business Partner Master Data in FI Outgoing Invoices and SD Billing Documents

When you create outgoing invoices in Financial Accounting (FI) and SD billing documents with digital signatures, in a Portuguese company code or in a Portuguese organizational unit of a foreign company code, certain restrictions apply to changes of business partner master data.

According to the legal requirements in Portugal, the following restrictions apply:

- When you create an invoice with a digital signature for a business partner, the Portuguese VAT registration number (tax category **PT0**) for that business partner can't be changed or deleted any more in the business partner master data.
- You can't create an invoice with a digital signature if the VAT registration number of a business partner is invalid. This applies for creating individual invoices as well as for mass processing of invoices by using transaction VF04.

The system detects a changed registration number, so to post documents with that business partner, you will need to restore the number in the business partner master data. You can use transaction DISP_REG_TAX to get the original tax data of the business partner that you need to restore.

Example

The following example shows how the system prevents changes to the VAT registration number of a business partner:

1. You create a business partner in the general role with a specific Portuguese VAT identification number for tax category **PT0** under **Tax Numbers** and save the business partner before assigning a customer role to them.
2. You create an SD billing document with digital signature for the business partner.

After the first invoice with digital signature is created, the business partner is registered with that specific PT0 tax number. You can use transaction DISP_REG_TAX to check the registered tax and registered country/region of a business partner.

3. If you go to the business partner master data and try to change or delete the number, an error message will notify you that you can't make the changes.

Caution

If a business partner is already registered with a specific tax number because of an invoice, but there is a mistake in the tax number, you can archive this business partner number and create a new one with the correct tax number.

Master Data in Printouts of FI Outgoing Invoices and SD Billing Documents

When you print an SD billing document or manually created FI invoice, the system always uses the version of the customer master data and material master data that was valid when the digital signature was generated. This version may not match the master data that is currently stored in the system (because the master data was changed after the digital signature was created) or that was entered in the original document (because the master data was changed between document creation and digital signature generation).

To determine which master data version is valid, the system starts recording the master data version, starting with version 0. A master data version is created at the following points in time:

- FI invoices: When the invoice is created and posted, at the first attempt to create a digital signature for the invoice.
- SD billing documents: When the billing document is released to accounting, which may be later than the document creation date, also at the first attempt to create a digital signature for the SD billing document.

At each first attempt to create a digital signature for a document, whether successful or not, the system checks if the master data has changed since the last time a master data version was recorded in the database. If the master data has changed, a new version is written to the database. This version is recorded directly before the corresponding record for the digital signature is created in the table SIPT_VBRK for SD and SIPT_BKPF for FI.

Examples

The following examples show at what point the system records master data changes and how it determines the version for the printouts.

Immediate Creation of the Digital Signature

In this example, version 0 of the master data has already been recorded in the database:

1. Friday: The master data is changed.
2. Monday:
 - a. You create and post an FI invoice, or you release an SD billing document to accounting.

b. The system attempts to generate the digital signature immediately and is successful.

c. The system checks if the current master data matches the version in the database. This is not the case (it was changed on Friday), so the system creates version 1 in the database.

d. The system creates an entry in table SIPT_BKPF (FI) or SIPT_VBRK (SD) for the document.

3. Tuesday: The master data is changed again.

4. Wednesday: You print the invoice or SD billing document.

In this example, the master data in the printout (version 1) does not match what is currently in the system, but it does match what was valid when you created the manual FI invoice or when you released the SD billing document to accounting.

Note that there may be a gap between SD billing document creation and release to accounting. If the master data is changed between document creation and release to accounting, the master data in the printout may not match what you originally entered in the SD billing document.

Delayed Creation of the Digital Signature

In this example, version 1 of the master data has already been recorded in the database:

1. Friday: The master data is changed.

2. Monday:

a. You create and post an FI invoice, or you release an SD billing document to accounting, but the digital signature cannot be created (referred to as document A from now on).

b. The system compares the current master data with the master data version in the database. The master data has changed, so version 2 is recorded in the database.

c. The system creates an entry in table SIPT_BKPF (FI) or SIPT_VBRK (SD) for the document.

3. Tuesday:

a. The master data is changed again.

b. You post another invoice or billing document (steps 2 a, b, and c are repeated for this document). Since the master data has changed, version 3 is recorded in the database.

4. Wednesday:

a. The digital signature for document A is created.

b. The system updates the corresponding entry in table SIPT_BKPF or SIPT_VBRK.

5. Thursday: You print document A.

In this example, the master data in the printout (version 3) does not match what was valid when you created the manual FI invoice or released the SD billing document to accounting (version 2 is valid in both cases).

Material Descriptions in Different Languages

To print an SD billing document or a manual FI invoice in a particular language, make sure the material descriptions are maintained in this language before you generate digital signatures for your documents. If you enter the material description in the required language after digital signature generation, the system will not let you print the document. You will also not be able to print the document if the material data has been archived.

We recommend that you always maintain material descriptions in Portuguese and English, because the standard print program can use these languages for a material description if the description is not available in the current logon language.

Customer Address Data

Make sure the customer address data is maintained correctly before you generate digital signatures for your SD billing documents or manual FI invoices. If the customer address data is missing in the system when a digital signature is generated, the system will not let you print the document.

You will also not be able to print the document if the customer data has been archived or if you are not authorized to view the data.

Digital Signature Generation

Learn about the features related to automatically generating digital signatures for accounting documents, billing documents, and delivery documents according to the legal requirements in Portugal.

Prerequisites

You have made the required Customizing settings for number ranges, document types, and series. For more information, see [Customizing for Digital Signature of Invoices](#).

The local currency of the company code or the document currency that you use must be euros.

Features

A digital signature is generated when the system assigns a number from a number range interval for which digital signature is activated to an invoice or billing document. This occurs at different times for MM, SD, and FI:

- For documents created in MM, the system generates a signature when an invoice is either created or canceled.
- For documents created in SD billing, the system generates a signature as soon as the tax data can no longer be changed, for example, when data is transferred to accounting or when a document is canceled.
- For documents created in FI, the system generates a signature when the accounting document is saved.
- For SD Delivery documents, the system generates a signature at the times of Post Goods Issue or Reverse Post Goods Issue.
- For Settlement documents, the system generates a signature at the times of creation.

The document number in SD and FI must be:

- Chronological by the relevant date
- Sequential without gaps per calendar year

To help ensure there are no gaps in chronological numbering, the system prevents document posting if the posting date (FI) or billing date (SD) is unchronological (for example, if a user tries to post a document with a date that is earlier than the date of a document that has already been posted). If a user creates a document with a date in the future, which would then prevent documents from being posted with today's date, the system issues a warning.

Caution

Parking an FI document leads to document numbering gaps and unchronological numbering. Document parking is therefore prohibited for FI documents with digital signatures.

Due to a high risk of data inconsistencies, partial cancellation of SD billing documents and the cancellation of individual items in SD billing documents are prohibited for SD billing documents with digital signatures. For more information, see [Canceling Billing Documents](#) and the SAP Notes [400000](#)  and [147149](#) .

Since different users may create documents for the same number range interval, performance issues could occur if the system always has to wait for the generation of the previous digital signature before creating the next one. To avoid this, your system checks in the document database if a document with a previous signature already exists. If it does, the system generates the new signature for the new document and stores the document in the database. If it does not exist, the system stores all of the other necessary data from the document in the database.

A background process checks the entries in the database, finds documents with missing signatures, matches the documents to the previous digital signatures, and then generates signatures for them. You can run these checks manually or schedule a periodic job. The corresponding programs are as follows:

- For SD billing: SIPT_INTERVAL_SIGN_SD
- For MM: SIPT_INTERVAL_SIGN_MM
- For FI: SIPT_INTERVAL_SIGN_FI
- For SD Deliveries: SIPT_INTERVAL_SIGN_OBD
- For Settlement: SIPT_INTERVAL_SIGN_SET

i Note

The system may need to delay the generation of the digital signature for some documents in the database. For this reason, you may not be able to print such documents immediately with the information needed to fulfill legal requirements. For more information about printing, see [Digital Signature Data in Printed Invoices](#).

Recording Gaps in Sequential Numbering

If a gap occurs in a number range interval (for example, if the system generates a digital signature and a system dump occurs before the signature can be saved to the database or if a parked FI document is deleted), you must manually record these gaps. You record the numbers in the gap or the interval for the gap using the SM30 transaction and the following views (FI and SD) or table (MM):

- View SIPT_GAPS_BKPF_V for FI documents
- View SIPT_GAPS_VBRK_V for SD billing documents
- View SIPT_GAPS_LIKP_V for SD Delivery document
- Table SIPT_GAPS_RBKP for MM documents
- View SIPT_GAPS_WBRK_V for Settlement document

Alternatively, you can use the following transactions for SD and FI:

- SIPT_GAPS_SD
- SIPT_GAPS_FI
- SIPT_GAPS_OBD
- SIPT_GAPS_SET

The next time the system tries to generate a digital signature and locates a gap in the number range, it checks for the gap entries in the database. It then uses the digital signature that was created before the gap occurred as the value for the previous signature for the document.

Caution

Please note that if you record document numbers that are not relevant or already exist, you violate the rules for chronological numbering. Creating digital signatures with noncompliant gap numbers triggers the creation of noncompliant signatures.

[Input Data for Digital Signatures](#)

Get an overview of the document data that the system uses as input to digitally sign documents.

[Digital Signature Generation for Sales Organizations in Foreign Company Codes \(SD\)](#)

[Archiving Self-Billing and Consignment Data with LO_DS_SBC](#)

[Archiving Outbound Delivery Data with LO_DS_DELI](#)

Input Data for Digital Signatures

Get an overview of the document data that the system uses as input to digitally sign documents.

The system concatenates the document data, separating the parts by semicolons (;) and uses it as input for the RSA algorithm that generates digital signatures. Each signature contains 172 bytes, without any line separator characters.

Document Data	Format	Examples
Document date	YYYY-MM-DD	2022-03-11
Document number	Comprises the following in sequence: 1. Code for the leading document type, followed by a space 2. Series of the number range interval to which the document belongs, followed by a slash (/) 3. Sequential number within the number range series that is assigned to the document	F2 1/0090100084 LF D12X/0090100084 OS12 L123/0090100084
Gross amount in the document in euros	• Numeric field with two decimal places • No thousands separator • Decimal separator is the period (.)	1200.00
Signature of the previous document in the same number range series (empty when the document is the first document in the series)	Base64	mYJEv4iGwLcnQbRD7 dPs2uD1mX08XjXIKc Gg3GEHmwMhmmGY usfflJjTdSITLX+uuJTzw qmL/U5nvt6S9s8ijN3L wkJXsiEpt099e1MET/J 8y3+Y1bN+K+YPJQiV mlQSOtXETsOPo8SwU ZdBALt0vTo1VhUZKej ACcjEYJ9G6nl=

Note

While digitally signing the document, the gross amount will be signed with zero amount for the condition (preceding document is not a sales order) and the same will be reflected in the QR Code and SAF-T.

Parent topic: [Digital Signature Generation](#)

Related Information

[Digital Signature Generation for Sales Organizations in Foreign Company Codes \(SD\)](#)

[Archiving Self-Billing and Consignment Data with LO_DS_SBC](#)

[Archiving Outbound Delivery Data with LO_DS_DELI](#)

Digital Signature Generation for Sales Organizations in Foreign Company Codes (SD)

In Portugal, your invoicing documents must be digitally signed.

To facilitate tax reporting for Sales & Distribution, you can now digitally sign documents on invoices that originate from specific Portuguese sales organizations for a given foreign company code.

WARNING

⚠ Caution

To assist you in implementing this solution correctly, we have provided a number of important guidelines and information below. We recommended you take note of the information below and follow the provided guidance.

If you do not do so, this will result in inconsistencies in the numbering of your digital signatures on invoices that you issue:

- Postings in sales organization not listed in this customizing activity, will not be treated as Portuguese invoices and cannot be reported to the tax authorities.
- Sales organization that you do not enter in this Customizing activity are automatically disabled for the purposes of generating a digital signature

- You must ensure that you enter all the relevant sales organizations for Portugal **BEFORE** you save this Customizing activity.
- You must ensure that you do not use the same number range for a digital signature across different combination of sales organizations and foreign company codes.
- Once you start issuing invoices for a given combination of foreign company code, sales order and number range, you must no longer delete or change any of these values in the relevant Customizing activities for digital signature generation.

Prerequisites

You maintain these settings in Customizing, in [Cross-Application Components](#), under [General Application Components](#) [Digital Signature](#) [Country-Specific Settings](#) [Portugal](#) [Foreign Company Code Settings](#) [Enable Foreign Company Codes and Sales Orgs. for Digital Signatures in SD](#).

or

Customizing, in [Sales and Distribution](#), under [Billing](#) [Billing Documents](#) [Country-Specific Features](#) [Country-Specific Features for Portugal](#) [Digital Signatures](#) [Enable Foreign Company Codes and Sales Orgs. for Digital Signatures in SD](#).

Parent topic: [Digital Signature Generation](#)

Related Information

[Input Data for Digital Signatures](#)

[Archiving Self-Billing and Consignment Data with LO_DS_SBC](#)

[Archiving Outbound Delivery Data with LO_DS_DELI](#)

Archiving Self-Billing and Consignment Data with LO_DS_SBC

Use

You can use the LO_DS_SBC object to archive billing document data and consignment data from the SIPT_RBKP application table.

This data is copied to external archive files and later deleted from the database.

Process

1. Write

Schedule the write function using the DPP_LO_DS_SBC_WRI write program in [Archive Administration](#) (transaction **SARA**). This function selects transactional data of all vendors that match the selection criteria and writes them to one or more archive files.

The write program supports the ADK interruption concept; this means that you can interrupt the write function and continue it at a later time.

2. Delete

After you have written all archivable data, delete the archived data from the database by executing the DPP_LO_DS_SBC_DEL delete program in [Archive Administration](#) (transaction **SARA**). The delete program reads data from the archived files and deletes from the database. Before it deletes the data from the database, the program checks whether the data was written successfully to the archive file (read verification).

The delete program comes with the standard variants, production mode (SAP&PROD) and test mode (SAP&TEST). Choose the test mode, only if you want to simulate the data and not actually delete the data from the database.

Note that the delete program can access only one archive file at a time.

3. Read

You can display archived data via the DPP_LO_DS_SBC_READ read program on the initial screen of [Archive Administration](#) (transaction **SARA**).

Result

You have relocated all data that meet the archivability criteria from the database to external archive files.

More Information

For more information on related topics, refer to:

- Data Archiving - ADK
- Archive Administration

Parent topic: [Digital Signature Generation](#)

Related Information

[Input Data for Digital Signatures](#)

[Digital Signature Generation for Sales Organizations in Foreign Company Codes \(SD\)](#)

[Archiving Outbound Delivery Data with LO_DS_DELI](#)

Archiving Outbound Delivery Data with LO_DS_DELI

Use

You can use the LO_DS_DELI object to archive outbound deliveries' data from the SIPT_LIKP application table.

This data is copied to external archive files and later deleted from the database.

Process

1. Write

Schedule the write function using the DPP_LO_DS_DELI_WRI write program in [Archive Administration](#) (transaction **SARA**). This function selects transactional data of all vendors that match the selection criteria and writes them to one or more archive files.

The write program supports the ADK interruption concept; this means that you can interrupt the write function and continue it at a later time.

2. Delete

After you have written all archivable data, delete the archived data from the database by executing the DPP_LO_DS_DELI_DEL delete program in [Archive Administration](#) (transaction **SARA**). The delete program reads data from the archived files and deletes from the database. Before it deletes the data from the database, the program checks whether the data was written successfully to the archive file (read verification).

The delete program comes with the standard variants, production mode (SAP&PROD) and test mode (SAP&TEST). Choose the test mode, only if you want to simulate the data and not actually delete the data from the database.

Note that the delete program can access only one archive file at a time.

3. Read

You can display archived data via the DPP_LO_DS_DELI_READ read program on the initial screen of [Archive Administration](#) (transaction **SARA**).

Result

You have relocated all data that meet the archivability criteria from the database to external archive files.

More Information

For more information on related topics, refer to:

- Data Archiving - ADK
- Archive Administration

Parent topic: [Digital Signature Generation](#)

Related Information

[Input Data for Digital Signatures](#)

[Digital Signature Generation for Sales Organizations in Foreign Company Codes \(SD\)](#)

[Archiving Self-Billing and Consignment Data with LO_DS_SBC](#)

Digital Signature Data in Printed Invoices

When you print invoices or billing documents that have digital signatures, you must make sure they meet the legal requirements in Portugal. The printout must include the following data, among others:

- Signature information (hash control) as specified by law, that is, the following positions of the signature: 1st, 11th, 21st, and 31st positions
- SAP's certification number

This data can be included in a printout from SAPScript, a Smart Form, or an Adobe form.

Printing FI Invoices and SD Billing Documents

To print FI invoices and SD billing documents with the legally required digital signature data, we recommend that you use the Adobe form [Layout for Digitally Signed Invoices \(Portugal\)](#) (SIPT_INV) as a template for creating your own form. Standard print programs for FI invoices and SD billing documents are also provided. For more information, see [Customizing for Printing Invoices with Digital Signature Data](#).

Note that when you print an FI invoice or SD billing document, the system always uses the version of the customer master data and material master data that was valid when the digital signature was generated. For more information, see [Master Data in Digitally Signed Invoices \(FI and SD Only\)](#).

Printing MM Invoices

To print MM invoices, you must define your own form and print program using the standard print functions. When you define a form for printing MM invoices, you must include the following legal text in the form:

This is custom documentation. For more information, please visit [SAP Help Portal](#).

XXXX - Emitido por programa certificado n.º ZZZZ

where "XXXX" is the hash control (print characters) and "ZZZZ" is the certification number.

The print program must retrieve the hash control and the certification number. The hash control is stored in the `PRINT_CHAR` field. The certification number is stored in the `CERT_ID` field in the table `SIPT_RBKP` for invoices created in [Materials Management](#).

Caution

In some cases, the system may not be able to immediately obtain the data to fill the digital signature fields on the printout at the time of document creation. This can occur when an invoice is created before all of the data needed to generate the digital signature is available. For this reason, we recommend that you include a validation in your printing program. If you print billing documents when they are saved for Portuguese sales organizations, see SAP Note [1545726](#) .

Restrictions for Invoices

In Portugal, there are certain legal restrictions that determine how your system allows you to post billing documents.

Whenever you violate one of these restrictions on posting behaviors, the system raises an error.

The following restrictions are in place:

Restrictions for All Types of Billing Documents

- Reversal document is not relevant for digital signature. Reversal documents are considered internal documents that cannot be shared with the customer.
- Billing documents may not have negative total amount values. For example; the amount of a credit memo must not exceed the amount on the invoice to which the credit memo refers, and the credit memo billing date must not be earlier than the billing date of the original invoice.
- The total discount for each individual item must not exceed the gross item amount.
- When documents are created through means of a backup after system down-time, the previously used number ranges must be blocked.

Restrictions Valid for Specific Document Types

Invoice documents:

Invoice documents that you create for a one-time customer must contain name and address information of the invoice payer i.e. the PO-box or street address information

Simplified Invoices

- Simplified invoices may only be created for one-time customers.
- Simplified invoices may only be up to an amount of 1000 euro

Credit memos

- You must not post credit memos without a reference to the original invoice.
- The total gross amount must not be greater than in the original invoice.
- The quantity of the material in the credit memo must not be greater than in the original invoice.
- The credit memo billing date must not be earlier than the billing date of the original invoice

Debit memos

- Debit memos must not be posted without a reference to the original invoice.
- The debit memo's billing date must not be earlier than the billing date of the original invoice.

Recovery documents

- The recovery document can only be posted if no invoice with the same invoice number was already posted in the system.

Reversed billing documents

- The printing of a reversed billing document is not allowed.

More Information

[Document Recovery After a System Crash](#)

[Manual Invoice Referencing](#)

Manual Invoice Referencing

This is custom documentation. For more information, please visit [SAP Help Portal](#).

The SAP system now supports a few exceptional use cases when you use references when you post your documents, despite restrictions in the SAP system.

In some cases, you may need to post credit memo or debit memo documents in SD for a company code that require reference documents that the system would normally reject.

The system raises error messages and prevents you from posting the documents whenever:

- The reference to the original invoice is missing
- The referred to document is not an invoice document
- The posted document cannot be verified to be digitally signed by the system.

The following cases are supported despite the normal restrictions:

- [External Invoices as Reference Documents](#)
- [Multiple Invoices as a Reference](#)
- [Invoice Date References](#)
- [References to Old Invoices Without Digital Signatures](#)
- [Service Orders as References](#)

Parent topic: [Restrictions for Invoices](#)

Prerequisites: Customizing

1. In Customizing, under [Cross-Application Functions](#) [General Application Settings](#) [Digital Signature](#) [Country-Specific Settings](#) [Portugal](#) [Enable Service Order Documents as Reference Documents \(System Transaction SM30 SIPT_CM_REF_S_V\)](#)

In this Customizing Activity, you can enable service order documents to be used as reference documents when you create a debit or a credit memo.

2. Enter system transaction - [SM30](#) [SIPT_CM_REF_V](#).

You use this transaction to enable the system to allow not digitally signed documents, or documents created outside of the SAP system to be used as valid reference documents when you create credit or debit memo documents.

You enter documents that are either not digitally signed, or documents that were created outside of the SAP system and not migrated to your SAP system. You enter the document numbers and assign their status, this can be:

- a. An external reference document
- b. A not-digitally signed reference document

External Invoices as Reference Documents

Invoices that were created in a legacy system before you started using the SAP system were not migrated to your SAP system.

The invoice that must serve as a reference document was created in a non-SAP system,

Example

Before the implementation of the SAP system. When the SAP system was implemented, not all documents were migrated (eg. only accounting documents). Thus, the invoice is not available and cannot be referred to.

Process

In this case the external invoice that was created in an external system must be maintained in view [SIPT_CM_REF_V \(SM30\)](#).

In this view, you do the following:

Enter the billing document number, and assign status 1 to it – external reference.

The billing document can now be used as a reference on header level when you create a new credit memo or debit memo.

Multiple Invoices as a Reference

You can create credit memos that refer to multiple invoices. When you refer to multiple invoices, the system will show that the credit memo refers to its own document number.

Process

By using system transaction [VF04](#), you can now manually refer to multiple invoices in a credit memo. A credit memo or a debit memo can be created that refer to many invoices.

Example

Invoices that belong to a rebate agreement via transaction [VF04](#); it is now possible to enter more than one invoice number.

This is custom documentation. For more information, please visit [SAP Help Portal](#).

i Note

This functionality is restricted to transaction [VF04](#); all numbers are taken into SAF-T by repeating the reference entry in the file.

Invoice Date References

You can create a credit memo that refers to invoices that were issued during a specific period. You can manually refer to the date interval instead of referring only to invoice documents.

Credit and debit memos can be created that refer to invoices that are issued during a specific period, i.e. within a date interval.

In this case the reference is done based on the date interval. This means that it is possible to manually enter the date interval.

The date interval is taken into [SAF-T](#) as reference entry in the file.

When you create new credit or debit memos, you can enter as reference [MM.YYYY-MM.YYYY](#) (e.g. 01.201703.2017) on the document's header level.

References to Old Invoices Without Digital Signatures

Some credit or debit memos can refer to invoices that do not have a digital signature because the number range for the invoice was not configured to be digitally signed.

The credit memo or debit memo contain references to invoices that were not digitally signed at the time of their creation because the invoice document number ranges were not configured to be signed. This can happen with invoices that were issued before the digital signature process was technically enforced.

In this case, invoices that have no digital signature must be maintained in view [SIPT_CM_REF_V \(SM30\)](#).

1. Enter the billing document and status [2 - Non-Signed Reference](#)
2. The billing document can be used as reference on header level ([VBAK-XBLNR](#)) when you create new credit memos or debit memos

Service Orders as References

When an invoice was issued that was based on a service order (from the PM module). If you create a credit or a debit memo, it may refer to a service order.

In this case, you must mark in view [SIPT_CM_REF_S_V \(SM30\)](#) the activation flag to enable or disable the [Svc Order Ref](#) field to a credit memo. Service orders can then be used as a reference on a document header level ([VBAK-XBLNR](#)) when you create a new credit or debit memo.

Down Payment Process

The down payment solution with digital signature for Portugal is delivered with SAP Notes [2943838](#)  for SD down payment and [2786858](#)  for FI down payment.

SD Billing with Down Payment

When you post a down payment in SD, the amount of the down payment is removed from the gross total of the SD invoice, because it is already paid.

You can post two types of down payments in SD:

- Down payments based on pricing conditions
- Down payments based on billing plan

Generating SD Billing Document with Pricing Conditions Down Payment

Find out how you can create an SD billing document with a down payment based on pricing conditions.

Prerequisites

- You must configure a [Down Payment](#) document type with a [Special GL Indicator](#) and a [DP Ind - Down Payment](#) using the Customizing activity [FI Documents for Down Payment and Clearing \(FIEUC_FI_DOWNPAY\)](#) under [Financial Accounting > General Ledger Accounting > Periodic Processing > Report > Statutory Reporting: Portugal > Standard Audit File for Tax Purposes \(SAF-T\) > Source Documents > Down Payments > Define Down Payment Documents in FI](#) .
- You must configure the pricing conditions for the down payment using the Customizing activity [SD Documents for Down Payment and Clearing \(FIEUC_SD_DOWNPAY\)](#) under [Financial Accounting > General Ledger Accounting > Periodic Processing > Report > Statutory Reporting: Portugal > Standard Audit File for Tax Purposes \(SAF-T\) > Source Documents > Down Payments > Define Down Payment Documents in SD](#) .

Context

The values of the down payment are defined as conditions in the sales document.

If you want to exclude the non-domestic business partners, then you need to maintain the [BP Differentiation DP](#) field in the [SD Documents for Down Payment and Clearing](#) Customizing activity. In this case, the down payment is not relevant, and hence, in the final invoice, the down payment amount will not be deducted. If the field is not maintained and left

blank, then there is no differentiation of the business partners, and hence, the down payment is considered during the final invoice payment.

Procedure

1. Create a sales order with a down payment pricing condition (transaction VA01). No digital signature is required at this step.
2. Create a down payment request (transaction VF01). An entry is created in table SIPT_VBRK with digital signature, but it is not reported in SAF-T.
3. Post an FI down payment for the relevant amount with a reference to the sales document (transaction F-29). An entry is created in table SIPT_BKPF with digital signature. Make sure that you have configured the view SIPT_NUMBR_FI_V to get digital signature for this FI down payment. The down payment amount is now reported in SAF-T.
4. Create a delivery document with order reference (transaction VL01N). An entry is created in table SIPT_LIKP with digital signature. The delivery document is reported in SAF-T.
5. Create an SD billing document with a down payment clearing (transaction VF01). An entry is created in table SIPT_VBRK with digital signature. The total gross amount is the net amount plus the tax amount minus the down payment amount and is reported in SAF-T.

Generating SD Billing Document with Billing Plan Down Payment

Find out how you can create an SD billing document with a down payment based on a billing plan.

Prerequisites

- [FI Documents for Down Payment and Clearing](#) (FIEUC_FI_DOWNPAY) - You must configure a [Down Payment](#) document type with a [Special GL Indicator](#) and a [DP Ind - Down Payment](#).

Context

A down payment agreement is created as a deadline in the billing plan. This enables you to agree on as many down payments as necessary for different dates.

Procedure

1. Create a sales order with a down payment billing plan (transaction VA01). No digital signature is required at this step.
2. Create a down payment request (transaction VF01). An entry is created in table SIPT_VBRK with digital signature, but it is not reported in SAF-T.
3. Post an FI down payment for the relevant amount with a reference to the sales document (transaction F-29). An entry is created in table SIPT_BKPF with digital signature. Make sure that you have configured view SIPT_NUMBR_FI_V to get digital signature for this FI down payment. The down payment amount is now reported in SAF-T.
4. Create a delivery document with order reference (transaction VL01N). An entry is created in table SIPT_LIKP with digital signature. The delivery document is reported in SAF-T.
5. Create an SD billing document with a down payment clearing (transaction VF01). An entry is created in table SIPT_VBRK with digital signature. The total gross amount is the net amount plus the tax amount minus the down payment amount and is reported in SAF-T.

FI Invoices with Down Payment

As a customer working with Portuguese digital signatures, you may need to post down payment clearing documents (gross & net) in Financials (FI). These documents require a digital signature if the corresponding down-payment request was posted with a digital signature.

Down payment documents must be reported in the relevant SAF-T reporting file with the clearing amount. Therefore, the amount to be signed must also be the clearing amount.

You must indicate which document type, account type, and special general ledger indicator you use to post down-payment clearing documents. The system derives the calculation of the amount to be signed with these data.

Prerequisites

- You must use a separate document type to post down payment clearing documents, **and** create a new document type if it doesn't exist in your system yet.
- You must maintain all required document types for down payment clearing documents. Go to [Cross-Application Components](#) [General Application Functions](#) [Digital Signature](#) [Country/Region-Specific Settings](#) [Portugal](#) [Down-Payment Document Types](#) [Maintain Special processing for Down-Payment Clearing](#) [\(SIPT_SGLI_FI_V\)](#).

You assign the account type and the special general ledger indicator that you use to post a down payment clearing document.

→ Tip

The GROSS_TOTAL value in the table SIPT_BKPF for the down payment documents and invoicing documents are used for generation of the digital signature.

Down Payment Gross and Net Calculation

The Down Payment Calculation procedure allows the calculation of correct Gross/Net amounts and the correct generation of the Digital Signature used in SAF-T reporting. Down payment documents are unique in that they must be reported in the relevant SAF-T reporting file with the clearing amount. Therefore, the amount to be signed must also be the clearing amount.

Prerequisites

You must maintain the document types you use for down payment clearing documents. Go to [Cross-Application Components](#) [General Application Functions](#) [Digital Signature](#) [Country/Region-Specific Settings](#) [Portugal](#) [Down-Payment Document Types](#) [Maintain Special Processing for Down-Payment Clearing \(FI\)](#).

You can identify the down payment document in the following way:

- If there's no Special G/L Indicator maintained but the document type is maintained, then it's considered an **Invoice** document.
- If at least one Special G/L Indicator is maintained but the document type is different from the one maintained in this activity, then it's considered a **Down Payment** document.
- Finally, if there's a full match between the maintained data and the document type, then the document is considered a **Down Payment Clearing** document.

Down Payment Gross Calculation

A special treatment of the Down Payment Clearing document is necessary to calculate the correct gross amount for the digital signature. It should be activated in the digital signature Customizing activity, depending on the Special G/L Indicator used when posting the Down Payment Clearing document.

The correct gross amount corresponds only to the down payment clearing amount, and not the sum of the customer lines, as it would usually be in FI invoices.

So, the gross amount shall be calculated by adding up all the customer lines with the Special G/L Indicator used for down payment.

Down Payment Net Calculation

In this procedure, the document's gross amount on which the signature is based must be calculated by adding the tax amount to the net amount.

It's assumed you're using a specific document type to post down payment and down payment clearing documents. So, such a behavior is limited to certain document types, and only the documents of that document type should be signed by this logic.

Posting SD Invoices for External Documents with Digital Signatures

You can post invoices with digital signatures in **Sales and Distribution (SD)** for documents that were created and signed in an external system. To enable this function, implement the Business Add-In **BAdI: Posting of SD Invoices for External Documents with Digital Signatures** (EI_BADI_SIPT_DIGITAL_SIGN_SD).

Context

For more information, see the documentation in the system for the following activities:

- [Cross-Application Components](#) > [General Application Functions](#) > [Digital Signature](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [External Billing Document Types](#) > [BAdI: Posting of SD Invoices for External Documents with Dig. Signatures](#) 
- [Cross-Application Components](#) > [General Application Functions](#) > [Digital Signature](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [External Billing Document Types](#) > [Maintain External Document Billing Types \(SD\)](#) 
- [Cross-Application Components](#) > [General Application Functions](#) > [Digital Signature](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Printout Settings](#) > [Define Special Scenario Document Types \(SD\)](#) 

You can also find additional details in SAP Note [3164607](#) .

QR Code in SD & FI Print Layouts

Provides an overview of the solution for generating a QR Code in SD & FI Print layouts for Portugal.

Overview

Among the legal requirements within Portaria 195/2020, organizations are required to add a QR Code to fiscally-relevant documents. The QR Code must contain specific information requested by the Portuguese tax authorities.

i Note

The QR Code is an additional feature added to the existing Adobe print forms in the Despacho solution for Portugal.

→ Tip

SAP always recommends you implement this solution using the appropriate support packages. However, if you use the solution temporarily - based on SAP Notes implementation - you must ensure that all the prerequisite notes related to the Despacho solution for Portugal have been implemented.

The remainder of this document explains the scope and features of the QR Code solution, and also provides an overview of the SAP Notes you need to apply to implement QR Code printing on your fiscally-relevant documents.

→ Tip

SAP Note [2981450](#)  describes the structure of the QR Code in more detail.

Scope

The solution for generating a QR Code in SD & FI Print layouts for Portugal is available in the following SAP Releases:

- SAP ECC: SAP_APPL 6.02 and all higher subsequent releases

- SAP S4HANA OnPremise Edition (S4H-OP) : S4CORE 100 and all higher subsequent releases

i Note

No SAP standard printout is available in ECC 6.00. This is because Adobe forms are only available in SAP_APPL 6.02 and all higher subsequent releases.

Which Fiscally-Relevant Documents are Included?

A QR Code will be printed on the following SAP standard printouts in ECC and S4H-OP:

- **SD Billing:** Invoices; Debit Memos; Credit Memos; Simplified Invoices
- **FI Accounting:** Invoices; Debit Memos; Credit Memos

The following Adobe form is utilized in this solution, with no kernel preconditions or dependencies:

Form *SIPT_INV*

Features

The features for the QR Code solution for SD & FI Print Layouts in Portugal are delivered in the following two SAP Notes:

- [2981453](#)  - Digital Signature QR Code - Implementation Portugal: Classes for SD Billing/FI Invoices

This SAP Note delivers the QR Code logic for SD Billing and FI Invoices in Portugal, and the Source Types required for SD & FI.

Caution

Note 2981453 is a prerequisite for implementation of SAP Note [2981454](#) .

- [2981454](#)  - Digital Signature QR Code - Implementation Portugal: Layout SIPT_INV/ Print Program

This note updates the Adobe Form for Digitally-Signed Invoices in Portugal (SIPT_INV) used in FI and SD.

→ Tip

Implementing these two notes enables use of the QR Code logic to display the QR Code object in the SD Billing and FI invoice print form SIPT_INV.

! Restriction

Using BAdI SIPT_PRINV_BADI may cause inconsistencies within the QR Code content. You must check this in detail in own system and if needed, review your BAdI implementations.

For example, adding or changing entries to the **CT_VAT** parameter of method **UPDATE_DATA** can cause inconsistencies in the QR Code amount fields.

For more information on this limitation, please refer to SAP Note [2981454](#) .

Example

Here we give you an example of an SD Billing Document including the QR Code:

**Cópia****Fatura n.º YF6 1/0006000540 de 2020-10-29**

Vendedor:
Thomas Klaus Portugal
 MapasStreet 12
 P-1234-123 Lisboa

Cliente:
Despacho - Act / Deact Cust 1605 16:49
 Avenida Marquês de Pombal 12
 P-66001 Lisboa

NIF: PT171598610

NIF: PT123456789



rzMz - Emitido por programa certificado n.º XXXXXXXXXXXXXXXXXXXX/AT
 Capital Social 102,646.00 EUR, Conservatória do Registo Comercial de NUM_PT99

ATCUD in SD and FI Print Layouts

According to the legal requirements, you must request a validation code for each relevant number range series from the tax authorities and then print the ATCUD on fiscally relevant SD billing documents and FI invoicing documents.

The ATCUD comprises a validation code and the document number, separated by a minus sign, for example, ATCUD: 87654321-4200000001.

You must print the ATCUD on all pages of the document. In addition, the ATCUD is filled in TAG H of the QR code, for example, H:87654321-4200000001.

Related Information

[Customizing Digital Signature and ATCUD for SD Billing Documents](#)

[Customizing Digital Signature and ATCUD for FI Invoices](#)

External PDF signing for SD and FI Invoices

You need to sign the PDF file of SD billing and FI invoicing documents from the email output process.

Use the **BADI_SD_SLS_EMAIL** Business Add-In (BAdI) to digitally sign the PDF file from the third party service for SD billing documents and use the **BADI_PT_FI_PDF_EXT_SIGN** Business Add-In (BAdI) to digitally sign the PDF file from the third party service for FI invoicing documents. For more information about implementing the **BADI_PT_FI_PDF_EXT_SIGN** BAdI refer to the consulting SAP Note [3680811](#).

You can use this BAdI to digitally sign the PDF file and its possible duplicates from the email output process with a custom certificate for countries that are enabled by SAP localization.

i Note

Your implementation only takes effect if it's legally required and enabled by SAP. The file you provide through the **DigitallySignedPDF** parameter serves as the output document for processing and any follow-up processes. As the implementer of the BAdI, you're fully responsible for ensuring that the file is both technically and semantically correct. SAP does not assume any responsibility for files that are corrupted or that disrupt the standard output or follow-up processes, such as creating duplicates.

Once you implement the BAdI, you can call the third-party service by implementing the SAP Note respectively for SD billing documents and FI invoicing documents as mentioned below.

For SD billing documents: more details in SAP Note [3682704](#).

For FI invoicing documents: more details in SAP Note [3680811](#) and [3681477](#).

Special Scenarios for Invoices with Digital Signatures in Portugal

Describes special scenarios for signing of invoices with digital signature in Portugal

In this section, you find information on special scenarios for the signing of invoices with digital signature in Portugal.

- [Document Recovery After a System Crash](#)
- [Printing Billing and Invoice Documents for Special Scenarios](#)
- [Digital Signature Exclusion - Billing Documents from Retail Point-of-Sale \[POS\] Systems \(SD only\)](#)
- [Digital Signature for Portugal with Plants Abroad \(SD Only\)](#)

Document Recovery After a System Crash

Overview

According to legal requirements in Portugal, whenever you experience unexpected system downtime or a system crash, you must:

- Properly handle document recovery and ensure that you do not issue digitally-signed documents with identical document numbers.
- Properly handle printing, and mark any recovered documents as a copy.

What you need to do in this situation

Whenever your database was restored from a backup after a system crash there is a chance that there are documents missing in your SAP system.

A document is missing if:

- It was digitally signed, printed out, and issued and was then not restored by a backup as a recovery document.
- If a paper copy of the document was manually issued after a system crash when the system was down and was not later re-added into the system as a manual document.

According to Portuguese legal requirements, you must take note of the following:

- You must have paper copies of your documents with a Portuguese digital signature.
- You must enter all manually issued documents and recovery documents manually in the system from paper copies.
- To enter manual documents and recovery documents, you must use new number ranges that have not been used before.
- You may not re-use number ranges that are affected by manual documents and recovery documents.
- You must use new number ranges to post documents that are not manual documents or recovery documents.

Because of technical limitations the fact that the database was restored cannot be detected automatically and you must do the following:

1. Check Number Ranges and Printed documents for missing documents.

After a system crash and a data recovery you have to check all number ranges that have been used to post documents with a Portuguese digital signature if missing documents exist.

2. Block all number ranges that contain missing documents
3. Restore all missing documents (manual documents and recovery documents) manually from the relevant paper copies

More Information

[Blocking Number Ranges](#)

[Restoring Missing Documents](#)

Blocking Number Ranges

Warning

The following transactions **only** support blocking number range entries and displaying the existing entries of blocked number ranges.

Once a number range for a document has been blocked, it may no longer be used.

Whenever you enter a number range in either of the following transactions, they can no longer be unblocked and you cannot use them any longer.

Blocking Number Ranges

The number range object that you block is RV_BELEG

To block a number range you do the following:

1. For FI:

Enter system transaction SIPT_NUMLOCK_FI

For SD:

Enter system transaction SIPT_NUMLOCK_SD

2. Enter the number range object in the view that must be blocked

3. Save your data.

Restoring Missing Documents

To restore missing documents to your system and make them legally compliant again, you must do the following:

1. **Create new document types for missing recovery documents and missing manual documents**

You must create new document types for manual documents and recovery documents to restore missing invoice documents, debit memo and credit memo documents, if they do not exist.

2. **Create New Number Ranges**

You must use new number range to replace each number range that was corrupted by a system crash:

- Use one new number range if no missing documents exist for a number range
- Use two new number ranges if one type of missing documents exists for a number range (recovery documents or manual documents)
- Use three new number ranges if all types of missing documents exist for a number range (recovery documents and manual documents)

i Note

You can reuse sequential numbers of corrupted number ranges that have not been used by postings by splitting these intervals.

Sequential numbers that have been used for missing documents must not be used after a split. You must split an interval only at a number that is higher than the number of the latest missing document.

3. **Record document types of missing documents**

Record the relevant document types for recovery documents and for manual documents with the Special Document Types maintenance view:

- SIPT_SDT_SD_V in SD and
- SIPT_SDT_FI_V in FI

4. **Enter missing recovery and manual documents**

You must maintain the Customizing to use the new number ranges that you created in step 2 instead of the corrupted number ranges.

Disable the corrupted number range for digital signature generation and change the Customizing to use the new number ranges and new document types for missing documents with active digital signature generation

Enter the recovery documents from your paper copies

Enter the manual documents from your paper copies

5. **Use the new number ranges for invoices, debit memos and credit memos**

Maintain the Customizing to use the new number ranges for invoices, debit memos and credit memos

Printing Billing and Invoice Documents for Special Scenarios

According to Portuguese legal requirements:

- You may not have duplicate invoice documents with an identical document number.
- You must indicate on the print file if billing documents are not the original documents. This may happen for example if the invoice document that you print is a recovery document, or an invoice that was already manually created and sent.

In some cases, such as a database crash, or whenever your SAP system obtains invoices that already have a document number assigned by an external system, you may risk violating one or both of these regulations.

Features

You can customize your system to check when you print documents to see if they fall in one of the following three scenarios:

- 1. Documents that were lost after a database crash and then re-entered into the system
 2. Documents that were issued manually and later entered into the system

If your documents fall within any of the three categories, the system's print file output states that it is a copy and features in the printed area 'Razao' the category that this document falls under and the original document number.

i Note

If the printed invoice is a document for an invoice or billing document that was recovered or originally created by an external system, the printed form is marked as a copy, even if it is the first time that you print the document.

Customizing

You maintain the printing settings in Customizing, in [Cross-Application Components](#) > [General Application Functions](#) > [Digital Signature](#) > [Country-Specific Settings](#) > [Printout Settings \(FI and SD\)](#) 

- [Define Special Scenario Document Types \(FI\)](#)

and

- [Define Special Scenario Document Types \(SD\)](#)

Digital Signature Exclusion - Billing Documents from Retail Point-of-Sale [POS] Systems (SD only)

Business Background

According to legal requirements ("**Despacho 8632/2014**"), all Portuguese invoices must be digitally signed by certified software. However, your organization may have a business requirement that all Sales & Distribution (SD) invoices issued in your Point-of-Sale (POS) systems are exempted from both digital-signature generation and all "Despacho"-related checks in your SAP SD Billing system.

i Note

Where this business requirement exists, all SD invoices identified with VBRK-FKTYP = 'W' are excluded from the certification and validation process. These specific documents are then, of course, also excluded from SAF-T reporting within your SAP system.

Caution

However, the Despacho requirements concerning generation of digital-signatures for invoices in Portugal still apply in this special scenario. You need to make sure that these SD invoices issued in your Point-of-Sale (POS) systems are also digitally signed by external certified software to be able to report them to tax authorities, as you are required to do by the "Despacho" regulations.

To ensure transparency and the ability to audit the relevant chains of digital signatures in this scenario, you are required to record specific data about the external certification software used to digitally sign these SD (POS) invoices in this IMG activity. Only when entries are made in this table will digital signature and all "Despacho"-related checks be skipped. If no such table entries exist, then the normally-defined digital signature process runs.

Prerequisites

1. You must already have implemented an external certified software to generate digital signatures for these POS documents that are excluded from the certification performed in your SAP system, and the requirements mentioned under CAUTION above must be met.
2. As described above, SD invoices identified with VBRK-FKTYP = 'W' are excluded from the certification and validation process within your SAP system. However, these documents must have a specific number range and must be posted to a unique generic customer to be legally compliant.

Setting up Exclusion of POS Billing Documents from Digital Signature for Portugal

You set up this solution in Customizing, under: [Sales & Distribution](#) > [Billing](#) > [Billing documents](#) > [Country-specific Features](#) > [Country-specific Features for Portugal](#) > [Digital Signature](#) > [Maintain Data for External Digital Signature Software \['POS' Invoices\] \(SD\)](#) 

In this customizing activity, you maintain specific data about the external certification software you use to digitally sign these SD (POS) invoices as follows:

1. In the **RSDV: Certificate of integrated POS System (SD)** view, choose **New Entries** and proceed as follows:
 - a. In the field **Certification ID**, enter the official Certification ID issued by the relevant tax authority for the software provider whose software generates digital signatures in the external (non-SAP) system, for invoices issued in an external Point-of-Sale (POS) system
 - b. In the field **Certified Product**, enter the official product name of the software used to generate digital signatures in the external (non-SAP) system.
 - c. In the field **Certified Product Version** enter the version of the software product used to generate digital signatures in an external (non-SAP) system.
2. Save your changes.

Troubleshooting: SAF-T File Generation and IDOC Imports

i Note

Please also refer to SAP Note [2886058](#) - Exclude POS billing documents from Digital Signature Portugal for background to these potential troubleshooting issues.

You use SAP's Digital Signature Solution for Portugal and post billing documents via POS interface and IDOC import into the SAP system.

Or you would like to implement this combination of digital signature and POS billing document handling.

The following two issues may arise: (but not during the same booking process)

1. You cannot generate a consistent SAF-T file because of the combination of both of the following facts:
 - a. POS billing documents have already been assigned a digital signature by your SAP system, **and**
 - b. The billing documents are already digitally-signed and communicated to the Portuguese Government by your POS System.
2. The system cannot import the IDOC because the digital signature generation fails. This failure is caused by specific legal document checks for postings with a Portuguese digital signature.

Caution

We strongly recommend that you also read the collective [SAP Note 2268552](#) and [SAP Note 2375055 for Despacho 8632/2014](#) to avoid implementation errors.

→ **Remember**

Changing the digital signature generation can require changes for to your document numbering. The following section provides useful information on this important element of POS processing.

Two different cases can exist for POS postings with document numbers from a number range with digital signature generation:

1. POS documents were not posted yet. (Standard case for new Customizing)
 - There is no entry in table SIPT_NUMBR_SD
 - You already have your own billing type and an own number range interval which you use only for POS documents. An entry in table SIPT_NUMER_SD is not available for the relevant number range interval.
2. POS documents were posted with digital signature. (Conflicts exist in your system)
 - You already have your own billing type and number range interval which is used only for POS documents. An entry in table SIPT_NUMER_SD is available. There is no mixture with invoices, debit memos or credit memos which are non-POS documents.
 - POS documents and other documents refer to the same number range interval. There is a mixture with invoices, debit memos or credit memos which are non-POS documents. An entry in table SIPT_NUMBER_SD is available.

Deciding what action you need to take - SAF-T File Generation and IDOC Imports

You need to decide which case exists in your system. To use the new POS functionality to disable the digital signature generation, you must only use case 1.

Caution

The cases described cases in this note depend on existing application data that can differ in the test system and in the productive system.

• **Case 1**

Prerequisite is your own billing type and number range interval - only for POS documents.

An entry in table SIPT_NUMBR_SD is not necessary.

• **Case 2**

You must de-couple future POS postings **without** digital signature from the relevant number range interval **with** active digital signature generation.

Use a new billing type with its own (separate) number range interval - only for POS documents.

An entry for this new billing document type in table SIPT_NUMBR_SD is not necessary (As in Case 1).

Caution

- Do not delete the old entry in table SIPT_NUMBR_SD. It is not allowed. You are not permitted to delete the 'SIGN_NUMB' flag in table SIPT_NUMBR_SD if other postings that need to be digitally-signed refer to the same number range interval.
- After decoupling the POS postings, you can still use the number range with active digital signature generation.
- You need to do perform the required changes for case 2 before you use the new POS functionality.

Digital Signature for Portugal with Plants Abroad (SD Only)

Provides an overview of the plants abroad function for Portuguese digital signature generation in [Sales and Distribution](#) (SD).

Legal Requirements

The following legal requirements for digital signature generation in Portugal also apply when you use plants abroad:

- The system must sign all documents posted with Portuguese tax codes if the documents are invoices, debit memos, credit memos, or similar documents that comply with invoices and are therefore also fiscally relevant in this context.
- You must report all digitally signed documents in the SAF-T file for tax reporting.
- For each company code, you must separate the relevant documents (invoices, debit memos, and credit memos) into different number range intervals so that the system can sign specific document sequences for the purpose of auditing and reporting.
- The document numbers posted in a specific document sequence must be chronological and gapless.

How it works

Plants abroad for Portugal in SD allows you to run business processes involving foreign company codes where the system signs only those documents that legally require a digital signature. Only documents assigned to a Portuguese sales organization or a Portuguese plant abroad are considered for the digital signature process when a relevant foreign company code is used in the document.

Caution

If plants abroad is active, the system signs an SD document with a foreign company code only if **all** corresponding document items contain plants that are registered in the Customizing activity [Assign Plants for Foreign Company Code](#) (view SIPT_FC_SD_WRK_V) and if the tax departure country in the document is Portugal (field VBRK - LANDTX).

If a document that is to be split doesn't meet these requirements, the system doesn't sign all documents generated by the split. You can influence the splitting of SD billing documents, for example, to get documents with and without digital signatures when you use mass processing of SD billing documents (transaction VF04). For more information, see SAP Note [11162](#) .

Note also the following:

- Invoices lists are not digitally signed in the plants abroad scenario.
- You always require coding in an existing user exit (Business Add-In) to fulfill all existing Portuguese numbering rules. There is no standard Customizing activity to change the number range assignment according to Portuguese legal requirements for document numbering. For more information, see SAP Note [595327](#) .
- The plants abroad function enables you to handle intercompany code postings, with digital signatures generated for postings with Portuguese plants abroad where the tax departure country is Portugal.
- When you start using the plants abroad function, the number of documents that require a digital signature will increase, enhancing your legal compliance in this context.

Registration of Sales Organizations and Plants

A key feature is that sales organization checks are on the same level as plant abroad checks. One major advantage, therefore, is that for the same foreign company code, Portuguese sales organizations and Portuguese plants can exist in parallel to support a mixed distribution channel scenario via a sales organization and plants abroad scenario in a single country, in this case Portugal. SD billing documents that contain plants that are not registered for digital signature can be signed according to the Portuguese sales organization.

i Note

The SD pricing procedure RVWIA1 cannot be used for Portugal because of the QR code. For more information and further recommendations, see SAP Note [3203994](#) .

[Customizing Digital Signature for Portugal with Plants Abroad \(SD Only\)](#)

The key user for configuration sets up the relevant foreign company codes and makes sure that the standard plants abroad function is active for Portugal.

[Special Scenarios for Activating Foreign Company Codes \(SD Only\)](#)

When you customize digital signature generation for Portugal for plants abroad, make sure that you understand the consequences of different scenarios related to the existing Customizing settings. In particular, understand how the system handles the activation of digital signature generation in parallel at sales-organization level and plant level.

Related Information

[Digital Signature Generation for Sales Organizations in Foreign Company Codes \(SD\)](#)

Customizing Digital Signature for Portugal with Plants Abroad (SD Only)

The key user for configuration sets up the relevant foreign company codes and makes sure that the standard plants abroad function is active for Portugal.

Prerequisites

You have understood the special scenarios and the relationship between the settings for sales organizations and plants. For more information, see [Special Scenarios for Activating Foreign Company Codes \(SD Only\)](#).

Make sure that you have met the following functional prerequisites for SAF-T and digital signature generation for Portugal:

- You have implemented SAP Note [595327](#)  ([Determining a Different Number Range Interval](#)).
- You have activated the standard plants abroad function in Customizing for [Financial Accounting](#) under [Global Settings](#)  [Tax on Sales/Purchases](#)  [Basic Settings](#)  [Plants Abroad](#)  [Activate Plants Abroad](#) .
- You have assigned the correct Portuguese VAT registration numbers to the foreign company codes in Customizing for [Financial Accounting](#) under [Financial Accounting](#)  [Financial Accounting Global Settings](#)  [Global Parameters for Company Code](#)  [Tax](#)  [VAT Registration Numbers \(VAT Reg.No.\)](#)  [Define Foreign VAT Registration Numbers](#) .

1. Maintain the relevant foreign company codes in Customizing for [Cross-Application Components](#) under [General Application Components](#) [Digital Signature](#) [Country-Specific Settings](#) [Portugal](#) [Foreign Company Code Settings](#) [Enable Foreign Company Codes and Sales Orgs. for Digital Signatures in SD](#) [\(view cluster SIPT_CCODE_SD_VC\)](#).

If you want to generate digital signatures for foreign company codes with the plants abroad function for Portugal, you must **not** enter a sales organization.

2. Define the Portuguese plants for each of your relevant foreign company codes in Customizing for [Cross-Application Components](#) under [General Application Components](#) [Digital Signature](#) [Country-Specific Settings](#) [Portugal](#) [Foreign Company Code Settings](#) [Assign Plants for Foreign Company Code](#) [\(view SIPT_FC_SD_WRK_V\)](#).

i Note

This activity ensures that the system performs Portuguese-specific validation checks and the digital signature of SD billing documents for all Portuguese plants entered in this customizing activity.

Note that if the sales organization in an SD billing document is registered for digital signature generation, the system generates the digital signature without checking whether the plants in the SD billing document are also registered. Therefore, if you want the system to determine digital signature generation based on the plants, make sure the corresponding sales organizations are not registered for digital signature.

For more information, see the documentation of the Customizing activities in the system.

3. If required, configure the tax departure country/region.

The system considers SD billing documents that have registered plants only. If the tax departure country is not Portugal, you may need to change this value in the document header by using customer-specific coding in SD custom includes. For more information, see SAP Note [10560](#) [🔗](#) (case 2A). Note also that the document must contain Portuguese tax codes.

Task overview: [Digital Signature for Portugal with Plants Abroad \(SD Only\)](#)

Related Information

[Special Scenarios for Activating Foreign Company Codes \(SD Only\)](#)

Special Scenarios for Activating Foreign Company Codes (SD Only)

When you customize digital signature generation for Portugal for plants abroad, make sure that you understand the consequences of different scenarios related to the existing Customizing settings. In particular, understand how the system handles the activation of digital signature generation in parallel at sales-organization level and plant level.

Customizing Scenarios for Plants Abroad with Digital Signature for Portugal	
Scenario	System Behavior
You don't want to activate plants abroad for Portugal. You therefore haven't performed the required Customizing settings.	If the Customizing activities Assign Plants for Foreign Company Code (view SIPT_FC_SD_WRK_V) and Enable Foreign Company Codes and Sales Orgs. for Digital Signatures in SD (view cluster SIPT_CCODE_SD_VC) don't contain any data, the system does not consider SD billing documents with a foreign company code for the digital signature generation process.
You want to activate plants abroad for Portugal and perform the required Customizing settings, but you haven't activated the standard plants abroad function yet.	Even if the Customizing activity Assign Plants for Foreign Company Code (view SIPT_FC_SD_WRK_V) contains data, if you haven't activated the plants abroad function for Portugal and you haven't performed the required Customizing settings, the system considers postings with foreign company codes for digital signature only if you have maintained the Portuguese sales organizations in the Customizing activity Enable Foreign Company Codes and Sales Orgs. for Digital Signatures in SD (view cluster SIPT_CCODE_SD_VC , view SIPT_FCC_VKORG_V).
You've activated the standard plants abroad function for Portugal in your system.	If the Customizing activity Assign Plants for Foreign Company Code (view SIPT_FC_SD_WRK_V) contains data for the plant in the SD billing document, but the sales organization is Portuguese and is maintained in the Customizing activity Enable Foreign Company Codes and Sales Orgs. for Digital Signatures in SD (view cluster SIPT_CCODE_SD_VC , view SIPT_FCC_VKORG_V), the system does the following: • It ignores the tax departure country in the billing document. • It processes the document with reference to the assigned sales organization and ignores the settings for the plants.

Determination Process

To determine whether an SD billing document with a foreign company code requires a digital signature, the system proceeds as follows:

1. It checks whether the sales organization is registered in the view [SIPT_FCC_VKORG_V](#).

If it is registered, the system generates the digital signature based on this setting. It doesn't check any further settings.

If it is not registered, the system proceeds to step 2.

2. It checks whether all plants at item level in the document are registered in the view [SIPT_FC_SD_WRK_V](#).

If all plants are registered and the tax departure country is Portugal, the system generates the digital signature based on the settings for the plants.

If the plants are not registered or only some of the plants are registered, the system doesn't generate a digital signature for the SD billing document.

Example: Determination of Digital Signature Generation for Foreign Company Codes

In this example, you have registered the following organizational units for digital signature generation:

Customizing Activity	Registered Values
Enable Foreign Company Codes and Sales Orgs. for Digital Signatures in SD (view cluster SIPT_CCODE_SD_VC, view SIPT_FCC_VKORG_V)	Foreign company code DE99 Sales organization PT01
Assign Plants for Foreign Company Code (view SIPT_FC_SD_WRK_V)	Plant PTAB Plant PTBB

The system compares the SD billing document data with the Customizing settings to determine whether digital signature generation is required, as follows:

Document Data			Value that triggers digital signature generation
Foreign Company Code	Sales Organization	Plant	
DE99	PT01	PTAB (in all document items)	Sales Org. (PT01) The sales organization is always checked first. The plant setting is therefore ignored in this case.
DE99	PT99	PTAB (in all document items)	Plant (PTAB) The system checks the plant because sales organization PT99 in the document is not maintained in Customizing.
DE99	PT99	PTCB (in all documet items)	No digital signature The system doesn't find a match between the document data and the Customizing data, so it doesn't generate a digital signature.
DE99	PT99	PTAB (item 1) PTCB (item 2)	No digital signature In this case, the sales organization is not registered and only one of the plants is registered. Therefore, the document data and Customizing don't match and the system doesn't generate a digital signature.

Parent topic: [Digital Signature for Portugal with Plants Abroad \(SD Only\)](#)

Related Information

[Customizing Digital Signature for Portugal with Plants Abroad \(SD Only\)](#)

Document and Reporting Compliance

Document and reporting compliance features enable you to create, process, and monitor electronic documents and statutory reports. As a result, your company stays compliant with local legal obligations.

Prerequisites

You have activated the document and reporting compliance features for your country/region as described in [Customizing](#).

Electronic Document Processing

You can generate electronic documents for source documents you created in other applications, such as customer invoices and you can register transportation data. The following features are available:

Creation of instance of source documents

For the supported documents created in various SAP source applications, the system extracts the required data that must be electronically transmitted to the electronic document recipients and saves it as an entry in a database table. This entry in the database represents an electronic document and it is also called eDocument.

It's a legal requirement in Portugal to transmit some documents electronically to public entities in a business to government (B2G) scenario. The following are the supported types of documents:

- Customer invoices
- Credit and debit memos for billing documents

Transport Registration

You can electronically register the data of the transport of goods in public roads at the tax authorities.

Integration with SAP Cloud Integration/SAP Integration Suite

Doing business with public entities in Portugal legally requires you to use a certified service provider. The service provider signs and sends electronic invoices to the corresponding receiver.

You use SAP Cloud Integration (if you were onboarded before July 2020) or SAP Integration Suite to communicate with these service providers. Once the eDocument is submitted in the eDocument Cockpit, the system forwards it to a service provider for the signing and final submission and sends it to the public entities.

Processes for Electronic Documents

Supported Tasks

Tasks	Description	Process
Processing customer invoices	You can create eDocuments for invoices using the process Portugal elnvoice and electronically submit them to the service provider.	Processing Customer Invoices
Registering Transport	You can create electronic documents for each transport that you want to register at the tax authorities.	Registering Transport

Automation of Actions

Most actions you perform on the electronic documents can be automated by using the job scheduling function.

Supported Features per Statutory Report

Statutory reporting has been localized for use by businesses with operations in the country/region and it comprises functions designed for laws and business practices relevant in the country/region.

Please note that the general **Run Statutory Reports** app appears on your Fiori launchpad by default. If you want to access the country/region-specific tile that contains the predefined data, you can assign it to your launchpad by following the instructions described in

https://help.sap.com/docs/ABAP_PLATFORM_NEW/a7b390faab1140c087b8926571e942b7/3de7bee2196f438a803564803b578dcc.html.

For information about role authorizations that are needed for the reports, see [Country/Region-Specific Role Authorizations](#).

The following features are supported in the reports:

Feature	Withholding Tax Report	Annual VAT Declaration (Annex L and M)	Annual Sales and Purchase (Annex O and P)	EC Sales List	Mapas Fiscais	Cash Flow Statements	Periodic VAT Return and Annexes
Embedded Analytics	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Manual Adjustment	No	No	No	Yes	No	Yes	Yes
Data Preview	Yes	Yes	Yes	Yes	No	Yes	Yes
Electronic Communication with the Government Gateway	No	No	No	No	No	No	No
Correction and Additional Correction Phases	Yes	No	No	Yes	Yes	Yes	Yes
Reporting Activity – Manage Tax Items	No	No	No	Yes	Not applicable	Not Applicable	Yes
Reporting Activity – Post Tax Payable	No	No	No	No	Not applicable	Not Applicable	Yes
Reporting Activity – Manage Withholding Tax Items	Yes	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Related Information

[Statutory Reporting](#)

[What Is SAP Document and Reporting Compliance?](#)

Electronic Customer Invoices

Enables you to create customer invoices and submit them electronically to the receiver. The receiver may or may not be in the same country as your company.

[Processing Customer Invoices](#)

You want to create electronic documents for invoices or credit memos, and submit them automatically to the service provider.

[Cancelling Electronic Documents](#)

You can only cancel electronic documents, such as electronic invoices or credit memos, that haven't been received by the customer yet. After that, you must reverse the corresponding source document in the application where you posted it.

[Submission of Invoices per E-Mail to German Customers](#)

You are a company outside Germany and want to send electronic documents by e-mail to a customer located in Germany.

[Apps and Transactions](#)

You can use several apps and transactions to process electronic documents.

[Master Data](#)

To be able to exchange invoices with your business partners, you must maintain some information in their master data.

[Implementation](#)

How to ensure that you have implemented all required features to create and exchange electronic documents for Portugal.

[Customizing](#)

Before you can start exchanging electronic documents, you must set up the system to create electronic documents for the business scenarios your company requires.

[Integration](#)

You can integrate the solution with other applications to realize end-to-end business processes.

[Extension and Development](#)

You can extend your system by implementing your own developments using Business Add-Ins (BADIs).

[Archiving Data in SAP Application Interface Framework](#)

SAP Application Interface Framework stores in its database tables data created during the processing of eDocuments. We recommend that you schedule regular archiving of these data to avoid performance issues.

[Configuring Read Access Logging in Electronic Documents](#)

You can use the Electronic Document channel in the Read Access Logging (RAL) Manager (transaction SRALMANAGER) to monitor and log read access to sensitive personal data for electronic documents.

Processing Customer Invoices

You want to create electronic documents for invoices or credit memos, and submit them automatically to the service provider.

Context

To perform actions on the eDocuments for this scenario, you use the Portugal Invoice process in the **eDocument Cockpit** (EDOC_COCKPIT) transaction. For information about the actions supported for this process, choose the  **Help** pushbutton on the top of the process-specific screen.

Procedure

1. You post an invoice, a debit memo, or credit memo in the source application.

The system automatically creates an eDocument instance in the **eDocument Cockpit**.

2. In the **eDocument Cockpit**, search for the electronic document and choose **Submit**.

The system creates an XML according to the predefined format and forwards it to the service provider, who then sends it to the receiver. Once the receiver has sent back the response, the service provider processes the response and returns a status of the electronic document to the system. The service provider returns one of the following statuses:

- o Accepted

The service provider forwards the electronic document to the receiver. The receiver returns the status of the electronic document to the service provider, who, in turn, forwards the status to the system.

- o Validation Error

Choose  **Go to**  **History** of the electronic document to find the reason of the error. Correct it and resubmit the electronic document.

→ Remember

To receive updated statuses from the service provider, you have to run first the **eDocument Inbound Message Handler** (EDOC_INBOUND_MSG) transaction. For more information, see [Updating Status](#)

i Note

The **Refresh** action in the eDocument Cockpit works only if you configure the **Inbound Message Handler** first ([Updating Status](#)).

Task overview: [Electronic Customer Invoices](#)

Related Information

[Cancelling Electronic Documents](#)

[Submission of Invoices per E-Mail to German Customers](#)

[Apps and Transactions](#)

[Master Data](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Extension and Development](#)

Cancelling Electronic Documents

You can only cancel electronic documents, such as electronic invoices or credit memos, that haven't been received by the customer yet. After that, you must reverse the corresponding source document in the application where you posted it.

Prerequisites

You can only cancel electronic documents (eDocuments) if they are in any of the following statuses:

- Created

Procedure

1. Go to the **eDocument Cockpit** (EDOC_COCKPIT) transaction. Select the **Portugal eInvoice** process.
2. Select one or more eDocuments and choose **Cancel eDocument**.

The system cancels the electronic document. To keep the data consistent in your system, ensure that you reverse or cancel the corresponding source document manually.

i Note

If the electronic document has been received by the customer already, you must reverse it in the source application.

Task overview: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)
[Submission of Invoices per E-Mail to German Customers](#)
[Apps and Transactions](#)
[Master Data](#)
[Implementation](#)
[Customizing](#)
[Integration](#)
[Extension and Development](#)
[Archiving Data in SAP Application Interface Framework](#)
[Configuring Read Access Logging in Electronic Documents](#)

Submission of Invoices per E-Mail to German Customers


You are a company outside Germany and want to send electronic documents by e-mail to a customer located in Germany.

Setup for the process

- You've enabled the **Customer Invoice: E-Mail** process. For more information about the process in general, check [Electronic Customer Invoices \(Submission by E-Mail\)](#).
 - For more information about the e-mail process with PDF/A-3, check [Submitting Customer Invoices by E-Mail \(PDF/A-3\) Using SAP Document and Reporting Compliance, Cloud Edition](#).
 - For more information about the e-mail process with XML, check [Submitting Customer Invoices Using E-Mail \(XML\)](#).
- You've integrated the cloud edition of SAP Document and Reporting Compliance and done the onboarding activities. Check [Integrating Peppol Exchange with SAP S/4HANA](#).

Overview of the process

The following interactive graphic shows the actions you have to proceed during the process of sending an electronic document to your business partner. It is assumed that all presettings for either the e-mail process with PDF/A-3 or the e-mail process with XML were made.



Please note that image maps are not interactive in PDF outputs.

Parent topic: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)
[Cancelling Electronic Documents](#)
[Apps and Transactions](#)
[Master Data](#)
[Implementation](#)
[Customizing](#)
[Integration](#)
[Extension and Development](#)
[Archiving Data in SAP Application Interface Framework](#)
[Configuring Read Access Logging in Electronic Documents](#)

Apps and Transactions

You can use several apps and transactions to process electronic documents.

[eDocument Cockpit](#)

You use the **eDocument Cockpit** (App ID: EDOC_COCKPIT) to process electronic documents (eDocuments) that are created automatically based on source documents.

[Create Electronic Documents Manually - Special Cases](#)

[Updating Status](#)

Provides instructions on how to make settings in the **eDocument Inbound Message Handler** (EDOC_INBOUND_MSG) to periodically update statuses from the service provider. You must configure the **eDocument Inbound Message Handler** to receive updated statuses from the service provider.

[Inbound Messages](#)

[Processing Electronic Documents in the Background](#)

Most actions you perform in the **eDocument Cockpit** transaction or **Manage Electronic Documents** app can be automated by using the job scheduling function.

[Authorization Objects](#)

The business system checks the users' authorizations before they can perform certain actions on electronic documents. Some authorization objects are required in the **AAAB** authorization class for performing actions on electronic documents.

Parent topic: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)
[Cancelling Electronic Documents](#)
[Submission of Invoices per E-Mail to German Customers](#)
[Master Data](#)
[Implementation](#)
[Customizing](#)
[Integration](#)

eDocument Cockpit

You use the **eDocument Cockpit** (App ID: EDOC_COCKPIT) to process electronic documents (eDocuments) that are created automatically based on source documents.

To find the **eDocument Cockpit**, on the **SAP Easy Access** screen, choose **►Cross-Application Components►Document and Reporting Compliance►eDocument Cockpit►** or call the EDOC_COCKPIT transaction. For information about the actions you can do in the report, choose the **Documentation** pushbutton on the selection screen.

Use

You use the **eDocument Cockpit** to do the following:

- Display electronic documents that have been created upon source documents creation in source applications.
- Submit electronic documents in the required format to the tax authorities or to your business partners.
- Create and submit electronic documents which for any reason could not be created upon source document creation.
- Monitor the status of the electronic documents and perform subsequent actions on them.

You can create custom fields for the **eDocument Cockpit** and restrict the visibility of electronic documents by these fields. For more information, see [Extension of eDocument Cockpit with Custom Fields and Enhanced Authorization](#).

[Using the Search Function in the eDocument Cockpit](#)

The **eDocument Cockpit** offers a comprehensive search function. Check out the video below to learn more on how to make the most out of the search engine.

[Displaying Errors in the eDocument Cockpit](#)

Access different error sources directly from the result list in the **eDocument Cockpit** (EDOC_COCKPIT).

[Navigating from a Source Document to an eDocument](#)

You want to confirm that an eDocument has been created and submitted for a given source document. This documentation provides instructions on how to navigate from a source document to the corresponding eDocument.

[Displaying Archived Documents](#)

You can display the electronic documents that have been archived directly in the **eDocument Cockpit** (EDOC_COCKPIT).

Parent topic: [Apps and Transactions](#)

Related Information

[Create Electronic Documents Manually - Special Cases](#)

[Updating Status](#)


[Inbound Messages](#)

[Processing Electronic Documents in the Background](#)

[Authorization Objects](#)

Using the Search Function in the eDocument Cockpit

The **eDocument Cockpit** offers a comprehensive search function. Check out the video below to learn more on how to make the most out of the search engine.



[Open this video in a new window](#)

Parent topic: [eDocument Cockpit](#)

Related Information

[Displaying Errors in the eDocument Cockpit](#)

[Navigating from a Source Document to an eDocument](#)

[Displaying Archived Documents](#)

Displaying Errors in the eDocument Cockpit

Access different error sources directly from the result list in the **eDocument Cockpit** (EDOC_COCKPIT).

Prerequisites

You've selected parameter **Allow Screen with Details Pane in eDocument Cockpit** and have entered parameter value X in the Customizing activity **Maintain General Parameters for eDocument** (ED0GENCUSTV) in Customizing for Cross-Application Components, under **General Application Functions** **Document and Reporting Compliance** **Country/Region-Specific Settings** **<Country/Region>** **Electronic Document Processing** **General Settings** **Optional Settings**.

i Note

If you've created your own custom development, this custom development isn't displayed when using the new screen.

Procedure

1. Select the eDocument entry for which you want to display the errors.
2. Double-click on the **Logs/File** column.
The system opens a details pane on the right side with the application and interface logs and last file.
3. To close the details pane, either double-click again on the same entry in the column or use the **Close Details** icon on the top-left side of the details pane.

Task overview: [eDocument Cockpit](#)

Related Information

[Using the Search Function in the eDocument Cockpit](#)

[Navigating from a Source Document to an eDocument](#)

[Displaying Archived Documents](#)

Navigating from a Source Document to an eDocument

You want to confirm that an eDocument has been created and submitted for a given source document. This documentation provides instructions on how to navigate from a source document to the corresponding eDocument.


Context

The navigation to the eDocument is supported for the following source document types:

- Accounting Documents
- Billing Documents


Procedure

1. In the **Display Document: Data Entry View** screen of the source document, select the **Services for Object** icon.
2. Choose **Relationships**.



The **Detail View** displays the relationships for the selected source document. For electronic documents, the **Description** field concatenates the following information:

- o eDocument icon for metastatus: completed, in process, or action required
- o eDocument process description
- o eDocument process status description



i Note

The navigation to archived eDocuments isn't supported. To display an archived eDocument, search for it in the archive file.

When a source document is archived, the relationship between the source document and the eDocument is also archived.

If an eDocument is deleted, the relationship is also deleted.

You can navigate to the eDocument in the **eDocument Cockpit** (transaction EDOC COCKPIT) by double-clicking on the entry.

i Note

The relationship between source document and eDocument is only established for newly created documents.

To link an existing eDocument to its corresponding source document, run the [Create Relationship Between eDocument and Source Document](#) report (transaction code EDOC_RELATION). For more information, see the system documentation of the report.

Task overview: [eDocument Cockpit](#)

Related Information

Using the Search Function in the eDocument Cockpit

Displaying Errors in the eDocument Cockpit

Displaying Archived Documents

Displaying Archived Documents

You can display the electronic documents that have been archived directly in the **eDocument Cockpit** (EDOC COCKPIT).

Context

This is custom documentation. For more information, please visit [SAP Help Portal](#).

Electronic documents often include personal data that requires protection. When documents have served their intended purpose, you should schedule archiving for electronic documents in the **eDocument Cockpit** using the **EDOCUMENT** archiving object. This process helps ensure personal data protection compliance. You can still access these archived documents later when needed, for example, for auditing purposes.

Procedure

1. Open the **eDocument Cockpit**.
2. Choose **Change** on the left top corner to change the selection criteria.
The **Select eDocuments** screen appears.
3. Choose the **Data Source** icon on the bottom-right corner.
4. Choose **Archive** in the **Select data source** dialog. You can then choose between the following options:

- o **Archive Information System**

This option selects all archive files from the Archive Information System.

i Note

For the use of the Archive Information System, info structures need to be activated in each system client. You can use the two archive info structures SAP_EDOC_01 and SAP_EDOC_02, or create your own ones based on the field catalog SAP_EDOCUMENT.

- o **Select Files Manually** > **Archive Selec.** >

This option enables you to select archive files manually.

5. If you chose **Archive Information System**, then choose **Continue**. If you chose **Select Files Manually**, select the files that you want to display and choose **Continue**.

Task overview: [eDocument Cockpit](#)

Related Information

[Using the Search Function in the eDocument Cockpit](#)

[Displaying Errors in the eDocument Cockpit](#)

[Navigating from a Source Document to an eDocument](#)

[Archiving Electronic Documents with EDOCUMENT](#)

Create Electronic Documents Manually - Special Cases

App ID: F7437

With this app, you can create electronic documents manually when automatic creation fails or doesn't apply.

Normally, electronic documents are created automatically once source documents are posted. However, there are special cases where you can't use automatic creation. Examples include:

- The source documents were posted before the electronic document solution went live.
- An electronic document was created automatically once the source document was posted. Later, you deleted the electronic document, but now you want to create an electronic document for the source document again.
- Automatic creation fails due to technical reasons.

Key Features

You can use this app to do the following:

- Get a list of the source documents that are **relevant for electronic document creation, but have no electronic documents**
- Create electronic documents for the source documents that are **relevant for electronic document creation, but have no electronic documents**
- Get a list of the source documents that are **not relevant for electronic document creation and therefore have no electronic documents**
- Navigate to source documents
- Navigate to electronic documents in the **Manage Electronic Documents** app after creation

If your process is supported in the **eDocument Cockpit** only, you have to search for electronic documents there after creation. Navigation isn't available for these electronic documents.

You can work with the following types of source documents in this app:

- Journal entry
- Billing document
- Convergent invoicing document
- Supplier invoice
- Purchase order

- Settlement document

Not all these document types are necessarily relevant to you. It depends on your country/region and electronic document process.

→ Tip

This app contains in-app help for key fields and concepts. To display the help while working in the app, choose the question mark displayed in the header. UI elements with in-app help have a question mark above them. To see the help, hover over the question mark.

Information for Key Users

The SAP Fiori apps reference library has details about the content necessary for giving users access to an app on the [SAP Fiori launchpad](#). To see this app's Fiori content, go to the [SAP Fiori apps reference library](#) and search for the app. Then select the product. On the **Implementation Information** tab, select the correct release. The details are in the **Configuration** section.

To search for the app, you can use the app ID **F7437**.

Alternatively, you can access this app's Fiori content directly at [App entry in the SAP Fiori apps reference library](#).

Supported Device Types

- Desktop
- Smartphone
- Tablet

Parent topic: [Apps and Transactions](#)

Related Information

[eDocument Cockpit](#)

[Updating Status](#)

[Inbound Messages](#)

[Processing Electronic Documents in the Background](#)

[Authorization Objects](#)

Updating Status

Provides instructions on how to make settings in the **eDocument Inbound Message Handler** (EDOC_INBOUND_MSG) to periodically update statuses from the service provider. You must configure the **eDocument Inbound Message Handler** to receive updated statuses from the service provider.

Procedure

1. Go to the **eDocument Inbound Message Handler** (EDOC_INBOUND_MSG) transaction.
2. Select the **Company Code**, the **Country**, and the PT_INV_RESPONSE_PULL **Message Type**.
3. Select **Get Available Messages** and **Process Existing Messages**.
4. Execute the report. You can also schedule a background job to run the **eDocument Inbound Message Handler** (EDOC_MESSAGE_HANDLING) report periodically.
5. Return to the eDocument cockpit to check the updated status of the eDocument.

Task overview: [Apps and Transactions](#)

Related Information

[eDocument Cockpit](#)

[Create Electronic Documents Manually - Special Cases](#)

[Inbound Messages](#)

[Processing Electronic Documents in the Background](#)

[Authorization Objects](#)

Inbound Messages

App ID: F7317

With this app, you can list, filter, and process inbound messages related to electronic documents. You have either retrieved the incoming messages by scheduling a job or the incoming messages have been pushed automatically to your system.

Key Features

You can use this app to do the following:

- List existing inbound messages that have been previously loaded.
- Filter inbound messages according to different criteria. You can choose from a variety of filters. If you want to keep a filter selection for future use, you can save your filter settings as a view.
- Process inbound messages with the following statuses:
 - Ready for Processing
 - Processed with Error

→ Tip

This app contains in-app help for key fields and concepts. To display the help while working in the app, choose the question mark displayed in the header. UI elements with in-app help have a question mark on top of them. To see the help, click the circle.

Supported Device Types

- Desktop
- Tablet
- Smartphone

Information for Key Users

The **Inbound Messages** app and the **Process eDocument Inbound Messages** app require the same configuration activities. If you already use the **Process eDocument Inbound Messages**, you can start using the **Inbound Messages** app right away.

The SAP Fiori apps reference library has details about the content necessary for giving users access to an app on the **SAP Fiori launchpad**. To see this app's Fiori content, go to the [SAP Fiori apps reference library](#) and search for the app. Then select the product. On the **Implementation Information** tab, select the correct release. The details are in the **Configuration** section.

To search for the app, you can use the App ID: **F7317**

Alternatively, you can access this app's Fiori content directly under [App entry in the SAP Fiori apps reference library](#).

Parent topic: [Apps and Transactions](#)

Related Information

[eDocument Cockpit](#)

[Create Electronic Documents Manually - Special Cases](#)

[Updating Status](#)

[Processing Electronic Documents in the Background](#)

[Authorization Objects](#)

Processing Electronic Documents in the Background

Most actions you perform in the **eDocument Cockpit** transaction or **Manage Electronic Documents** app can be automated by using the job scheduling function.

Context

You use the **eDocument Background Processing** report to create automatic jobs to run specific process actions on selected electronic documents. You can define that the jobs run in the background and also schedule them.

Procedure

1. To find the **eDocument Background Processing**, go to the **SAP Menu** and choose **►SAP Easy Access►Cross-Application Components►Document and Reporting Compliance►eDocument Background Processing**  Alternatively, you can call the ED0C_BACKGROUND transaction.
2. For information about the actions you can do in the report, choose the **Program Documentation** pushbutton on the selection screen.

Task overview: [Apps and Transactions](#)

Related Information

[eDocument Cockpit](#)

[Create Electronic Documents Manually - Special Cases](#)

[Updating Status](#)

[Inbound Messages](#)

[Authorization Objects](#)

Authorization Objects

The business system checks the users' authorizations before they can perform certain actions on electronic documents. Some authorization objects are required in the AAAB authorization class for performing actions on electronic documents.

List of Authorization Objects and Respective Transactions

Object Name	Description	Authorization Fields	Transactions
EDO_BUK	eDocument: Authorization for Company code	• BUKRS	eDocument Cockpit (EDOC_COCKPIT) eDocument Inbound Message Handler (EDOC_MESSAGE_HANDLING)
EDO_PROG	eDocument: Authorization for Process & Process Step	• EDO_PROG • EDO_PRSTEP	eDocument Cockpit (EDOC_COCKPIT)
EDO_MSGTY	eDocument: Authorization for Inbound Message Type	• EDO_MSGTY	Upload Tool for Incoming Messages (EDOC_INBOUND_UPLOAD)
EDO_GLOVAR	Maintain Global Selection Variants in eDocument Cockpit	• ACTVT	eDocument Cockpit (EDOC_COCKPIT)
/AIF/PROC	AIF Interface Processing	• ACTVT (Value: 61) • /AIF/NS (Value: /EDPTI)	eDocument Cockpit (EDOC_COCKPIT)
EDO_ORG	Electronic Document: Authorization for Organizational Unit	• EDO_PROG • EDO_ORG • EDO_ORGVAL	eDocument Cockpit (EDOC_COCKPIT)

Parent topic: [Apps and Transactions](#)

Related Information

[eDocument Cockpit](#)

[Create Electronic Documents Manually - Special Cases](#)

[Updating Status](#)

[Inbound Messages](#)

[Processing Electronic Documents in the Background](#)

Master Data

To be able to exchange invoices with your business partners, you must maintain some information in their master data.

[Maintaining VAT Number for Business Partners](#)

If your business partners are identified using the VAT number, you must maintain this information in the business partners master data.

[Maintaining Master Data of Business Partners](#)

You define in master data which business partners are eligible for receiving electronic invoices.

Parent topic: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)

[Cancelling Electronic Documents](#)

[Submission of Invoices per E-Mail to German Customers](#)

[Apps and Transactions](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Extension and Development](#)

[Archiving Data in SAP Application Interface Framework](#)

[Configuring Read Access Logging in Electronic Documents](#)

Maintaining VAT Number for Business Partners

If your business partners are identified using the VAT number, you must maintain this information in the business partners master data.

Procedure

1. Open **Maintain Business Partner** (transaction BP).
2. Search for your business partner.
3. In **Identification** > **Tax Numbers**, in **Category**, select XX0 (where XX is the two-digit ISO country code of your business partner), and in **Tax Number**, enter the VAT number.
4. Save your entries.

Task overview: [Master Data](#)

Related Information

[Maintaining Master Data of Business Partners](#)

Maintaining Master Data of Business Partners

You define in master data which business partners are eligible for receiving electronic invoices.

Procedure

1. Go to SAP Easy Access Menu and choose **Cross-Application Components** > **Document and Reporting Compliance** > **Portugal** > **Maintain Master Data of Business Partners**

i Note

If you don't see this option in the SAP Easy Access Menu, you can call the ED0PTBUPAV view in the SM30 transaction.

2. Choose **Maintain**.
3. Choose **New Entries**.
4. For each relevant partner enter the **Partner ID**, and choose **Partner Type**. Check the box **Relevant**, and save your changes.

Task overview: [Master Data](#)

Related Information

[Maintaining VAT Number for Business Partners](#)

Implementation

How to ensure that you have implemented all required features to create and exchange electronic documents for Portugal.

- If your system is on the latest Support Package available for your release, your system already contains the features for electronic document processing for Portugal.
- If you are implementing electronic document processing for Portugal by installing SAP Notes, refer to the overview SAP Note [2832220](#) for more information.

i Note

In both cases, you must monitor the CA-GTF-CSC-EDO-PT component for being informed about corrections for electronic document processing for Portugal.

Parent topic: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)

[Cancelling Electronic Documents](#)

[Submission of Invoices per E-Mail to German Customers](#)

[Apps and Transactions](#)

[Master Data](#)

[Customizing](#)

[Integration](#)

[Extension and Development](#)

[Archiving Data in SAP Application Interface Framework](#)

[Configuring Read Access Logging in Electronic Documents](#)

Customizing

Before you can start exchanging electronic documents, you must set up the system to create electronic documents for the business scenarios your company requires.

→ Tip

For more details on the Customizing activities, see the attachments of the following SAP Notes:

- SAP Note [2832207](#) 
- SAP Note [2875863](#) 
- SAP Note [2898942](#) 

i Note

Updates in the Customizing (SPRO) transaction are only delivered with Support Packages (SPs). Depending on which SP your system is on, you don't see the Implementation Guide structure or not all Customizing activities are displayed for you. Once you implement the latest SP for your release, the Customizing is updated with the latest changes. As a workaround, you can call the views using the SM30 transaction.

[Activating Document and Reporting Compliance Features](#)

Before you start working with SAP Document and Reporting Compliance, you need to select the countries/regions for which you want to activate the features.

[Technical Settings](#)

To enable the functionality that a document posted in the business system is created in the **eDocument Cockpit** (EDOC_COCKPIT) for further processing, you perform additional configurations.

[Settings for Communication](#)

To enable the communication between your business system and SAP Document and Reporting Compliance, perform the following configurations. This communication is required to send electronic documents to the tax authority.

[Mapping Fields to the XML File](#)

The system uses SAP Application Interface Framework to map the fields of the source documents to the electronic document, normally an XML file. You implement standard settings in form of BC sets.

[Business Settings](#)

According to your business needs, you can define for each company code the source document types for which you want to create electronic documents. For the activated source document types, you then define which electronic document types they generate.

Parent topic: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)

[Cancelling Electronic Documents](#)

[Submission of Invoices per E-Mail to German Customers](#)

[Apps and Transactions](#)

[Master Data](#)

[Implementation](#)

[Integration](#)

[Extension and Development](#)

[Archiving Data in SAP Application Interface Framework](#)

[Configuring Read Access Logging in Electronic Documents](#)

Activating Document and Reporting Compliance Features

Before you start working with SAP Document and Reporting Compliance, you need to select the countries/regions for which you want to activate the features.

Prerequisites

Before you start customizing your system, check the general activation requirements under [Requirements for Enabling Features in SAP Document and Reporting Compliance](#).

Procedure

1. In Customizing for **Cross-Application Components** choose **General Application Functions** > **Document and Reporting Compliance** > **General Settings** > **Activate Document and Reporting Compliance Features** . Alternatively, you can search for the GCOV_ADV_LIC_CTR view using the SM30 transaction.
2. Choose **New Entries**.
3. Select the countries/regions for which you want to activate the features. You can either select all countries/regions or individual countries/regions.
4. Save your entries.

Task overview: [Customizing](#)

Related Information

[Technical Settings](#)

[Settings for Communication](#)

[Mapping Fields to the XML File](#)

[Business Settings](#)

Technical Settings

To enable the functionality that a document posted in the business system is created in the **eDocument Cockpit** (EDOC_COCKPIT) for further processing, you perform additional configurations.

You have carried out the implementation steps described in the attachment of the SAP Note [2875863](#).

[Defining Business Transaction Event \(BTE\) for Electronic Documents](#)

To enable the creation of electronic documents for accounting documents using the **eDocument Cockpit**, the first step is to define the **EDO** BTE in your system.

[Registering Function Modules for Electronic Documents](#)

For the **EDO** Business Transaction Event (BTE) you must register some function modules.

[Redefining Activation Date for Interface Version](#)

You can define an activation date other than the one provided by SAP for an eDocument interface version. An electronic document interface version becomes active from the active date you've specified.

[Maintaining General Parameters for eDocument \(Optional\)](#)

Maintain general customizing parameters relevant for electronic documents, for example, the maximum file size for uploading electronic document files or the maximum number of entries when you're processing one electronic document in the background. These parameters are visible for all processes globally.

Parent topic: [Customizing](#)

Related Information

[Activating Document and Reporting Compliance Features](#)

[Settings for Communication](#)

[Mapping Fields to the XML File](#)

[Business Settings](#)

Defining Business Transaction Event (BTE) for Electronic Documents

To enable the creation of electronic documents for accounting documents using the **eDocument Cockpit**, the first step is to define the **EDO** BTE in your system.

Procedure

- 1. Go to the **SAP Business Framework: Business Transactions Events (FIBF)** transaction and choose **More > Settings > Identification > SAP Applications**.
- 2. Select **New Entries**.
- 3. Make the following entries:

Definition of BTE for Electronic Documents		
Appl.	A	Text
EDOC	check this checkbox	eDocuments

- 4. Save your entries.

Task overview: [Technical Settings](#)

Related Information

[Registering Function Modules for Electronic Documents](#)

[Redefining Activation Date for Interface Version](#)

[Maintaining General Parameters for eDocument \(Optional\)](#)

Registering Function Modules for Electronic Documents

For the **EDO** Business Transaction Event (BTE) you must register some function modules.

Procedure

- 1. Go to the **SAP Business Framework: Business Transactions Events (FIBF)** transaction and choose **More > Settings > P/S Modules > ... of an SAP Application**.
- 2. Select **New Entries** and make the following entries:

Register Function Modules for Electronic Documents			
Event	Ctrl	Appl.	Function Module
00001025		EDOC	EDOC_BTE_00001025
00001030		EDOC	EDOC_BTE_00001030
00001042		EDOC	EDOC_BTE_00001042
00001050		EDOC	EDOC_BTE_00001050

- 3. Save your entries.

Task overview: [Technical Settings](#)

Related Information

- [Defining Business Transaction Event \(BTE\) for Electronic Documents](#)
- [Redefining Activation Date for Interface Version](#)
- [Maintaining General Parameters for eDocument \(Optional\)](#)

Redefining Activation Date for Interface Version

You can define an activation date other than the one provided by SAP for an eDocument interface version. An electronic document interface version becomes active from the active date you've specified.

Procedure

1. In Customizing for [Cross-Application Components](#), choose [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Electronic Document Processing](#) [Electronic Invoice](#) [Optional Settings](#) [Redefine Activation Date for Interface Version](#) . Alternatively, search for the ED0INTVERSCUSTV view using the SM30 transaction.
2. Choose [New Entries](#).
3. Select an interface ID, a version, and the date on which the eDocument interface version becomes valid.
4. Save your entries.

Task overview: [Technical Settings](#)

Related Information

- [Defining Business Transaction Event \(BTE\) for Electronic Documents](#)
- [Registering Function Modules for Electronic Documents](#)
- [Maintaining General Parameters for eDocument \(Optional\)](#)

Maintaining General Parameters for eDocument (Optional)

Maintain general customizing parameters relevant for electronic documents, for example, the maximum file size for uploading electronic document files or the maximum number of entries when you're processing one electronic document in the background. These parameters are visible for all processes globally.

Procedure

1. In Customizing for [Cross-Application Components](#), choose [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Electronic Document Processing](#) [Electronic Invoice](#) [Optional Settings](#) [Maintain General Parameters for eDocument](#) . Alternatively, search for the ED0GENCUSTV view using the SM30 transaction.
2. Choose [New Entries](#).
3. Select the name of the customizing parameter in [Cust. Param. Name](#).
4. Enter the value for the customizing parameter in [Cust. Param. Value](#).

❖ Example

If you want to define the file size, your configuration may look like this:

Cust. Param. Name	Cust. Param. Value
FILE_SIZE Limit for Uploading File Size (in KB)	10

5. Save your entries.

Task overview: [Technical Settings](#)

Related Information

- [Defining Business Transaction Event \(BTE\) for Electronic Documents](#)
- [Registering Function Modules for Electronic Documents](#)
- [Redefining Activation Date for Interface Version](#)

Settings for Communication

To enable the communication between your business system and SAP Document and Reporting Compliance, perform the following configurations. This communication is required to send electronic documents to the tax authority.

[Defining Interface Type for eDocument](#)

For each company code and eDocument type combination, you define the interface type that the system uses for the generation of eDocuments as well as for the sending of the files to external systems.

[Assigning eDocument Statuses to Process Status](#)

To better meet your business processes, you can change the standard assignment of electronic document statuses to process statuses.

[Setting Up Communication with External Systems](#)

SOA services are required for the communication between the business system and SAP Document and Reporting Compliance. Additionally, create the logical ports in SOAMANAGER.

Parent topic: [Customizing](#)

Related Information

[Activating Document and Reporting Compliance Features](#)

[Technical Settings](#)

[Mapping Fields to the XML File](#)

[Business Settings](#)

Defining Interface Type for eDocument

For each company code and eDocument type combination, you define the interface type that the system uses for the generation of eDocuments as well as for the sending of the files to external systems.

Procedure

1. In Customizing for Cross-Application Components, choose [General Application Functions > Document and Reporting Compliance > Country/Region-Specific Settings > Portugal > Electronic Document Processing > Electronic Invoice > Define Interface Type for eDocument](#). Alternatively, search for the ED0INTTYPEV view using the SM30 transaction.
2. Choose [New Entries](#).
3. Make an entry for each company code and eDocument type combination for which you want to define an interface. Ensure that the interface type is [Standard implementation using AIF](#).

 Example

If you want to define the interfaces for the company code <Your_Company>, your configuration may look like this:

Company Code	eDoc Type	Type Description	Interface Type
<Your_Company>	PT_CRE	Portugal Credit Note	Standard Implementation using AIF
<Your_Company>	PT_INV	Portugal eInvoice	Standard Implementation using AIF

4. Save your entries.

Task overview: [Settings for Communication](#)

Related Information

[Assigning eDocument Statuses to Process Status](#)

[Setting Up Communication with External Systems](#)

Assigning eDocument Statuses to Process Status

To better meet your business processes, you can change the standard assignment of electronic document statuses to process statuses.

Context

The eDocument status helps you quickly identify when an eDocument requires that you perform an action on it. By default, each process status of an eDocument type is assigned to one of the existing eDocument statuses:

- Green: Completed
- Yellow: In process
- Red: Action required

You can change the standard assignment to any of the existing eDocument statuses.

Procedure

1. In Customizing for Cross-Application Components, choose [General Application Functions > Document and Reporting Compliance > Country/Region-Specific Settings > Portugal > Electronic Document Processing > Electronic Invoice > Assign eDocument Status to Process Status](#). Alternatively, search for the ED0METASTATUSV view using the SM30 transaction.

- 2. Select the entry that you want to modify and choose the electronic document status you want to use.
- 3. Save your entries.

Results

The system updates the eDocument statuses and icons in the **Status** column based on your selection. To synchronize the statuses and icons of electronic documents that existed before your changes, run the **Update eDocument Status** (EDOC_UPDATE_METASTATUS) report.

❖ Example

By default, the process status ACCEPTED is assigned to the eDocument status **In process**. However, you want to assign the status **Completed** instead:

Default Entry				
eDocument Status	Process Description	Process Status	Process Status Description	Status
PTINVOUT	Portugal eInvoice	ACCEPTED	Accepted	In process

Customized Entry				
eDocument Status	Process Description	Process Status	Process Status Description	Status
PTINVOUT	Portugal eInvoice	ACCEPTED	Accepted	Completed

Task overview: [Settings for Communication](#)

Related Information

- [Defining Interface Type for eDocument](#)
- [Setting Up Communication with External Systems](#)

Setting Up Communication with External Systems

SOA services are required for the communication between the business system and SAP Document and Reporting Compliance. Additionally, create the logical ports in SOAMANAGER.

Prerequisites

You have implemented the SAP Note [2898942](#) manually.

Procedure

- 1. Carry out the following Customizing activities to define and assign SOA services:
 - [Defining SOA Services for Communication](#)
 - [Assigning SOA Services to eDocument Interfaces](#)
- 2. Create logical ports in SOAMANAGER. See [Integrating With SAP Integration Suite](#).

[Defining SOA Services for Communication](#)

SOA services are required for the communication between the business system and SAP Document and Reporting Compliance. In this Customizing, you assign a logical port to a SOA service. You can restrict this assignment to one specific company code only.

[Assigning SOA Services to eDocument Interfaces](#)

For the communication between the business system and SAP Document and Reporting Compliance, you assign the SOA services to interfaces.

Task overview: [Settings for Communication](#)

Related Information

- [Defining Interface Type for eDocument](#)
- [Assigning eDocument Statures to Process Status](#)

Defining SOA Services for Communication

SOA services are required for the communication between the business system and SAP Document and Reporting Compliance. In this Customizing, you assign a logical port to a SOA service. You can restrict this assignment to one specific company code only.

Procedure

- 1. In Customizing for **Cross-Application Components**, choose **General Application Functions > Document and Reporting Compliance > Country/Region-Specific Settings > Portugal > Electronic Document Processing > Electronic Invoice > Define SOA Services for Communication** . Alternatively, search for the ED0S0ASERV view using the SM30 transaction.
- 2. Assign the company code for the following SOA services:

i Note

If you leave the company code field empty, the system applies the same assignment to all company codes not specified in other table entries for the same SOA service. This serves as the default assignment. Entering a company code for an entry restricts the assignment to that specific company code.

SOA Service Name	Company Code	Logical Port	SOA Service Description
PT_SEND_INVOICE	<Your Company Code>	EDO_PT_SEND_INVOICE	Portugal Invoice Transmission Service
PT_SEND_CREDIT_NOTE	<Your Company Code>	EDO_PT_SEND_CREDITNOTE	Portugal Credit Note Transmission Service
PT_INV_PULL_MESSAGES	<Your Company Code>	EDO_PT_PULL_MESSAGE	Portugal eInvoice: Pull Messages
PT_INV_DELE_MESSAGES	<Your Company Code>	EDO_PT_DELETE_MESSAGE	Portugal eInvoice: Delete Messages

3. Save your entries.

Task overview: [Setting Up Communication with External Systems](#)

Related Information

[Assigning SOA Services to eDocument Interfaces](#)

Assigning SOA Services to eDocument Interfaces

For the communication between the business system and SAP Document and Reporting Compliance, you assign the SOA services to interfaces.

Procedure

- 1. In Customizing for [Cross-Application Components](#), choose [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Electronic Document Processing](#) > [Electronic Invoice](#) > [Assign SOA Services to eDocument Interfaces](#) . Alternatively, search for the EDOINTV view using the SM30 transaction.
- 2. Assign the SOA services to the available interfaces:

Interface ID	SOA Service Name	Direction	Interface Description
PT_INVOICE_TRANSM	PT_SEND_INVOICE	Outbound	Portugal Send Invoice Request
PT_INVOICE_RESPONSE	PT_SEND_INVOICE	Inbound	Portugal Send Invoice Response
PT_CREDIT_NOTE_TRANSM	PT_SEND_CREDIT_NOTE	Outbound	Portugal Send Credit Note Request
PT_CREDIT_NOTE_RESPONSE	PT_SEND_CREDIT_NOTE	Inbound	Portugal Send Credit Note Response
PT_INV_MESSAGE_PULL_REQUEST	PT_INV_PULL_MESSAGES	Outbound	Portugal eInvoice: Pull Messages from Datastore Request
PT_INV_MESSAGE_PULL_RESPONSE	PT_INV_PULL_MESSAGES	Inbound	Portugal eInvoice: Pull Messages from Datastore Response
PT_INV_MESSAGE_DELETE_REQUEST	PT_INV_DELE_MESSAGES	Outbound	Portugal eInvoice: Delete Messages From Datastore (Request)
PT_INV_MESSAGE_DELETE_RESPONSE	PT_INV_DELE_MESSAGES	Inbound	Portugal eInvoice: Delete Messages From Datastore (Response)

3. Save your entries.

Task overview: [Setting Up Communication with External Systems](#)

Related Information

[Defining SOA Services for Communication](#)

Mapping Fields to the XML File

The system uses SAP Application Interface Framework to map the fields of the source documents to the electronic document, normally an XML file. You implement standard settings in form of BC sets.

Context

To integrate both your system and SAP Application Interface Framework, you perform some steps that are generic and you also make some country/region-specific settings.

i Note

Procedure

1. Create and activate database tables and BAdI implementations in a customer namespace as described in SAP Note [2027186](#) . These objects are generic and valid for all countries/regions.
2. SAP Application Interface Framework is fully compliant with the eDocument solution as of AIF version 701.SP 06. Install the global BC sets delivered with the SAP Note [2360094](#)  doing the following:
 - a. Use the SCPR3 transaction to upload the BC sets.
 - b. Use the SCPR20 transaction to activate the BC sets.

The available BC sets contain all necessary generic customizing entries. By activating the BC sets, some generic entries are automatically made in your system, such as the global namespace /ED0 is created as well as all other relevant objects needed for the creation of a generic electronic document.

3. Create and activate BAdI implementations and customizing entries that are specific for Portugal. For more information, see SAP Note [2898942](#) .
4. Go to the /n/AIF/CONTENT_EXTRACT transaction to extract and deploy content of SAP Application Interface Framework using the deployment scenario SAP_COM_0631.

Value Mapping

Find information about configuring value mapping that are relevant for electronic documents in Portugal.

Fix Value

Find information about fix value that are relevant for electronic documents in Portugal.

Task overview: [Customizing](#)

Related Information

[Activating Document and Reporting Compliance Features](#)

[Technical Settings](#)

[Settings for Communication](#)

[Business Settings](#)

Value Mapping

Find information about configuring value mapping that are relevant for electronic documents in Portugal.

Configuring Invoice Type Mapping for FI Documents (INVOICE_TYPE_FI)

Use this value mapping to map the invoice and debit memos type codes defined in your system with the external values accepted by the tax authority. This value mapping is optional. If you don't maintain it, the value is retrieved from the fix value INVOICE_TYPE in [Define Fix Values](#). In this case, the differentiation between debit notes and invoices isn't possible.

Configuring Invoice Type Mapping for SD Documents (INVOICE_TYPE_SD)

Use this value mapping to map the invoice and debit memos type codes defined in your system with the external values accepted by the tax authority. This value mapping is optional. If you don't maintain it, the value is retrieved from the fix value INVOICE_TYPE in [Define Fix Values](#). In this case, the differentiation between debit notes and invoices isn't possible.

Configuring UNCL4461 Code List (PAYMENT_MEANS_CODE)

Use this value mapping to map the payment means defined in your system with the external values for payment means defined by the CIUS-PT standard UNCL4461 code list.

Configuring Unit of Measure to External Value (UNIT_OF_MEASURE_CODE)

Use this value mapping to convert the internal unit of measure code (BUn) configured in your system to the one required by the service provider. By using this value mapping, it isn't necessary to change the configuration you've done in the CUNI transaction.

Parent topic: [Mapping Fields to the XML File](#)

Related Information

[Fix Value](#)

Configuring Invoice Type Mapping for FI Documents (INVOICE_TYPE_FI)

Use this value mapping to map the invoice and debit memos type codes defined in your system with the external values accepted by the tax authority. This value mapping is optional. If you don't maintain it, the value is retrieved from the fix value INVOICE_TYPE in [Define Fix Values](#). In this case, the differentiation between debit notes and invoices isn't possible.

Procedure

1. Maintain value mappings in the /n/AIF/VMAP transaction.
2. Enter the /EDPTI namespace and search for value mapping INVOICE_TYPE_FI.
3. Map the entries used in your system to the external value codes defined by the tax authority for FI document type. An example could look like this.

Example

Index	External Value	Document Type	Default
1	FT	SL	
2	ND	SN	

4. Save your entries.

Task overview: [Value Mapping](#)

Related Information

[Configuring Invoice Type Mapping for SD Documents \(INVOICE_TYPE_SD\)](#)

[Configuring UNCL4461 Code List \(PAYMENT_MEANS_CODE\)](#)

[Configuring Unit of Measure to External Value \(UNIT_OF_MEASURE_CODE\)](#)

Configuring Invoice Type Mapping for SD Documents (INVOICE_TYPE_SD)

Use this value mapping to map the invoice and debit memos type codes defined in your system with the external values accepted by the tax authority. This value mapping is optional. If you don't maintain it, the value is retrieved from the fix value INVOICE_TYPE in [Define Fix Values](#). In this case, the differentiation between debit notes and invoices isn't possible.

Procedure

1. Maintain value mappings in the /n/AIF/VMAP transaction.
2. Enter the /EDPTI namespace and search for value mapping INVOICE_TYPE_SD.
3. Map the entries used in your system to the external value codes defined by the tax authority for SD document category. An example could look like this.

❖ Example

Index	External Value	Document Type	Default
1	ND	P	
2	FT	M	

4. Save your entries.

Task overview: [Value Mapping](#)

Related Information

[Configuring Invoice Type Mapping for FI Documents \(INVOICE_TYPE_FI\)](#)

[Configuring UNCL4461 Code List \(PAYMENT_MEANS_CODE\)](#)

[Configuring Unit of Measure to External Value \(UNIT_OF_MEASURE_CODE\)](#)

Configuring UNCL4461 Code List (PAYMENT_MEANS_CODE)

Use this value mapping to map the payment means defined in your system with the external values for payment means defined by the CIUS-PT standard UNCL4461 code list.

Procedure

1. Maintain value mappings in the /n/AIF/VMAP transaction.
2. Enter the /EDPTI namespace and search for value mapping PAYMENT_MEANS_CODE.
3. Map the payment method codes used in your system to the external values for payment means defined by the CIUS-PT standard **UNCL4461** code list: CC, CD, CH, CI, CO, CS, DE, LC, MB, NU, OU, PR, TB, TR.

❖ Example

Index	External Value	Payment Method	Default
1	CC	C	
2	CH	E	

4. Save your entries.

Task overview: [Value Mapping](#)

Related Information

[Configuring Invoice Type Mapping for FI Documents \(INVOICE_TYPE_FI\)](#)
[Configuring Invoice Type Mapping for SD Documents \(INVOICE_TYPE_SD\)](#)
[Configuring Unit of Measure to External Value \(UNIT_OF_MEASURE_CODE\)](#)

Configuring Unit of Measure to External Value (UNIT_OF_MEASURE_CODE)

Use this value mapping to convert the internal unit of measure code (BUn) configured in your system to the one required by the service provider. By using this value mapping, it isn't necessary to change the configuration you've done in the CUNI transaction.

Procedure

1. Maintain value mappings in the /n/AIF/VMAP transaction.
2. Enter the /EDPTI namespace and search for value mapping UNIT_OF_MEASURE_CODE.
3. Maintain as many units of measures as you need for your business:
 - **External Value:** Enter a value. This is the unit of measure you want to display in the XML.
 - **BUn** (Base Unit of Measure): Select or enter the internal unit of measure code you want to have mapped to the external value.

❖ Example

See the example of some of possible values:

Index	External Value	BUn	Default
1	KGM	KG	
2	EA	PC	

4. Save your entries.

Task overview: [Value Mapping](#)

Related Information

[Configuring Invoice Type Mapping for FI Documents \(INVOICE_TYPE_FI\)](#)
[Configuring Invoice Type Mapping for SD Documents \(INVOICE_TYPE_SD\)](#)
[Configuring UNCL4461 Code List \(PAYMENT_MEANS_CODE\)](#)

Fix Value

Find information about fix value that are relevant for electronic documents in Portugal.

[Configuring Price Conditions \(PRICE\)](#)

Use this fix value to determine the condition types the system uses to calculate the price amount.

Parent topic: [Mapping Fields to the XML File](#)

Related Information

[Value Mapping](#)

Configuring Price Conditions (PRICE)

Use this fix value to determine the condition types the system uses to calculate the price amount.

Prerequisites

You have already defined condition types to be used in your invoices in the source application. In the **VA03** transaction, you can check the condition types maintained in your system.

Procedure

1. Maintain fix values in the /N/AIF/CUST transaction under **Interface Development > Define Fix Values**.

i Note

If you are not able to maintain this transaction, refer to the SAP Note [2178382](#).

2. Enter the namespace /EDPTI. In the next screen, search for the fix value and enter a value.

a.

i. If you maintain this fix value, the system considers the statistical condition types as well.

ii. If a condition type does not match any of the fix values, then the system can't determine the correct price amount (price amount = zero).

iii. If you do not define any fix values, the system calculates the price based on the master data configuration. Condition class classified as 'B' (Prices) must not be set as statistical and inactive.

b. Double click on **PRICE** and choose **Define Fix Value Table**.

c. Enter a row number and the value of the condition type you want to map. See the following example:

Example

Example of Condition Type
Value

Row	Value
1	PROO
2	PPRO

3. Save your entries.

Task overview: [Fix Value](#)

Business Settings

According to your business needs, you can define for each company code the source document types for which you want to create electronic documents. For the activated source document types, you then define which electronic document types they generate.

[Activating Source Type Documents for Company Code](#)

For a company code, you can define for which type of source document you want electronic documents to be created. You can define multiple entries for one company code.

[Activating Additional eDocument Instance Creation](#)

Factory classes allow for the generation of additional electronic document instances and enable the assignment of the same source type to multiple business scenarios within a country/region.

[Assigning eDocument Type to Accounting Document Type](#)

Maintain this Customizing activity if you want to trigger the creation of eDocuments when an accounting document is posted.

[Assigning eDocument Type to Billing Document Type](#)

Maintain this Customizing activity if you want to trigger the creation of eDocuments when a billing document (without accounting document) is posted.

Parent topic: [Customizing](#)

Related Information

[Activating Document and Reporting Compliance Features](#)

[Technical Settings](#)

[Settings for Communication](#)

[Mapping Fields to the XML File](#)

Activating Source Type Documents for Company Code

For a company code, you can define for which type of source document you want electronic documents to be created. You can define multiple entries for one company code.

Context

The following source document types are supported:

- Accounting document (FI_INVOICE)
- Billing document (SD_INVOICE)

You can activate the eDocument for several types of source documents belonging to one application. Therefore, ensure that the selection of source document types for one application isn't redundant.

Procedure

- In Customizing for [Cross-Application Components](#), choose [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Electronic Document Processing](#) > [Electronic Invoice](#) > [Activate Source Type Documents for Company Code](#). Alternatively, you can search for the ED0COMPANYACTIV view using the SM30 transaction.

- Choose [New Entries](#).

This is custom documentation. For more information, please visit [SAP Help Portal](#).

3. Make an entry for each company code and source document combination that you want to activate.

4. Choose **Active** to activate each combination.

❖ Example

If you want to activate billing and accounting documents for company code <Your_Company>, your configuration may look like this:

Company Code	Source Type	Active
<Your_Company>	SD_INVOICE	X
<Your_Company>	FI_INVOICE	X

5. Save your entries.

Task overview: [Business Settings](#)

Related Information

[Activating Additional eDocument Instance Creation](#)

[Assigning eDocument Type to Accounting Document Type](#)

[Assigning eDocument Type to Billing Document Type](#)

Activating Additional eDocument Instance Creation

Factory classes allow for the generation of additional electronic document instances and enable the assignment of the same source type to multiple business scenarios within a country/region.

Prerequisites

You have already assigned source documents to specific electronic document types. See [Activating Source Type Documents for Company Code](#).

Context

You can register factory classes to generate additional electronic document instances that will be processed for your business scenario.

i Note

When you register your own class, your eDocument instance should be a reference to CL_XYZ that you've inherited from CL_EDOCUMENT. Your factory class CL_FACTORY_XYZ needs to be inherited from CL_EDOC_FACTORY returning eDocument instances of CL_XYZ in method create_edoc_instances.

Procedure

1. In Customizing for [Cross-Application Components](#), choose [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Electronic Document Processing](#) [Electronic Invoice](#) [Activate Additional eDocument Instance Creation](#). Alternatively, search for the ED0FACTORYV view using the SM30 transaction.
2. Choose **New Entries** and select the source types and factory classes.

❖ Example

You want to create electronic documents of type FI_INVOICE and SD_INVOICE for source documents posted in Finance. Your settings may look like this:

Assigning Factory Class to Source Document Types

Source Type	Factory Class
FI_INVOICE	CL_EDOC_FACTORY_PT_INV
SD_INVOICE	CL_EDOC_FACTORY_PT_INV

3. Save your entries.

Task overview: [Business Settings](#)

Related Information

[Activating Source Type Documents for Company Code](#)

[Assigning eDocument Type to Accounting Document Type](#)

[Assigning eDocument Type to Billing Document Type](#)

Assigning eDocument Type to Accounting Document Type

Maintain this Customizing activity if you want to trigger the creation of eDocuments when an accounting document is posted.

Context

Depending on the business scenario you have in your company, you may need to use the same combination of country and source document type for two different eDocument types. In this case, you can change the standard eDocument determination for source documents by implementing the [Change the eDocument Type after Standard determination](#) (CHANGE_EDOCUMENT_TYPE) method of the [BAdI: Enhancements for eDocument](#) (EDOC_ADAPTOR) BAdI.

You can use the [Restrict cancellation of source document](#) (RESTRICT_CANCEL) method if you don't want to create an eDocument for reversal.

Procedure

1. In Customizing for [Cross-Application Components](#), choose [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Electronic Document Processing](#) > [Electronic Invoice](#) > [Assign eDocument Type to Accounting Document Type](#) . Alternatively, you can search for the T003ED0CV view using the SM30 transaction.
2. Select the country Portugal.
3. Choose [New Entries](#).
4. For a source document type, assign an eDocument type existing for a country or region.

❖ Example

If you want to define credit memo and customer invoice as the source documents for creating electronic documents, your configuration may look like this:

Document Type	Description	eDocument Type	Description
DR	Customer Invoice	PT_INV	Portugal eInvoice
SM	Credit Memo	PT_CRE	Portugal Credit Memo

5. Save your entries.

Task overview: [Business Settings](#)

Related Information

[Activating Source Type Documents for Company Code](#)

[Activating Additional eDocument Instance Creation](#)

[Assigning eDocument Type to Billing Document Type](#)

Assigning eDocument Type to Billing Document Type

Maintain this Customizing activity if you want to trigger the creation of eDocuments when a billing document (without accounting document) is posted.

Context

In this Customizing you can only maintain billing types that have no accounting document assignment, such as pro forma invoices. You assign eDocument types to billing types with accounting document in the [Assign eDocument Type to Accounting Document Type](#) Customizing activity.

Procedure

1. In Customizing for [Cross-Application Components](#), choose [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Electronic Document Processing](#) > [Electronic Invoice](#) > [Assign eDocument Type to Billing Document Type](#) . Alternatively, you can search for the TVFKED0CV view using the SM30 transaction.
2. Select the country Portugal.
3. Choose [New Entries](#).
4. For a billing type, assign an eDocument type existing for a country or region.

❖ Example

BillT	Description	eDocument Type	Type Description
F2	Invoice	PT_INV	Portugal eInvoice
G2	Credit Memo	PT_CRE	Portugal Credit Note

5. Save your entries.

Task overview: [Business Settings](#)

Related Information

[Activating Source Type Documents for Company Code](#)
[Activating Additional eDocument Instance Creation](#)
[Assigning eDocument Type to Accounting Document Type](#)

Integration

You can integrate the solution with other applications to realize end-to-end business processes.

[Integrating With SAP Integration Suite](#)

How to set up integration scenarios using integration packages to communicate with external systems.

[Submitting Electronic Documents Using SAP Integration Suite](#)

You can create customer invoices and transmit them to external systems, such as as to tax authorities or business partners.

Parent topic: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)
[Cancelling Electronic Documents](#)
[Submission of Invoices per E-Mail to German Customers](#)
[Apps and Transactions](#)
[Master Data](#)
[Implementation](#)
[Customizing](#)
[Extension and Development](#)
[Archiving Data in SAP Application Interface Framework](#)
[Configuring Read Access Logging in Electronic Documents](#)

Integrating With SAP Integration Suite

How to set up integration scenarios using integration packages to communicate with external systems.

Context

To communicate with external systems, you deploy integration packages in SAP Integration Suite or SAP Cloud Integration (if you were onboarded before July 2020).

The setup of the integration scenarios comprises the following:

- Connection of SAP systems with the integration service.
- Connection of the integration service with external systems.

To be able to submit electronic documents, you integrate SAP Cloud Integration using the integration package **SAP Document and Reporting Compliance: Electronic Invoicing for Portugal**.

Procedure

1. Access the SAP Business Accelerator Hub at <https://api.sap.com/> .
2. Search for your integration package and select it.
3. Select the scenario that you are interested in. The overview and the documents guide you through the settings you do to enable the scenario.

Task overview: [Integration](#)

Related Information

[Submitting Electronic Documents Using SAP Integration Suite](#)

Submitting Electronic Documents Using SAP Integration Suite

You can create customer invoices and transmit them to external systems, such as as to tax authorities or business partners.

Prerequisites

You have set up the integration scenarios using integration packages as described under [Integrating With SAP Integration Suite](#).

Context

The end-to-end processing of SAP Document and Reporting Compliance comprises the following:

This is custom documentation. For more information, please visit [SAP Help Portal](#).


- **Electronic Document Processing Framework**

A generic framework with building blocks that enable you to create electronic instances of documents (eDocuments) based on source documents (for example, invoices) created in other SAP applications. It also contains additional functions that support the creation, submission, and processing of electronic documents.

- **SAP Cloud Integration/SAP Integration Suite**

An integration package in SAP Cloud Integration (if you were onboarded before July 2020) or SAP Integration Suite is available to handle the communication with external systems as well as notification messaging.

The following figure shows an example of electronic document processing when using this end-to-end solution.



Procedure

1. You create the source document (for example, invoice) using an SAP application. Once you post the source document, the system creates an instance of the electronic document (eDocument) in the database.
2. You submit the electronic document in the **eDocument Cockpit** (EDOC_COCKPIT transaction).
For more information, see the application help documentation directly in the report.
3. The system retrieves the electronic document from the database and calls the interface connector to deploy the eDocument Interface connector (EDOC_INTERFACE_CONNECTOR) Business Add-In (BAI).
4. This BAI calls the interface type that enables the system to connect to SAP Application Interface Framework.
5. SAP Application Interface Framework triggers the mapping of transactional data into the required XML format and saves the XML files.
6. The system calls SAP Cloud Integration/SAP Integration Suite via an ABAP Proxy and establishes communication with the service provider's systems.
7. If the call is successful, the outgoing XML file is saved. After successfully receiving the response, the response XML file is saved.
8. SAP Cloud Integration/SAP Integration Suite processes the XML file to comply with the official communication requirements and triggers the corresponding web services for sending the XML file over to the service provider.
9. The service provider validates and forwards the XML file to the corresponding receiver. Once the receiver returns the updated status, the service provider forwards the status to the sender.
10. SAP Cloud Integration/SAP Integration Suite receives the status from the service provider.
11. The sender system pulls the incoming status of the eDocument from SAP Cloud Integration/SAP Integration Suite.
12. The system updates the electronic document in the database with information received from the external systems.

Task overview: [Integration](#)

Related Information

[Integrating With SAP Integration Suite](#)

[SAP Application Interface Framework](#)

Extension and Development

You can extend your system by implementing your own developments using Business Add-Ins (BAIs).

[Enhancements for Electronic Documents](#)

You can extend the capabilities of the Electronic Document Processing Framework by using Business Add-Ins (BAI) to implement your own logic in different steps of the electronic document processing.

[Define Interface Connector for Electronic Documents](#)

You can extend the capabilities of the Electronic Document Processing Framework by using Business Add-Ins (BAI) to implement your own logic in different steps of the electronic document processing.

[Enablement of Custom Fields for eDocument](#)

You can extend the capabilities of the Electronic Document Processing Framework by using Business Add-Ins (BAI) to implement your own logic in different steps of the electronic document processing.

[Implementation of Incoming Data Determination](#)

You can determine the company code and the eDocument GUID for incoming messages.

Parent topic: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)

[Cancelling Electronic Documents](#)

[Submission of Invoices per E-Mail to German Customers](#)

[Apps and Transactions](#)

[Master Data](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Archiving Data in SAP Application Interface Framework](#)

[Configuring Read Access Logging in Electronic Documents](#)

Enhancements for Electronic Documents

You can extend the capabilities of the Electronic Document Processing Framework by using Business Add-Ins (BAI) to implement your own logic in different steps of the electronic document processing.

You use the **BAI: Enable Custom Fields for eDocument** (EDOC_CUSTOM_FIELDS) to extend the eDocument Cockpit (EDOC_COCKPIT) with custom fields. To find this BAI, choose **Cross-Application Components > General Application Functions > Document and Reporting Compliance > Country/Region-Specific Settings > Portugal > Electronic Document Processing > Electronic Invoice > Business Add-Ins > BAI: Enhancements for eDocument** . Alternatively, search for the EDOC_ADAPTOR using the SE18 transaction.

The following table gives you an overview on the available methods for this BAI.

Enhancements for eDocument (EDOC_ADAPTOR) BAI Methods	
Methods	What You Use it For
IS_RELEVANT	Determine whether a source type document is relevant for eDocument creation, despite the definition in Customizing.
SET_OUTPUT_DATA	Fill or change eDocument data after mapping. → Tip You can use the SET_OUTPUT_DATA method to, for example, to embed the electronic document in PDF format into the XML file. See Submitting Customer Invoices Using E-Mail (XML). In addition, you can use this method to download an attachment from a source document and to add it to the XML file. Check this blog post for more details: SAP Document and Reporting Compliance: Adding Attachments to a Standard XML 📄
GET_VARIABLE_KEY	Define variable keys - country/region dependent.
CHANGE_EDOCUMENT_TYPE	Change the eDocument type after standard determination. You can define that the combination of country and accounting document type is valid for 2 eDocument types, instead of for only 1 eDocument type.
SET_VALUE_MAPPING	Fill value mappings according to your business needs.
SET_FIX_VALUES	Fill fix values according to your business needs.
RESTRICT_CANCEL	Restrict the cancellation of source document.
CHANGE_FORM	Change how the system determines which PDF layout to use.

→ Tip

The information how to implement the BAI can be found directly in the system.

Additionally, for more details on the BAI filters, see the attachment with the manual activities in the SAP Note [2898942](#) 📄.

Parent topic: [Extension and Development](#)

Related Information

[Define Interface Connector for Electronic Documents](#)

Define Interface Connector for Electronic Documents

You can extend the capabilities of the Electronic Document Processing Framework by using Business Add-Ins (BAdI) to implement your own logic in different steps of the electronic document processing.

You use the **BAdI: Define Interface Connector for eDocument** (EDOC_INTERFACE_CONNECTOR) to set up a communication process between SAP ERP, external systems, and the tax authorities. This is required for the processing of electronic documents.

To find this BAdI, choose [Cross-Application Components](#) [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Electronic Document Processing](#) [Electronic Invoice](#) [Business Add-Ins](#) [BAdI: Define Interface Connector for eDocument](#). Alternatively, search for the EDOC_INTERFACE_CONNECTOR using the SE18 transaction.

Define Interface Connector for eDocument (EDOC_INTERFACE_CONNECTOR) BAdI Methods

Methods	What You Use it For
CANCEL	Request AIF to cancel interfaces related to a given eDocument
CLEAN_UP_MESSAGES	Clean up messages from external system.
COMMUNICATE_ACTION	Update the status of the electronic document in the database.
DISPLAY_EDOCUMENT	Implement the Display electronic document function in the Create and Submit eDocument report (EDOC_COCKPIT).
GET_EDOCUMENT	Get the XML file of the electronic document without display.
NAVIGATE_TO_MONITOR	Navigate to the Interface Monitor.
PREPARE_MESSAGES	Prepare messages to be pulled from an external system.
PULL_MESSAGES	Pull messages from an external system.
TRIGGER	Trigger the communication with external systems, such as tax authorities.
DOWNLOAD_XML	Download XML files.
PREPARE_PULL_REQUEST	Create pull requests to retrieve documents (XML messages) from external systems and direct them to the cloud service.

→ Tip

The information how to implement the BAdI can be found directly in the system. Additionally, for more details on the BAdI filters, see the attachment with the manual activities in the SAP Note [2898942](#).

Parent topic: [Extension and Development](#)

Related Information

[Enhancements for Electronic Documents](#)
[Enablement of Custom Fields for eDocument](#)
[Implementation of Incoming Data Determination](#)

Enablement of Custom Fields for eDocument

You can extend the capabilities of the Electronic Document Processing Framework by using Business Add-Ins (BAdI) to implement your own logic in different steps of the electronic document processing.

You use the **BAdI: Enable Custom Fields for eDocument** (EDOC_CUSTOM_FIELDS) to extend the eDocument Cockpit (EDOC_COCKPIT) with custom fields. Custom fields are additional fields that you can add to the standard fields based on your specific needs.

To find this BAdI, choose [Cross-Application Components](#) [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Electronic Document Processing](#) [Electronic Invoice](#) [Business Add-Ins](#) [BAdI: Enable Custom Fields for eDocument](#). Alternatively, search for the EDOC_CUSTOM_FIELDS using the SE18 transaction.

You can extend the EDOCUMENT table with custom fields.

At a process level, you can also extend the country/region-specific tables with custom fields. Note that the added fields for a specific process are only visible when the specific process has been selected.

i Note

When you enhance the eDocument tables with custom fields, these custom fields only get filled if the BAdI is implemented and a process action is executed; custom fields are not filled for UI actions (for more details about process action and UI action, see the action type in the EDOACTION table). Otherwise, the custom fields will display empty in the eDocument Cockpit (EDOC_COCKPIT).

→ **Tip**

The information how to implement the BAdI can be found directly in the system. Additionally, for more details on the BAdI filters, see the attachment in the SAP Note [3111335](#) .

Parent topic: [Extension and Development](#)

Related Information

[Enhancements for Electronic Documents](#)

[Define Interface Connector for Electronic Documents](#)

[Implementation of Incoming Data Determination](#)

Implementation of Incoming Data Determination

You can determine the company code and the eDocument GUID for incoming messages.

To find this BAdI, choose [Cross-Application Components](#) > [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Electronic Document Processing](#) > [Electronic Invoice](#) > [Business Add-Ins](#) > [BAdI: eDocument Incoming Data Determination](#) . Alternatively, search for the EDOC_INCOM_DATA using the SE18 transaction.

→ **Tip**

The information how to implement the BAdI can be found directly in the system. Additionally, for more details on the BAdI filters, see the attachment with the manual activities in the SAP Note [3450786](#) .

Parent topic: [Extension and Development](#)

Related Information

[Enhancements for Electronic Documents](#)

[Define Interface Connector for Electronic Documents](#)

[Enablement of Custom Fields for eDocument](#)

Archiving Data in SAP Application Interface Framework

SAP Application Interface Framework stores in its database tables data created during the processing of eDocuments. We recommend that you schedule regular archiving of these data to avoid performance issues.

For more information, refer to [Data Archiving](#).

Parent topic: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)

[Cancelling Electronic Documents](#)

[Submission of Invoices per E-Mail to German Customers](#)

[Apps and Transactions](#)

[Master Data](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Extension and Development](#)

[Configuring Read Access Logging in Electronic Documents](#)

Configuring Read Access Logging in Electronic Documents

You can use the Electronic Document channel in the Read Access Logging (RAL) Manager (transaction SRALMANAGER) to monitor and log read access to sensitive personal data for electronic documents.

Prerequisites

You have read the standard [Read Access Logging](#) documentation (especially the sections on how to enable Read Access Logging and how to create a new configuration):

- To enable Read Access Logging, follow the instructions under [Enabling Read Access Logging in Current Client](#).
- To define what to log, you create a new configuration. Follow the instructions under [Defining Configurations in Read Access Logging](#).

For more information, see section *Read Access Logging for Electronic Documents* in the [Security Guide for SAP S/4HANA 2020](#)  [Implement](#) > [Guides](#) .

Procedure

1. Go to the SRALMANAGER transaction and, on the **Administration** tab, choose **Configuration**.
2. Select **Electronic Document** as a channel.
3. Choose **Create** and choose **Search**. You can delimit the search by entering the eDocument type, for example, PT_INV. You can also search by entering PT_*

The table displays, for the given eDocument type, the file types and file structures that can be enabled for RAL.

4. Choose the file type that may contain sensitive personal data and choose **Create** to create a RAL configuration. For the file types with more than one version, choose the entry corresponding to the version that you want to use.

Next Steps

Once you've created your configuration, you can monitor the read access log. To monitor the read access log, follow the instructions under [Monitoring the Read Access Log](#).

Task overview: [Electronic Customer Invoices](#)

Related Information

[Processing Customer Invoices](#)

[Cancelling Electronic Documents](#)

[Submission of Invoices per E-Mail to German Customers](#)

[Apps and Transactions](#)

[Master Data](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Extension and Development](#)

[Archiving Data in SAP Application Interface Framework](#)

Annual Sales and Purchase (Annex O and P)

The **Portugal Annual Sales and Purchase – Annex O & P** report enables you to generate annexes O and P of the annual sales and purchase declaration (local legal name: Anexo O e P da Declaração IVA) and fulfill the statutory reporting requirements in Portugal. You generate this report in the **Run Statutory Reports** app.

Companies in Portugal must submit an annual declaration about the domestic sales and purchase amount per tax number (NIF) of domestic customers and suppliers. The **Portugal Annual Sales and Purchase – Annex O & P** report (report category PT_SPL_ANEXO_0_P) enables you to generate the following annexes in XML format:

- Annex O contains a list of customers' tax numbers and the corresponding total sales amount.
- Annex P contains a list of suppliers' tax numbers and the corresponding total purchase amount.

This report extracts data from financial journal entries. If you use **Contract Accounts Receivable and Payable**, the report also extracts data from contract accounting documents.

i Note

Alternatively, you can use the **Portugal Annual VAT Declaration – Annex L & M** report to generate the data for annexes O, P, L, and M in one XML file.

Before You Start

You have activated the document and reporting compliance features for your country/region as described in [Customizing](#).

[Setting Up the Annual Sales and Purchase \(Annex O and P\) Report](#)

Define reporting preferences for the **Portugal Annual Sales and Purchase – Annex O & P** report to enable users to generate it in the **Run Statutory Reports** app.

[Generating the Annual Sales and Purchase \(Annex O and P\) Report](#)

Generate the **Portugal Annual Sales and Purchase – Annex O & P** report using the **Run Statutory Reports** app to fulfill the statutory reporting requirements in Portugal.

Related Information

[SAP Note 3385647](#) 

[Annual VAT Declaration \(Annex L and M\)](#)

Setting Up the Annual Sales and Purchase (Annex O and P) Report

Define reporting preferences for the **Portugal Annual Sales and Purchase – Annex O & P** report to enable users to generate it in the **Run Statutory Reports** app.

Context

As the key user for configuration, you can set up reporting preferences, such as:

- Assign organizational units to your reporting entity

- Define the report's validity, due dates, and notification settings
- Specify values of reporting parameters

Procedure

1. Make the required settings in Customizing for Cross-Application Components under [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Statutory Reporting](#) > [Annual Sales and Purchase \(Annex O and P\)](#) > [General Settings](#) > [Setting Up Your Statutory Reporting](#)

i Note

You can also access this activity by calling view cluster SRFVC_RPG_ENT in transaction SM34.

2. Choose the reporting entity PT_RPG_ENT.
3. Choose the report category PT_SPL_ANEX0_0_P.
4. Set the periodicity of the report category:

Field	Sample Value
From	01.01.2018
To	31.12.9999
Offset	6 months
Fiscal Year Variant	C1 or any other variant for annual reporting
Notification Period (Days)	60
Is Adhoc	No
Time Unit	Months

5. Set the validity of the organizational unit:

Valid From	Comment
01.01.2018	

6. Assign organizational units to reporting entity:

Organizational Unit	Value	Leading
COMPANYCODE	3510	Yes

7. Specify values for parameters specific to the reporting entity:

Parameter Name	Sample Value	Explanation of the Parameter
PT_NIF_TOC	Optional. Enter a 9-digit number.	Tax number (NIF) of the tax consultant
PT_NIF_REPRESENTATIVE	Optional. Enter a 9-digit number.	Tax number (NIF) of the company's representative
PT_CAE_MAIN	Always five digits, for example, 55533	Main classification of economic activities
PT_CAE_MAIN_PERCENTAGE	Always a value between 0 and 100 (maximum value), for example, 80	Percentage of business volume
PT_TA_OFFICE	Enter a 4-digit number	Optional Tax office code

8. Save your changes.

Task overview: [Annual Sales and Purchase \(Annex O and P\)](#)

Related Information

[Generating the Annual Sales and Purchase \(Annex O and P\) Report](#)
[Setting Up Your Statutory Reports](#)

Generating the Annual Sales and Purchase (Annex O and P) Report

Generate the [Portugal Annual Sales and Purchase – Annex O & P](#) report using the [Run Statutory Reports](#) app to fulfill the statutory reporting requirements in Portugal.

Prerequisites

This is custom documentation. For more information, please visit [SAP Help Portal](#).

The key user for configuration has completed the following activities:

- Set up the **Annual Sales and Purchase (Annex O and P)** report as explained in [Setting Up the Annual Sales and Purchase \(Annex O and P\) Report](#).
- You have the necessary role authorizations to run the report. Search for the relevant report category in [Country/Region-Specific Role Authorizations](#) and check if your user ID has the required authorizations.

Context

Using the **Run Statutory Reports** app, you can generate the **Annual Sales and Purchase (Annex O and P)** and view, analyze, and download the report output.

Procedure

1. Open the **Run Statutory Reports** app from your launchpad.
2. Specify the report category PT_SPL_ANEX0_0_P (**Portugal Annual Sales and Purchase – Annex O & P**) in the **Report Name** field and specify other selection criteria, for example, reporting year and reporting status.
3. Choose **Go**.
4. Select the reporting task that you want to process.
5. Choose **New Run**.
6. Specify the required selection parameters and a run option.

In addition to the company code and reporting year, you can specify the following:

Selection Parameter	Use
Posting Date	Display your entries according to their posting dates.
Document Date	Display your entries according to their document dates.
Amount Limit	Only total sales or purchases above this limit are included in the XML files.
Include Annex O - Customers	Specify whether the report generates the data for Annex O.
Include Annex P - Suppliers	Specify whether the report generates the data for Annex P.

i Note

- Enter only company codes for which the currency EUR is assigned.
- Select both checkboxes to generate a single XML file with both Annex O and Annex P.

7. Choose **Run**.

The app generates the run and displays it in the **Generated** section.

8. Choose the report run.

The report output is listed in the **Legal Reporting** section.

9. Perform the following actions on the report output as required:

Action	Step
Review the report output data	Choose the link in the Document Name column.
Analyze the report data in the analytical view	Choose Analyze Data in the Action column.
Download the report output file	Select the checkbox next to the document name and then choose Download .
Manually adjust your report data	Choose the link in the Document Name column and on the preview screen, choose Edit .

i Note

- In **Analyze Data**, you see all documents related to domestic (Portuguese) partners. It also includes those that are below the amount limit.
- The withholding tax amount columns displays the withholding tax posted at the time of invoicing, which needs to be included in the report as the reported amount.
- The cash discount amount comes from payments for which cash discount applies. The cash discount amount reduces the total purchase or sales.

10. Submit the report to the authorities as required.

11. After you've submitted the report, update the submission status by selecting the report run in the **Generated** section and choosing **Update Submission Status**. If you've also received a response from the authorities, update the run status to accepted or declined as applicable.

The report run is displayed in the **Submitted** section.

i Note

If you want to change a submitted report run, choose **Revert Status** to change the status back to its previous state.

Results

When the report has been submitted and accepted, the reporting task status changes to **Completed**.

Task overview: [Annual Sales and Purchase \(Annex O and P\)](#)

Related Information

[Setting Up the Annual Sales and Purchase \(Annex O and P\) Report](#)

[Preview](#)

[Analyze Data](#)

[Manual Adjustment](#)

[SAP Note 3443435](#) 

[SAP Note 3385647](#) 

Annual VAT Declaration (Annex L and M)

The **Portugal Annual VAT Declaration - Annex L & M** report enables you to generate your annual VAT declaration (local name: Anexo L e M da Declaração IVA) and fulfill the statutory reporting requirements in Portugal. You generate this report in the **Run Statutory Reports** app.

The **Portugal Annual VAT Declaration - Annex L & M** report (report category PT_VAT_ANNUAL_L_M) generates an XML file with the necessary data for the annexes of the VAT declaration.

Companies in Portugal must submit an annual VAT declaration with annexes containing annual operation amounts that are relevant for VAT:

- Annex L corresponds to the main VAT declaration for the head office of the company.
- Annex M corresponds to an additional declaration in case the company has offices in regions different than the head office.

For the purposes of VAT, there are three regions to consider: Continent, Azores and Madeira.

i Note

If required, you can use this report to generate the data for annexes O and P and combine all four annexes in one XML file.

Before You Start

You have activated the document and reporting compliance features for your country/region as described in [Customizing](#).

[Setting Up the Annual VAT Declaration \(Annex L and M\)](#)

Define reporting preferences for the **Portugal Annual VAT Declaration - Annex L & M** report to enable users to generate it in the **Run Statutory Reports** app.

[Configuring the Tax Box Mappings for the Annual VAT Declaration \(Annex L and M\)](#)

Find out how you, as the key user for configuration, can set up the tax box mappings for the **Portugal Annual VAT Declaration - Annex L & M** (PT_VAT_ANNUAL_L_M) report.

[Generating the Annual VAT Declaration \(Annex L and M\)](#)

Generate the **Portugal Annual VAT Declaration - Annex L & M** (local legal name: Anexo L e M da Declaração IVA) using the **Run Statutory Reports** app to fulfill the statutory reporting requirements in Portugal.

Setting Up the Annual VAT Declaration (Annex L and M)

Define reporting preferences for the **Portugal Annual VAT Declaration - Annex L & M** report to enable users to generate it in the **Run Statutory Reports** app.

Context

As the key user for configuration, you can set up reporting preferences, such as:

- Assign organizational units to your reporting entity
- Define the report's validity, due dates, and notification settings
- Specify values of reporting parameters

Procedure

1. Make the required settings in Customizing for **Cross-Application Components** under **General Application Functions** > **Document and Reporting Compliance** > **Country/Region-Specific Settings** > **Portugal** > **Statutory Reporting** > **Annual VAT Return (Annex L and M)** > **General Settings** > **Setting Up Your Statutory Reporting** 

i Note

You can also access this activity by calling view cluster SRFVC_RPG_ENT in transaction SM34.

2. Choose the reporting entity PT_RPG_ENT.
3. Choose the report category PT_VAT_ANNUAL_L_M.
4. Set the periodicity of the report category:

This is custom documentation. For more information, please visit [SAP Help Portal](#).

Field	Sample Value
From	01.01.2018
To	31.12.9999
Offset	6 Months
Fiscal Year Variant	C1 or any other variant for annual reporting
Notification Period (Days)	60
Is Adhoc	No
Time Unit	Months

5. Specify values for parameters specific to the report category:

Parameter	Description	Value
PT_TAXGROUPVER_ANNEX_L	Tax group version used for Annex L.	Mandatory
PT_LOCATION_REGION1	Region where your company has operations (different from the region of the head office)	1: Continent 2: Azores 3: Madeira
PT_LOCATION_REGION2	Region where your company has operations (different from the region of the head office)	1: Continent 2: Azores 3: Madeira
PT_TAXGROUPVER_ANNEX_M_REGION1	Tax group version of the region you specified in parameter PT_LOCATION_REGION1	Mandatory only if you entered a value in parameter PT_LOCATION_REGION1
PT_TAXGROUPVER_ANNEX_M_REGION2	Tax group version of the region you specified in parameter PT_LOCATION_REGION2	Mandatory only if you entered a value in parameter PT_LOCATION_REGION2

6. Set the validity of the organizational unit:

Valid From	Comment
01.01.2018	

7. Assign organizational units to reporting entity:

Organizational Unit	Value	Leading
COMPANYCODE	3510	Yes

8. Specify values for parameters specific to the reporting entity:

Parameter Name	Sample Value	Explanation of the Parameter
PT_NIF_TOC	Optional. Enter a 9-digit number.	Tax number (NIF) of the tax consultant
PT_NIF_REPRESENTATIVE	Optional. Enter a 9-digit number.	Tax number (NIF) of the company's representative
PT_CAE_MAIN	Always five digits, for example, 55533	Main classification of economic activities
PT_CAE_MAIN_PERCENTAGE	Always a value between 0 and 100 (maximum value), for example, 80	Percentage of business volume
PT_TA_OFFICE	Enter a 4-digit number	Optional Tax office code

9. Save your changes.

Task overview: [Annual VAT Declaration \(Annex L and M\)](#)

Related Information

[Configuring the Tax Box Mappings for the Annual VAT Declaration \(Annex L and M\)](#)

[Generating the Annual VAT Declaration \(Annex L and M\)](#)

[Setting Up Your Statutory Reports](#)

Configuring the Tax Box Mappings for the Annual VAT Declaration (Annex L and M)

Find out how you, as the key user for configuration, can set up the tax box mappings for the [Portugal Annual VAT Declaration - Annex L & M \(PT_VAT_ANNUAL_L_M\)](#) report.

Procedure

1. Map the VAT codes to the VAT boxes on the annual VAT return for the tax base amounts.

Go to Customizing for [Cross-Application Components](#) under [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Statutory Reporting](#) [Annual VAT Declaration \(Annex L and M\)](#) [Group Tax Base Balances](#).

You can also access this activity by calling view V_T007K in transaction SM30.

You must assign the combination of all relevant tax codes and account keys (**Trs**) to internal group numbers (**GrpNo.**) for tax base amounts.

i Note

The entries in the **GrpNo** (Tax Base Group Number) column are numerical, while the corresponding boxes in the official form and the corresponding tags in the XML file contain alphanumerical descriptions. Example: the field L01 in your form must be identified by 1 in the **GrpNo** column.

Example: Group Tax Base Balances

Description	Trs	Bal.	GrpNo.
OUTPUT TAX 6%-GOODS	MWS		1
OUTPUT TAX 13%-GOODS	MWS		2
OUTPUT TAX 23%-GOODS	MWS		3
OUTPUT TAX 6%-OBS	MWS		7
OUTPUT TAX 13%-OBS	MWS		8
OUTPUT TAX 23%-OBS	MWS		9
OUTPUT TAX 23%-ASSETS	MWS		16
OUTPUT TAX-TURISM VEHICLES-9°, n°32	MWS		17
INPUT TAX 6%-ASSETS	VST		77
INPUT TAX 13%-ASSETS	VST		77
INPUT TAX 23%-ASSETS	VST		77
INPUT TAX 6%-GOODS	VST		69
INPUT TAX 13%-GOODS	VST		69
INPUT TAX 23%-GOODS	VST		69
INPUT TAX 23%-TURISM VEHICLES-OBS	VST		24
INPUT TAX 23%-TURISM VEHICLES-ASSETS	VST		32
INPUT TAX 23%-TURISM VEHICLES-GOODS	VST		20

2. Map the VAT codes to the VAT boxes on the annual VAT return for the tax amounts.

Go to Customizing for [Cross-Application Components](#) under [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Statutory Reporting](#) [Annual VAT Declaration](#) [Group Tax Balances](#).

You can also access this activity by calling view V_T007L in transaction SM30.

You must assign the combination of all relevant tax codes and account keys (**Trs**) to group numbers for tax amounts (**Gp No**).

Note that the entries in the **GrpNo** (Tax Amount Group Number) column are numerical, while the corresponding boxes in the official form and the corresponding tags in the XML file contain alphanumerical descriptions. Example: the field M45 in your form must be identified by 45 in the **GrpNo** column.

Description	Trs	Bal.	GrpNo.
INPUT TAX 6%-OBS	VST		51
INPUT TAX 13%-OBS	VST		52
INPUT TAX 23%-OBS	VST		53
INPUT TAX 6%-ASSETS	VST		48
INPUT TAX 13%-ASSETS	VST		49
INPUT TAX 23%-ASSETS	VST		50
INPUT TAX 6%-GOODS	VST		45

Description	Trs	Bal.	GrpNo.
INPUT TAX 13%-GOODS	VST		46
INPUT TAX 23%-GOODS	VST		47
INPUT TAX 23%-TURISM VEHICLES-OBS	VST		53
INPUT TAX 23%-TURISM VEHICLES-ASSETS	VST		50
INPUT TAX 23%-TURISM VEHICLES-GOODS	VST		47
INPUT TAX 23%-21º CIVA	VST		53
INPUT TAX 6%-OBS	VST		51
INPUT TAX 13%-OBS	VST		52

Task overview: [Annual VAT Declaration \(Annex L and M\)](#)

Related Information

[Setting Up the Annual VAT Declaration \(Annex L and M\)](#)

[Generating the Annual VAT Declaration \(Annex L and M\)](#)

Generating the Annual VAT Declaration (Annex L and M)

Generate the [Portugal Annual VAT Declaration - Annex L & M](#) (local legal name: Anexo L e M da Declaração IVA) using the [Run Statutory Reports](#) app to fulfill the statutory reporting requirements in Portugal.

Prerequisites

The key user for configuration has completed the following activities:

- Set up the report as explained in [Setting Up the Annual VAT Declaration \(Annex L and M\)](#).
- Configured the tax box mappings, as described in [Configuring the Tax Box Mappings for the Annual VAT Declaration \(Annex L and M\)](#).
- You have the necessary role authorizations to run the report. Search for the relevant report category in [Country/Region-Specific Role Authorizations](#) and check if your user ID has the required authorizations.

Context

Using the [Run Statutory Reports](#) app, you can generate the [Portugal Annual VAT Declaration – Annex L & M](#) and view, analyze, and download the report output.

i Note

If required, you can use this report to generate the data for annexes O and P and combine all four annexes in one XML file. When you run the report, you can use the selection parameters to define whether the data for annexes O and P is included in the report output.

Procedure

1. Open the [Run Statutory Reports](#) from your launchpad.
2. Specify the report category PT_VAT_ANNUAL_L_M ([Portugal Annual VAT Declaration – Annex L & M](#)) in the **Report Name** field and specify other selection criteria, for example, reporting year and reporting status.
3. Choose [Go](#).
4. Select the reporting task that you want to process.
5. Choose [New Run](#).
6. Specify the required selection parameters and a run option.

In addition to the company code and reporting year, you can specify the following:

Selection Parameter	Use
Posting Date	Display your entries according to their posting dates.
Include Annex O - Customers	Specify whether the report generates the data for Annex O
Include Annex P - Suppliers	Specify whether the report generates the data for Annex P
Amount limit	Only total sales or purchases above this limit are included in the XML files for annexes O and P.
Posting Date for Annexes O and P	Display your entries for annexes O and P according to their posting dates.
Document Date for Annexes O and P	Display your entries for annexes O and P according to their document dates.

7. Choose **Run**.

The app generates the run and displays it in the **Generated** section.

8. Choose the report run.

The report output is listed in the **Legal Reporting** section.

9. Perform the following actions on the report output as required:

Action	Step
Review the report output data	Choose the link in the Document Name column.
Analyze the report data in the analytical view	Choose Analyze Data on the right-hand side of your screen.
Download the report output file	Select the checkbox next to the document name and then choose Download .
Manually adjust your report data	After generating the report, choose Edit to adjust your selection parameters. Choose Save and Regenerate to generate a new report.

In the generated XML file and in the preview, the data is classified according to the sections (quadros) and boxes (campos) of the official form. For example, the data in field Q04-L21 of the XML file corresponds to the data in box (campo) L21 of section (quadro) 04 in the official form.

You can display section **Annex M** only if your company has offices in regions different than the region where the headquarter is located.

If necessary, you can enter values in the following fields of sections **Annex L** and **Annex M**. After you have done so, choose **Save and Generate**:

- **Annex L**

Enter **1** for **Yes** in the **Q07-opcao** field if you enter an amount in one of the following fields: [L57], [L58], [L59]

- **Annex M**

Enter **1** for **Yes** in the **Q08-1-2** field if you enter an amount in one of the following fields: [M57], [M58], [M59]

10. Submit the report to the authorities as required.

11. After you've submitted the report, update the submission status by selecting the report run in the **Generated** section and choosing **Update Submission Status**. If you've also received a response from the authorities, update the run status to accepted or declined as applicable.

The report run is displayed in the **Submitted** section.

i Note

If you want to change a submitted report run, choose **Revert Status** to change the status back to its previous state.

Results

When the report has been submitted and accepted, the reporting task status changes to **Completed**.

Task overview: [Annual VAT Declaration \(Annex L and M\)](#)

Related Information

[Setting Up the Annual VAT Declaration \(Annex L and M\)](#)

[Configuring the Tax Box Mappings for the Annual VAT Declaration \(Annex L and M\)](#)

[Preview](#)

[Analyze Data](#)

[Manual Adjustment](#)

[SAP Note 3443436](#) 📄

Withholding Tax Report

The withholding tax report is generated based on the information collected from supplier documents and customer rebate documents, for example, supplier open invoices, supplier cleared invoices, supplier credit memos, payment documents, down payments, partial payments, and so on.

You can use the **Run Statutory Reports** app to generate the Withholding Tax report.

→ Remember

Portugal Withholding Tax - Modelo 30 enables you to generate withholding tax report only for the foreign vendors.

i Note

Please note that this statutory report replaces the old report. Both reports will be available till a planned support end date. After the planned support end date, the old report becomes obsolete.

For a complete list of the statutory reports that are available in SAP Document and Reporting Compliance, see SAP Note [2480067](#) 📄.

Prerequisites

This is custom documentation. For more information, please visit [SAP Help Portal](#).

The key user responsible for configuration has made the necessary settings for generating the Withholding Tax report as described in [Configuration for Withholding Tax Report](#).

You have activated the document and reporting compliance features for your country/region as described in [Customizing](#).

Generating the Withholding Tax Report

1. To get a list of the reports that require actions, enter selection parameters that define the reporting period and choose the PT_WHT_M30 (Portugal Withholding Tax - Modelo 30) report in the search help of the [Report Name](#) field (reporting entity: PT_RPG_ENT (PT Reporting Entity)).

2. Choose one or more reporting statuses depending on how close the deadline of the report is to the actual calendar day.

You can also enter additional filtering options, such as the submission due date, the reporting year, or the country.

3. Choose [Go](#).

The app displays a list of the reports for each reporting period that you can further process.

4. Click the row of the report you want to process and choose [New Run](#).

You can enter further filtering options, such as the company code and posting date.

Choose a run option. You can choose to generate the report run immediately or schedule the runs for a later point in time. For report runs, that may take a long time to process, you can choose to run the reports in the background.

5. Choose [Run](#).

The app generates the run and displays it in section [Generated](#) on the screen. You can display the generated data by clicking the row of the generated run.

If the run was successful, you can review the data in the online output (ALV format) on the [Legal Reporting](#) tab, by clicking the link in the [Document Name](#) column. You can also download the generated document to your local computer and submit it to the tax authorities as required.

After you've submitted the report, update the submission status by selecting the report run in the [Generated](#) section and choosing [Update Submission Status](#). If you've also received a response from the authorities, update the run status to accepted or declined as applicable.

Generating Withholding Tax Report in Correction Phase

1. Choose a report that is already submitted to the Tax Authorities.

2. Choose [Start New Phase](#).

Update the document as required.

3. Choose the appropriate due date in the [Select Due Date for New Correction Phase](#) dialog box.

4. Choose [Yes](#) to generate the report in correction phase.

Configuration for Withholding Tax Report

- Go through the steps of the process for setting up your statutory reporting.

To do so, make the required settings in Customizing for [Cross-Application Components](#) under [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Statutory Reporting](#) > [Withholding Tax Report](#) > [General Settings](#) > [Setting Up Your Statutory Reporting](#).

Find below the details of the sample settings provided for the report. You may change the settings based on your requirements:

- Reporting Entity: PT_RPG_ENT
- Leading Company Code: Selected
- Report Category: PT_WHT_M30
- To set the periodicity of the report category, specify the following details:
 - Offset: 2
 - Fiscal Year Variant: K4
 - Notification Period: 20
- Parameters specific to the report category: None
- Parameters specific to reporting entity: None

EC Sales List

You can use the [Run Statutory Reports](#) app to generate the [EC Sales List](#).

The EC Sales List (ECSL) forms the basis of the information shared between the tax authorities of EU Member States.

If you are a VAT-registered entity, you must complete an EC Sales List when goods or services are transferred to an entity which is VAT-registered in another EU Member State. This includes activities such as:

- Supplying goods to a VAT-registered entity in another EU Member State (EU Code 1).

- Supplying and providing services to a VAT-registered entity in another EU Member State. This is represented by EU Code5
- Providing a credit note to a VAT-registered entity in another EU Member State.
- Arranging triangular deals between VAT-registered entities in different EU Member States. (EU Code 4 or),
- Reporting the consignment customer (VAT-registered entity), and transferring/ returning goods between EU Member States under call-off (consignment) stock arrangements. For more information about consignment stock reporting requirements within EU Member States, see SAP Note [2842899](#) 📌. This is represented by EU Code C which corresponds to the tax operation key 1 for transfer of goods to EU member state, or 2 for return of goods to EU member state in the generated file.

The document for the EC Sales List must include the following information:

- VAT registration number of business partner maintained in the business partner master data.
- VAT registration number of business partner in FI document. This data is filled in automatically if you record the reporting country in the supplier or customer invoice and the tax country in the sales invoice.
- Tax code with respective EU code.

This report extracts data from financial journal entries. If you use [Contract Accounts Receivable and Payable](#) , the report also extracts data from FI-CA documents.

Prerequisites

You have made the necessary settings for generating the [EC Sales List](#) as described in [Configuration for EC Sales List](#).

You have activated the document and reporting compliance features for your country/region as described in [Customizing](#).

Processing the EC Sales List-Related Activities

1. To get a list of the reports that require actions, enter selection parameters that define the reporting period and choose the PT_ECSSL_DCL (Portugal EC Sales List) report in the search help of the [Report Name](#) field (reporting entity: PT_RPG_ENT).

2. Choose one or more reporting statuses depending on how close the deadline of the report is to the actual calendar day.

You can also enter additional filtering options, such as the submission due date, the reporting year, or the country/region.

3. Choose [Go](#).

The app displays a list of the activities that you need to process one by one.

4. Choose the [Manage Tax Items](#) activity.

The app navigates to another app called [Manage Tax Items for Legal Reporting](#). Follow the instructions as described in [Manage Tax Items for Legal Reporting](#).

i Note

You need to run this activity only if you want to include or exclude any tax items from your reporting period.

5. After you are done, choose [Set Completed](#) to manually set the status of the activity as complete.

6. When you are done, go back to the main screen of the app and choose the row of the second activity you want to proceed.

7. Choose [New Run](#).

If necessary, modify the parameters below and choose a run option.

- [Company Code](#): The system displays the company codes that comprise the reporting entity for which you must submit this report.
- [Reporting Date](#): The reporting date for a document is, by default, the tax reporting date. However, if the tax reporting date is not available, the reporting date for a document is the posting date.

You can choose to generate the report run immediately or schedule the runs for a later point in time. For report runs, that may take a long time to process, you can choose to run the reports in the background.

8. Choose [Run](#).

The app generates the run and displays it in section [Generated](#) on the screen. You can display the generated data by clicking the row of the generated run.

If the run was successful, you can review the data in the XML file on the [Legal Reporting](#) tab, by clicking the link in the [Document Name](#) column. You can also download the generated document to your local computer and submit it to the tax authorities as required.

You can also display the analytical view by clicking [Analyze Data](#) on the right-hand side of your screen. You can then check the data and dynamically change the analytical view for the displayed fields.

After you've submitted the report, update the submission status by selecting the report run in the [Generated](#) section and choosing [Update Submission Status](#). If you've also received a response from the authorities, update the run status to accepted or declined as applicable.

9. After you are done, choose [Set Completed](#) to manually set the status of the activity as complete.

Related Information

[Analyze Data](#)

Configuration for EC Sales List

This is custom documentation. For more information, please visit [SAP Help Portal](#).

To configure the creation of the [EC Sales List](#), proceed as follows:

- Go through the steps of the process for setting up your statutory reporting.

To do so, make the required settings in Customizing for [Cross-Application Components](#) under [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Statutory Reporting](#) [EC Sales List](#) [General Settings](#) [Setting Up Your Statutory Reporting](#).

Find below the details of the sample settings provided for the report. You may change the settings based on your requirements:

- Reporting Entity: PT_RPG_ENT
- Leading Company Code: Selected
- Report Category: PT_ECSL_DCL
- To set the periodicity of the report category, specify the following details:
 - Offset: 20
 - Fiscal Year Variant: K4
 - Notification Period: 10
- Parameters specific to the report category:

Parameter	Description	Sample Value
PT_ECSL_ACCOUNTANT_TAX_ID	Accountant's tax identifier	1
PT_ECSL_GROUPING_VERSION_TRA	Tax group version used for reporting means of transportation in the EC Sales List	ECSL

- Parameters specific to reporting entity: None

To generate the EC sales list with data extracted from contract accounting documents, make the require settings in Customizing for [Financial Accounting](#) under [Contract Accounts Receivable and Payable](#) [Basic Functions](#) [EC Sales List](#) [Make Specifications for EC Sales List](#). Alternatively, access this activity by calling view V_TFK001ZM in transaction SM30.

Predefined Reporting Activities

As the [Manage Tax Items](#) activity is relevant for the [EC Sales List](#) report, consider the following:

- Please check if any other setting or configuration shall be done for the use of this activity in the prerequisites in [Manage Tax Items for Legal Reporting](#).

Mapas Fiscais

In Portugal, the asset master data, values and transactions are evaluated on a yearly basis and reported in multiple different legal forms known as 'Mapas Fiscais'.

You can use the [Run Statutory Reports](#) app to generate the Portugal Mapas Fiscais.

Prerequisites

You have made the necessary settings for generating the Mapas Fiscais as described in [Configuration for Mapas Fiscais](#).

You have activated the document and reporting compliance features for your country/region as described in [Customizing](#).

Generating the Portugal Mapas Fiscais

- To get a list of the reports that require actions, enter selection parameters that define the reporting period and choose the PT_AA_FISCAL_MAPS (Portugal Mapas Fiscais) report in the search help of the [Report Name](#) field (reporting entity: PT_RPG_ENT).

- Choose one or more reporting statuses depending on how close the deadline of the report is to the actual calendar day.

You can also enter additional filtering options, such as the submission due date, the reporting year, or the country or region.

- Choose [Go](#).

The app displays a list of the reports for each reporting period that you can further process.

- Select the row of the report you want to process and choose [New Run](#).

Choose a run option. You can choose to generate the report run immediately or schedule the runs for a later point in time. For report runs that may take a long time to process, you can choose to run the reports in the background.

- Choose [Run](#).

The app generates the run and displays it in section [Generated](#) on the screen. You can display the generated data by selecting the row of the generated run.

If the run was successful, you can review the data in the PDF and XML files on the [Legal Reporting](#) tab, by selecting the link in the [Document Name](#) column. You can also download the generated document to your local computer and submit it to the tax authorities as required.

After you've submitted the report, update the submission status by selecting the report run in the **Generated** section and choosing **Update Submission Status**. If you've also received a response from the authorities, update the run status to accepted or declined as applicable.

i Note

The forms must be submitted either as PDF files or XML files.

The requirement is fulfilled by this statutory report and enables you to create the following legal forms:

- Form 31 (includes details of sold assets)
- Form 32 series (includes details of assets not legally revaluated)
- Form 33 series (includes details of assets revaluated based on various edicts)
 - 3301-3319 Legally revaluated assets
 - 3329-3330 Free revaluated assets

The separate files are printed per Asset Categories:

- CORP - Tangible Asset
- INCO - Intangible Asset
- FINA - Equity Shares
- BIOL - Non-Consumables
- INVS - Investment Assets

Additionally, the assets retired in reporting year are reported under the specific category ABAT.

Separate PDF files are generated for Forms 31 and 32.

On the contrary, the same XML file contains data of Forms 31 and 32.

Forms 33 series are only supported by PDF files (no XML file is generated).

The report always creates all legal files based on the analysis of selected fixed assets. In case that data is not found for specific form or asset category, the generation of the corresponding file is automatically skipped.

The completely depreciated assets are reported as a total at the beginning of Form 32. The analyze data feature enables the evaluation of assets whose numbers were included into the total line of completely depreciated assets.

The specific sorting is applied for linked fixed assets in Form 32. You can find a list of the buildings after the corresponding lands, and a list of sub repairs after the corresponding big repairs.

Configuration for Mapas Fiscais

- Go through the steps of the process for setting up your statutory reporting.

To do so, make the required settings in Customizing for **Cross-Application Components** under **General Application Functions > Document and Reporting Compliance > Country/Region-Specific Settings > Portugal > Statutory Reporting > Portugal Mapas Fiscais > General Settings > Setting Up Your Statutory Reporting**

Find below the details of the sample settings provided for the report. You may change the settings based on your requirements:

- Reporting Entity: PT_RPG_ENT
- Leading Company Code: Selected
- Report Category: PT_AA_FISCAL_MAPS
- To set the periodicity of the report category, specify the following details:
 - Offset: 0
 - Fiscal Year Variant: None
 - Notification Period: 0
 - Tax Calendar: PT_A
- Parameters specific to the report category:

Parameter	Description	Sample Value
PT_ASSETS_ARE_GROUPED_IN_MAP31	If marked, fixed assets are reported in groups (by DGCI code etc.) in map 31.	blank (empty)
PT_DAY_IN_DUE_DATE	Determines day in Due date in the statutory reporting task	15
PT_FISCAL_YEAR_VARIANT	Determines the fiscal year variant used when generating the reporting activities of the Portugal Mapas Fiscais report.	K4

Parameter	Description	Sample Value
	Let us suppose that you entered the fiscal year variant K4. Since the Portugal Mapas Fiscais report is an annual report, one reporting activity will be generated for each reporting year, starting on January 1st and finishing on December 31st.	
PT_MAX_NUMBER_OF_PAGES_IN_PDF	The same PDF file will be split into multiple files, if the maximum limit of pages per one PDF is exceeded.	100
PT_MONTH_IN_DUE_DATE	Determines month in due date in the statutory reporting task. For example, if the reporting year is 2018, the due date can be determined as 15.7.2019, where 7 comes from the parameter PT_MONTH_IN_DUE_DATE and 15 from parameter PT_DAY_IN_DUE_DATE.	7
PT_REVAL_IS_FROM_BOOK_AREA	Determines, if the revaluation amount is determined from book area or as a total from specific revaluation depreciation areas.	blank (empty)
PT_STORED_TAX_DEPR_IS_IN_MAP32	Determines if the tax depreciation values in map 32 are read directly from tax depreciation area. If not marked, the values are calculated by the program.	X
PT_REVAL_IN_MAP31_TAX_COLUMNS	Determines how the revaluation is reflected in columns 3 and 10 of map 31.	blank (empty)

- Parameters specific to reporting entity: None

Make Additional Settings for Mapas Fiscais

Learn how you, as the key user for configuration, can make additional settings for Mapas Fiscais.

Context

Procedure

1. Make the required settings in Customizing for [Financial Accounting](#) under [▶ Asset Accounting ▶ Information System ▶ Country-Specific Functions ▶ Portugal ▶ Define Fiscal Maps Settings](#) .

You use this Customizing activity to maintain the following:

- [Define Revaluation Areas](#)
- [Define Revaluation Classes](#)
- [Define Currency Revaluation](#)
- [Define Transaction Types for Asset Retirements](#)
- [Define Checks](#)
- [Define Limit for Electric and Non-Electric Assets](#)
- [Define Impairment Movement Types](#)

Check the following topics and the system documentation for more details.

2. Make the required settings in Customizing for [Financial Accounting](#) under [▶ Asset Accounting ▶ Information System ▶ Country-Specific Functions ▶ Portugal ▶ Define Fiscal Maps Current Settings](#) .

You use this Customizing activity to maintain the following:

- [Define Manual Entries](#)
- [Define Depreciation Foregone](#)

Check the following topics and the system documentation for more details.

Cash Flow Statements

You can use the [Run Statutory Reports](#) app to generate the cash flow statements.

In Portugal, the cash flow statement should report flows during the period classified as operating, investing, and financing activities. The classification by activities provides information about the impact of those activities in the financial activity and in the cash flow of the entity. The goal of the Cash Flow Statements report is to provide financing information about the historical changes in the cash and its equivalents and understand the company needs to use those flows.

This report allows you to use the direct method or indirect method and submit it by year to the tax authorities in Portugal.

Now you are able to generate the direct or indirect cash flow statement based on the cash flow statement versions used in the Russia new offsetting account determination solution.

Prerequisites

This is custom documentation. For more information, please visit [SAP Help Portal](#).

You have completed the following activities:

- You have the necessary role authorizations to execute the report. Search for the relevant report category in the authorization overview table in the [Country/Region-Specific Role Authorizations](#) chapter and check if the listed authorizations are set for your user.
- You have made the necessary settings for generating the cash flow statements as described in [Configuration for Cash Flow Statements](#).
- You have activated the document and reporting compliance features for your country/region as described in [Customizing](#).

Generating the Cash Flow Statements

1. To get a list of the reports that require actions, enter selection parameters that define the reporting period and choose the PT_CASHFLOW_N (Portugal Cash Flow Statements) report in the search help of the [Report Name](#) field.

2. Choose one or more reporting statuses depending on how close the deadline of the report is to the actual calendar day.

You can also enter additional filtering options, such as the submission due date, the reporting year, the reporting entity, or the country/region.

3. Choose [Go](#).

The app displays a list of the reports for each reporting period that you can further process.

4. Select the row of the report you want to process and choose [New Run](#).

You can enter further filtering options, such as the [Company Code](#), [Reporting Date](#), and [Comparison Reporting Date](#).

Choose a run option. You can choose to generate the report run immediately or schedule the runs for a later point in time. For report runs that may take a long time to process, you can choose to run the reports in the background.

5. Choose [Run](#).

The app generates the run and displays it in [Generated](#) section on the screen. You can do the following:

- Display the generated data by selecting the row of the generated run.
- Review the data for successful runs. You can do this in the PDF file on the [Legal Reporting](#) tab, by clicking the link in the [Document Name](#) column.
- Download the generated document to your local computer and submit it to the tax authorities as required.
- Display the analytical view by clicking [Analyze Data](#) on the right-hand side of your screen. You can then check the data and dynamically change the analytical view for the displayed fields. For more information, see [Analyze Data](#).

6. When the tax authorities have approved the submitted file, update the status of the reporting run:

- a. Choose the row of the run and select the [Update Submission Status](#) button.
- b. In the pop up dialog box, update the run status to accepted, declined, or submitted as applicable.

i Note

If the status of a report has been manually updated to [Submission Accepted by Authority](#) accidentally, you can use the [Revert Status](#) button to revert the status of the last completed run to its previous state. This allows you to make changes to the contents of the report. For more details, see [Using Runtime - Enhanced Version](#).

The details of the files are as follows:

- [Cash Flow Statement Direct Method](#) (in PDF format)

This form provides information on the cash flow statement items generated using the direct method.

- [Cash Flow Statement Indirect Method](#) (in PDF format)

This form provides information on the cash flow statement items generated using the indirect method.

Generating a Correction Report

To correct a cash flow statement that has already been submitted, start a correction phase and generate a corrected declaration for the reporting period:

1. Choose the report that is already submitted to the authority and click [Start New Phase](#) to add reporting activities to the correction phase.
2. Specify the due date by which you need to submit the corrected cash flow statement in the [Select Due Date for New Correction Phase](#) dialog box.
3. Choose [Yes](#).
4. Follow the steps explained in the section [Generating the Cash Flow Statements](#) to generate and submit the correction report.

Related Information

[Correction, Additional Correction, and Clarification Phases](#)

Configuration for Cash Flow Statements

You, as the key user for configuration, can check and make changes to configuration settings or create new ones if needed in your Customizing activity.

To configure the [Cash Flow Statements](#), proceed as follows:

- Make the required settings in Customizing for [Cross-Application Components](#) under [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Statutory Reporting](#) [Cash Flow Statements](#) [General Settings](#) [Setting Up Your Statutory Reporting](#). For detailed information about the steps involved in setting up your statutory reports, see [Setting Up Your Statutory Reports](#).

The following configuration settings are available for the report, if you activate the relevant BC set as described in [App Implementation: Run Statutory Reports](#). You may change the settings based on your requirements.

- Reporting entity: PT_RPG_ENT
- Report category: PT_CASHFLOW_N
- Periodicity of the report category:

Field	Sample Value
From	01.01.2022
To	31.12.9999
Offset	6
Fiscal Year Variant	C1
Notification Period (Days)	60
Is Adhoc	No
TimeUnit	Months

- Properties of reporting activities: None
- Parameters specific to report category:

Parameter	Sample Value	Explanation of the Parameter	Parameter Mandatory or Optional?
CHART_OF_ACCOUNT	YCPT	Chart of account in which the cash flow statement is generated.	Mandatory
CURRENCYROLE	10	Currency type in which the cash flow statement is generated.	Mandatory
G_CF_DIRECT_VERSION_ID	PT01	Cash flow statement version ID for the cash flow statement in the direct method.	Mandatory
G_CF_INDIRECT_VERSION_ID	PT02	Cash flow statement version ID for the cash flow statement in the indirect method.	Mandatory
LEDGER	0L	Ledger in which the cash flow statement in the indirect method is generated.	Mandatory

- Parameters specific to reporting entity: None
- Validity of organizational unit:

Valid From	Comment
01.01.2018	

- Organizational units assigned to reporting entity:

Organizational Unit	Value	Leading
COMPANYCODE	3510	Yes

- Make the required settings in Customizing for [Cross-Application Components](#) under [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Statutory Reporting](#) [Cash Flow Statements](#) [Define Cash Flow Statement Versions for Portugal](#).

Creating New Cash Flow Statement Items

- On the [Define Version](#) screen, choose [New Entries](#) to create a new Version.
- Enter the following:
 - Name for your Cash Flow Statement Version (and a description if necessary)
 - Chart of Accounts

Only accounts from this Chart of Accounts will be processed for this version.
- Create a new Statement Item by double clicking [Define Item](#) and choosing [New Entries](#).

On the right hand, you will see a **New Item** screen. On this screen, you can do the following:

- a. Specify a unique identifier for the item in the **Item** field. If necessary, add a **Parent Item** and a **Cash Flow Statement Item Name** for it.
- b. Choose an **Item Type**:
 - **Beginning Balance** – account balance at the beginning of the period
 - **Credit Transactions** – credit turnovers for Cash Accounts
 - **Debit Transactions** – debit turnovers for Cash Accounts
 - **Empty Value** – item is used only as a parent item for nested lists. Documents are not processed
 - **Ending Balance** – account balance at the end of the period
 - **Period Total** – result equals (Ending Balance - Beginning Balance)
- c. If necessary, change the **Item Mode**:
 - **Only Credit** – if you use this, the system will only display the total of selected document items on the credit side. You can only use this for items with type Beginning Balance, Ending Balance, or Period Total.
 - **Only Debit** – if you use this, the system will only display the total of selected document items on the debit side. You can only use this for items with type Beginning Balance, Ending Balance, or Period Total.
 - **Only Negative** – if you use this, the system will only display the total of selected documents if it is negative. Otherwise the amount of this item will equal zero.
 - **Only Positive** – if you use this, the system will only display the total of selected documents if it is positive. Otherwise the amount of this item will equal zero.
- d. You can also choose to change the sign of the item and all its subitems in reporting to the opposite by using the **Change Sign** option. Note, this option applies after **Item Mode** option.
- e. If you choose **Item Hide**, then the result of the Statement Item will not be displayed in the statement.

4. Define the accounts:

- When you choose an Item Type, based on your choice you will be able to define different accounts (you can also use wildcards):
 - For **Beginning Balance**, **Ending Balance** or **Period Total** - only Cash Accounts
 - For **Debit Transactions** or **Credit Transactions** - at least two accounts (one Cash Account and one Offsetting Account). If necessary, you can also define Invoice Accounts. If you define more than two accounts, then the system will process all possible account pairs.
- To exclude an account from processing, choose the **Exclude** option.

5. Define the parameters.

On the **Define Limiting Parameters** view, define the parameters.

- You can only define parameters for the **Debit Transactions** or **Credit Transactions** item types.
- To exclude a parameter from processing, choose the **Exclude** option.
- Consider the following:
 - You can choose any field from the **Universal Journal Entry Line Items** (ACDOCA) table as a limiting parameter.
 - Each line of a parameter can either contain one value or a range of values. You can also use wildcards.
 - If you leave the **Value** field of a parameter empty, the system will include the documents in which the value of this parameter is empty in the selection.
 - If you add two or more lines with different values of the same parameter, the relationship between these values when selecting documents is the logical OR.

For example, if you specify two values of the **Tax Code** parameter: TAXCODE_1 and TAXCODE_2, the system will include the documents that have the tax code value that is either TAXCODE_1 or TAXCODE_2 in the selection.
 - If you add two or more lines with different parameters, the relationship between the values of these different parameters when selecting documents is the logical AND.

For example, if you specify the **Tax Code** parameter with value TAXCODE_1 and the Transaction Type parameter with value TRTYPE_1, the system will only include the documents that have both the TAXCODE_1 value of the tax code and the TRTYPE_1 value of the transaction type in the selection.

Now, when you run the Financial Statements report, the system will calculate Cash Flow Statement items according to your settings. Note the following:

- Credit transactions will contain negative values, debit transactions will contain positive values.
- If you have defined Invoice Accounts, then the system will search all invoices that are cleared with selected documents and contain the selected invoice accounts.

❖ Example

Direct Method

You have defined two Cash Flow Statement items of type Debit Transactions with the following accounts:

Item PT1010		
Cash Accounts	Offsetting Accounts	Invoice Accounts
11100*	2111*	711*

Cash Accounts	Offsetting Accounts	Invoice Accounts
1110*	2181*	7251*
12110*	213*	

Item PT1020

Cash Accounts	Offsetting Accounts	Invoice Accounts
11100*	2111*	6251*
11110*	2211*	6253*
12110*	2212*	6332*
	2214*	6387*
	2215*	
	2231*	

If item PT1010 has the following combination:

Cash Account 11100* - Offsetting Account 2110000000 - Invoice Account 7110000000

Then the system will analyze payments received via offsetting Debit 11100* against Credit 2110000000, and if it finds turnovers, it will look for invoices that have been cleared with this payment via Debit 2110000000 - Credit 7110000000.

If Invoice Accounts have not been defined, then the system does not analyze clearings.

If there are several Cash Flow Statement items and there is turnover between accounts 11100* - 2110000000, and the system has found a cleared invoice (accounts 2110000000 – 7110000000) then the resulting amount will be shown with code PT1010. If the system finds a cleared invoice with only a partial amount (accounts 2110000000 – 7110000000), then this partial amount will be shown with code PT1010:

Debit 11100* – Credit 2110000000, amount: 1000

Debit 2110000000 – Credit 7110000000, amount: 1000

Result: Code PT1010: 1000

Debit 11100* – Credit 2110000000, amount: 1000

Debit 2110000000 – Credit 7110000000, amount: 250

Result: Code PT1010: 250

Indirect Method

You have defined the Cash Flow Statement item of type Period Total with the following accounts:

Item PT1022

Cash Accounts	Offsetting Accounts	Invoice Accounts
2910*		
2911*		
2920*		
2960*		

- Make the required settings in Customizing for Cross-Application Components under [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Statutory Reporting](#) > [Cash Flow Statements](#) > [Group Accounting Document Items for Several Countries/Regions](#) and [Define Field Sets for Grouping for Several Countries/Regions](#).

You can define how the system groups document items before performing offsetting account determination. To do this, follow the procedure:

- Create logical rules in the [Group Accounting Document Items for Several Countries/Regions](#) Customizing activity.

These rules define which documents will be processed, for example:

Grouping Activation Rule	Rule
1	Document Type (BLART) = 'DZ' AND Reference Transaction (AWTYP) = 'BKPF'
2	Document Type (BLART) = 'DA'

In this case, the system will group two different types of documents:

- According to rule 1, the system will group document items for documents with document type DZ and reference transaction BKPF.
- According to rule 2, the system will group document items for documents with document type DA.

2. Define how the system will group document items in the [Define Field Sets for Grouping for Several Countries/Regions](#) Customizing activity.

Here you create sets of fields for grouping of document items. To do so, create a grouping set on the [Define Grouping Sets](#) screen and then enter fields from the [Universal Journal Entry Line Items](#) (ACDOCA) table to group document items by on the [Fields](#) screen. You can also specify several fields and choose the order in which they will be applied. For example:

Fields and Sequence	
Order	Field
1	Profit Center (PRCTR)
2	Segment (SEGMENT)

In this case, the system will first form groups of document items that have the same Profit Center, and then form groups of document items that have the same Segment inside those groups.

If the system processes this document:

Example Document					
Item	Account	Profit Center	Segment	Debit	Credit
1	Account 1	Profit Center 1	Segment 1	2300	
2	Account 2	Profit Center 1	Segment 1		2300
3	Account 1	Profit Center 2	Segment 1	1600	
4	Account 2	Profit Center 2	Segment 1		1600
5	Account 1	Profit Center 1	Segment 2	1200	
6	Account 2	Profit Center 1	Segment 2		1200

Then the system will first create two document item groups:

- a. Group with Profit Center 1
- b. Group with Profit Center 2.

And then it will create two groups of document items in Group with Profit Center 1

- c. Group with Profit Center 1, Segment 1
- d. Group with Profit Center 1, Segment 2
- e. Group with Profit Center 2

So, the system will determine offsetting accounts separately for the following document item groups:

Offsetting Accounts by Document Item Group						
Group	Item	Account	Profit Center	Segment	Debit	Credit
1	1	Account 1	Profit Center 1	Segment 1	2300	
1	2	Account 2	Profit Center 1	Segment 1		2300
2	3	Account 1	Profit Center 1	Segment 2	1200	
2	4	Account 2	Profit Center 1	Segment 2		1200
3	5	Account 1	Profit Center 2	Segment 1	1600	
3	6	Account 2	Profit Center 2	Segment 1		1600

3. When defining versions of offsetting account determination rules, specify the grouping rules and grouping field sets you created. You can do this on the [Assign Grouping Rules](#) screen of the [Define Offsetting Account Determination Versions for Portugal](#) Customizing activity.

i Note

Please note that if you define overlapping grouping rules with different grouping field sets, the document items that are selected by several rules will be processed only according to the first one. For example, if you have defined the following rules:

Grouping Rule	Rule
1	Reference Transaction (AWTYP) = 'BKPF'
2	Document Type (BLART) = 'KR' AND Reference Transaction (AWTYP) = 'BKPF'

And then you assigned them to the following grouping field sets:

Grouping Rule	Group Set
1	SET1
2	SET2

And you have two documents with the following parameters:

Document	Document Type	Reference Transaction
1	KR	BKPF
2	DR	BKPF

Then both documents will be grouped according to field set SET1, document 1 applies to rule 1 and 2, but rule 1 is the first one.

- Make the required settings in Customizing for [Cross-Application Components](#) under [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Statutory Reporting](#) [Cash Flow Statements](#) [Define Offsetting Account Determination Versions for Portugal](#) and [Activate Online Offsetting Account Determination for Several Countries/Rgns](#).

Versions of offsetting account determination rules define how the system determines offsetting accounts. For each version, you define:

- Whether the system groups document items before determining offsetting accounts
- Whether specific account pairs have higher priority over others
- Whether some accounts are forbidden to be paired with others as offsetting accounts

To define and activate the versions for offsetting account determination, proceed as follows:

For the selected document items, the system tries to determine the offsetting account for the G/L account of the item. The system determines offsetting accounts as follows:

- First, the system checks if you have defined forbidden account pairs.

If you did and there are forbidden offsetting accounts for this G/L account, then the system will determine offsetting accounts for this G/L account first. When doing so, it will avoid the forbidden offsetting accounts. If there are preferred offsetting accounts for this G/L account, they will have higher priority than others.

- After the system has determined all offsetting accounts for G/L accounts from forbidden pairs (if any), the system checks if you have defined preferred account pairs.

If you did then the system will use the offsetting account that has the highest priority, starting with offsetting accounts from preferred account pairs.

i Note

If you use wildcards, the more specific the preferred account number is, the higher priority it will have.

- If there are no preferred account pairs, then the system will use the first available item on the opposite side (debit item corresponds with credit, credit item corresponds with debit) to determine the offsetting account.
- If there is a remaining amount in the document item, then the system selects the next available item on the opposite side.
- Then the system does the same for the remaining document items.
- If the system determined offsetting accounts for all document items successfully, it posts the document. If not, then there are two possibilities.

When you activated Offsetting Account Determination in the [Activate Online Offsetting Account Determination for Several Countries/Rgns](#) Customizing activity, you had the option to allow the first in, first out (FIFO) approach to Offsetting Account Determination or not. Based on your settings, the system will proceed differently.

■ FIFO not Allowed

If you do not use the FIFO approach, at this point the system will raise a message and will cancel document posting. This may require more maintenance from accounting clerks but will help ensure there are no incorrect account pairs.

■ FIFO Allowed

If you use the FIFO approach, at this point the system will start determining offsetting accounts from step 1, but now it will ignore all your version settings: item grouping, account priorities and forbidden account pairs. This will require less maintenance from accounting clerks but may lead to incorrect account pairs.

❖ Example

For example, here is how the system can determine offsetting accounts for a Customer Invoice.

Before processing:

RLDNR Ledger in General Ledger Accounting	DOCLN Six-Character Posting Item for Ledger	RACCT Account Number	DRCRK Debit/Credit Indicator	BUZEI Number of Line Item Within Accounting Document	HSL Amount in Company Code Currency
OL	1	2110000000	S	1	1160
OL	2	7110000000	H	2	1000
OL	3	2433000000	H	3	160

After processing:

RLDNR Ledger in General Ledger Accounting	DOCLN Six-Character Posting Item for Ledger	RACCT Account Number	DRCRK Debit/Credit Indicator	BUZEI Number of Line Item Within Accounting Document	HSL Amount in Company Code Currency	GKONT Offsetting Account Number
OL	1	2110000000	S	1	1000	2
OL	2	7110000000	H	2	1000	1
OL	3	2110000000	S	1	160	4
OL	4	2433000000	H	3	160	3

Related Information

[SAP Note 3716573](#) 

Determine Offsetting Accounts for Unprocessed Journal Entries

Use the [Determine Offsetting Accounts for Unprocessed Journal Entries](#) app to determine offsetting accounts for journal entries that were posted while the Offsetting Account Determination solution was not activated.

Context

Use this app to process journal entries for which offsetting accounts were not determined previously. Usually, these are the journal entries that were not processed during their posting because they were posted before the Offsetting Account Determination solution was activated.

After you determine offsetting accounts for such journal entries, you can use the resulting data to generate cash flow statements for the corresponding period.

Procedure

Open the [Determine Offsetting Accounts for Unprocessed Journal Entries](#) app (App ID: FIRU_CF_OFF_ACC).

- Fill out the [Company Code](#), [Fiscal Year](#), and [Ledger](#) fields which are mandatory.
- Under [Journal Entries Selection](#), fill out the [Posting Date](#) field.

You can also use other fields to specify which journal entries you want to add to the selection.

- Choose one of the following possible modes:

- [Determine Offsetting Accounts](#)

Choose this mode to process the journal entries from the selection that were not processed before.

- [Overwrite Offsetting Accounts](#)

Choose this mode to overwrite processing results for journal entries from the selection that were previously processed using this app, in addition to processing the journal entries that were not processed before.

- [Delete Offsetting Accounts](#)

Choose this mode to delete processing results for journal entries from the selection that were previously processed using this app.

Note

Whatever option you choose, the journal entries for which the offsetting accounts were determined during their posting will not be affected.

- Choose [Execute](#).

Note

If you are processing a lot of documents, SAP recommends that you do the processing in background mode.

This app can only migrate the transaction data of two years (the current year and the prior year) for the same ledger and company code.

The documents that were posted after the activation of new offsetting account determination are excluded for migration and cannot be processed by this app.

If the document is posted after the activation and the split result is incorrect due to the incorrect Offsetting Account Determination configuration, there is only one way to resolve it, which is, to reverse document, change the configuration, and post it again.

Results

The system saves the results of offsetting account determination for the selected journal entries to a separate table. If you chose the [Delete Offsetting Accounts](#) mode, the system deletes the processing results for the selected journal entries from this table.

Next Steps

You can generate a cash flow statement for the period that includes the journal entries which you have processed with the [Determine Offsetting Accounts for Unprocessed Journal Entries](#) app.

Electronic Transport Registration

Enables you to create electronic documents for each transport that you want to register at the tax authorities.

[Registering Transport](#)

Shows how to create an electronic document using the Portugal Transport Registration process in the **eDocument Cockpit** (ED0C_COCKPIT) transaction.

[Creating and Submitting Transport Registration](#)

You use the **Portugal Transp. Registration** process in the **eDocument Cockpit** to request the registration of transports at the tax authorities in Portugal.

[Creating Transport Registration under Contingency](#)

You use the **Portugal Transp. Registration** process in the **eDocument Cockpit** to request the registration of transports at the tax authorities in Portugal.

[Apps and Transactions](#)

You can use several apps and transactions to process electronic documents.

[Implementation](#)

How to ensure that you have implemented all required features to create and exchange electronic documents for Transport Registration for Portugal.

[Customizing](#)

How to ensure that you have made the settings to create and submit electronic documents for Portugal.

[Integration](#)

You can integrate the solution with other applications to realize end-to-end business processes.

[Archiving Data in SAP Application Interface Framework](#)

SAP Application Interface Framework stores in its database tables data created during the processing of eDocuments. We recommend that you schedule regular archiving of these data to avoid performance issues.

[Configuring Read Access Logging in Electronic Documents](#)

You can use the Electronic Document channel in the Read Access Logging (RAL) Manager (transaction SRALMANAGER) to monitor and log read access to sensitive personal data for electronic documents.

Registering Transport

Shows how to create an electronic document using the Portugal Transport Registration process in the **eDocument Cockpit** (ED0C_COCKPIT) transaction.

In Portugal, it is a legal requirement that the movement of goods is electronically registered at the tax authorities. You request online authorization from the tax authorities before the actual transport of goods starts.

Processing of Transport Registration Documents

You use the **eDocument Cockpit** to execute the transport registration process. In the **Portugal Transp. Registration** process in the Cockpit, you process electronic documents for each transport you want to register at the tax authorities. You can set up your system to create electronic documents automatically whenever you post goods issue documents in the source application.

Transmission of Transport Registration Documents

You configure the communication with external systems to realize the actual transmission of the electronic document to the tax authorities.

Parent topic: [Electronic Transport Registration](#)

Related Information

[Creating and Submitting Transport Registration](#)

[Creating Transport Registration under Contingency](#)

[Apps and Transactions](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Archiving Data in SAP Application Interface Framework](#)

[Configuring Read Access Logging in Electronic Documents](#)

Creating and Submitting Transport Registration

You use the **Portugal Transp. Registration** process in the **eDocument Cockpit** to request the registration of transports at the tax authorities in Portugal.

Context

In Portugal, companies are required by law to register the movement of goods before the actual transport starts. The eDocument you create and submit via web service is a request to the tax authorities to register the transport. Once the tax authorities send back their approval, the truck can leave the premises of the company.

For information about the actions supported for this process, choose the [Help](#) pushbutton on the top of the process-specific screen. In this documentation, you also find a link to a detailed explanation of the process statuses and the actions you can do.

Procedure

1. You post a goods issue document in the source application.

The system creates an eDocument in the [eDocument Cockpit](#). If the transport is not due right now, you can still edit the transport start time later. To do so in the Cockpit, select an eDocument and choose [Edit](#).

2. You submit the eDocument.

The system transforms the eDocument in the required XML format, digitally signs it and forwards it via web service to the tax authorities.

3. Tax authorities process the eDocument and depending on the response, you see one of these statuses in the [Proc. Status Column](#) in the Cockpit:

Proc. Status Description	What you can do.
Approved by Tax Authority	The eDocument has been approved and you can proceed with the transport. In this status, you can still cancel the eDocument.
Rejected by Tax Authority	The eDocument has errors and was rejected by the tax authorities. You can correct the errors in the source document and submit the eDocument again.
Communicated to Tax Authority	The eDocument reached the tax authorities 'system but the transport start time is in the past. The tax authorities do not send an approval ID for this eDocument. You can cancel the eDocument.

Task overview: [Electronic Transport Registration](#)

Related Information

[Registering Transport](#)

[Creating Transport Registration under Contingency](#)

[Apps and Transactions](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Archiving Data in SAP Application Interface Framework](#)

[Configuring Read Access Logging in Electronic Documents](#)

Creating Transport Registration under Contingency

You use the [Portugal Transp. Registration](#) process in the [eDocument Cockpit](#) to request the registration of transports at the tax authorities in Portugal.

Context

If the tax authorities' system does not respond to your eDocument submitting, you can continue the business process under contingency.

For information about the actions supported for this process, choose the [Help](#) pushbutton on the top of the process-specific screen. In this documentation, you also find a link to a detailed explanation of the process statuses and the actions you can do.

Procedure

1. You submitted an eDocument to the tax authorities and there is no response. You see one of the following statuses in the [Proc. Status Description](#) column in the Cockpit:

- Sending to Interface Requested
- Sent to Interface
- Approved in Contingency

2. You contact the tax authorities, for example via telephone, and proceed with the business transaction offline. You receive an Approval ID from the tax authorities.

3. Select the eDocument and choose [More... > Switch to Contingency >](#) and enter the [Approval ID](#) and the [Transport Start Time](#).

The status changes to Approved in Contingency. Once the communication is reestablished, you must submit the eDocument again.

4. Tax authority processes the eDocument and depending on the response, you see one of these statuses in the [Proc. Status Column](#) in the Cockpit:

Proc. Status Description	What you can do
Rejected in Contingency	The eDocument has errors and was rejected by the tax authorities. You can: ◦ Correct the errors in the source document and submit the eDocument again. ◦ Cancel the eDocument. i Note

Proc. Status Description	What you can do
	This action does not automatically cancel or reverse the source document. If you want to cancel it too, you must cancel or reverse the documents in the source applications.
Communicated in Contingency	The eDocument has reached the tax authorities 'system but the transport start time is in the past. The tax authorities do not send an approval ID for this eDocument. You can cancel the eDocument. This is a final status and no user actions are possible.

Task overview: [Electronic Transport Registration](#)

Related Information

[Registering Transport](#)

[Creating and Submitting Transport Registration](#)

[Apps and Transactions](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Archiving Data in SAP Application Interface Framework](#)

[Configuring Read Access Logging in Electronic Documents](#)

Apps and Transactions

You can use several apps and transactions to process electronic documents.

Parent topic: [Electronic Transport Registration](#)

Related Information

[Registering Transport](#)

[Creating and Submitting Transport Registration](#)

[Creating Transport Registration under Contingency](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Archiving Data in SAP Application Interface Framework](#)

[Configuring Read Access Logging in Electronic Documents](#)

eDocument Cockpit

You use the **eDocument Cockpit** (App ID: ED0C_COCKPIT) to process electronic documents (eDocuments) that are created automatically based on source documents.

To find the **eDocument Cockpit**, on the **SAP Easy Access** screen, choose ► **Cross-Application Components** ► **Document and Reporting Compliance** ► **eDocument Cockpit** or call the ED0C_COCKPIT transaction. For information about the actions you can do in the report, choose the **Documentation** pushbutton on the selection screen.

Use

You use the **eDocument Cockpit** to do the following:

- Display electronic documents that have been created upon source documents creation in source applications.
- Submit electronic documents in the required format to the tax authorities or to your business partners.
- Create and submit electronic documents which for any reason could not be created upon source document creation.
- Monitor the status of the electronic documents and perform subsequent actions on them.

You can create custom fields for the **eDocument Cockpit** and restrict the visibility of electronic documents by these fields. For more information, see [Extension of eDocument Cockpit with Custom Fields and Enhanced Authorization](#).

Using the Search Function in the eDocument Cockpit

The **eDocument Cockpit** offers a comprehensive search function. Check out the video below to learn more on how to make the most out of the search engine.





[Open this video in a new window](#)

Displaying Errors in the eDocument Cockpit

Access different error sources directly from the result list in the **eDocument Cockpit** (EDOC_COCKPIT).

Prerequisites

You've selected parameter **Allow Screen with Details Pane in eDocument Cockpit** and have entered parameter value X in the Customizing activity **Maintain General Parameters for eDocument** (EDOGENCUSTV) in Customizing for **Cross-Application Components**, under **General Application Functions** > **Document and Reporting Compliance** > **Country/Region-Specific Settings** > **<Country/Region>** > **Electronic Document Processing** > **General Settings** > **Optional Settings**.

i Note

If you've created your own custom development, this custom development isn't displayed when using the new screen.

Procedure

1. Select the eDocument entry for which you want to display the errors.
2. Double-click on the **Logs/File** column.
The system opens a details pane on the right side with the application and interface logs and last file.
3. To close the details pane, either double-click again on the same entry in the column or use the **Close Details** icon on the top-left side of the details pane.

Displaying Archived Documents

You can display the electronic documents that have been archived directly in the **eDocument Cockpit** (EDOC_COCKPIT).

Context

Electronic documents often include personal data that requires protection. When documents have served their intended purpose, you should schedule archiving for electronic documents in the **eDocument Cockpit** using the **EDOCUMENT** archiving object. This process helps ensure personal data protection compliance. You can still access these archived documents later when needed, for example, for auditing purposes.

Procedure

1. Open the **eDocument Cockpit**.
2. Choose **Change** on the left top corner to change the selection criteria.
The **Select eDocuments** screen appears.
3. Choose the **Data Source** icon on the bottom-right corner.
4. Choose **Archive** in the **Select data source** dialog. You can then choose between the following options:
 - o **Archive Information System**

This option selects all archive files from the Archive Information System.

i Note

This is custom documentation. For more information, please visit [SAP Help Portal](#).

For the use of the Archive Information System, info structures need to be activated in each system client. You can use the two archive info structures SAP_EDOC_01 and SAP_EDOC_02, or create your own ones based on the field catalog SAP_EDOCUMENT.

- [Select Files Manually](#) [Archive Selec.](#) 

This option enables you to select archive files manually.

5. If you chose [Archive Information System](#), then choose [Continue](#). If you chose [Select Files Manually](#), select the files that you want to display and choose [Continue](#).

Related Information

[Archiving Electronic Documents with EDOCUMENT](#)

Authorization Objects

The business system checks the users' authorizations before they can perform certain actions on electronic documents. Some authorization objects are required in the AAAB authorization class for performing actions on electronic documents.

List of Authorization Objects and Respective Transactions

Object Name	Description	Authorization Fields	Transactions
EDO_BUK	eDocument: Authorization for Company code	• BUKRS	eDocument Cockpit (EDOC_COCKPIT) eDocument Inbound Message Handler (EDOC_MESSAGE_HANDLING)
EDO_PROC	eDocument: Authorization for Process & Process Step	• EDO_PROC • EDO_PRSTEP	eDocument Cockpit (EDOC_COCKPIT)
EDO_GLOVAR	Maintain Global Selection Variants in eDocument Cockpit	• ACTVT	eDocument Cockpit (EDOC_COCKPIT)
/AIF/PROC	AIF Interface Processing	• ACTVT (Value: 61) • /AIF/NS (Value: /EDOPT)	eDocument Cockpit (EDOC_COCKPIT)
EDO_ORG	Electronic Document: Authorization for Organizational Unit	• EDO_PROC • EDO_ORG • EDO_ORGVAL	eDocument Cockpit (EDOC_COCKPIT)

Processing eDocuments in the Background

Most actions you perform in the [eDocument Cockpit](#) can be automated by using the job scheduling function.

Context

You use the [eDocument Background Processing](#) report to create automatic jobs to run specific process actions on selected electronic documents. You can define that the jobs run in the background and also schedule them.

Procedure

1. To find the [eDocument Background Processing](#), go to the [SAP Menu](#) and choose [SAP Easy Access](#) [Cross-Application Components](#) [Document and Reporting Compliance](#) [eDocument Background Processing](#) . Alternatively, you can call the EDOC_BACKGROUND transaction.
2. For information about the actions you can do in the report, choose the [Program Documentation](#) pushbutton on the selection screen.

Implementation

How to ensure that you have implemented all required features to create and exchange electronic documents for Transport Registration for Portugal.

- If your system is on the latest Support Package available for your release, your system already contains the features for electronic document processing for Portugal.
- If you are implementing Electronic Transport Registration for Portugal by implementing SAP Notes, refer to the overview SAP Note [3282015](#)  for more information.

i Note

In both cases, you must monitor the CA-GTF-CSC-EDO-PT component for being informed about corrections for electronic document processing for Portugal.

Parent topic: [Electronic Transport Registration](#)

Related Information

[Registering Transport](#)
[Creating and Submitting Transport Registration](#)
[Creating Transport Registration under Contingency](#)
[Apps and Transactions](#)
[Customizing](#)
[Integration](#)
[Archiving Data in SAP Application Interface Framework](#)
[Configuring Read Access Logging in Electronic Documents](#)

Customizing

How to ensure that you have made the settings to create and submit electronic documents for Portugal.

Prerequisites

You activate the BTE for the EDOC SAP application using the FIBF transaction.

Customizing

i Note

Updates in the Customizing (SPRO) transaction are only delivered with Support Packages (SPs). Depending on which SP your system is on, you don't see the Document and Reporting Compliance structure in Customizing or not all Customizing activities are displayed for you. Once you implement the latest SP for your release, the Customizing is updated with the latest changes. As a workaround, you can call the views using the SM30 transaction.

Make the following Customizing settings:

Navigation in the SPRO Transaction	Customizing View	Description and Details
Customizing for eDocument under Cross-Application Components General Application Functions Document and Reporting Compliance General Settings : 	Activate Document and Reporting Compliance Features (GCOV_ADV_LIC_CTR)	Select the countries/regions for which you want to activate the use of Document and Reporting Compliance features.
Customizing for eDocument under Cross-Application Components General Application Functions Document and Reporting Compliance Country/Region-Specific Settings Portugal Electronic Document Processing Transport Registration :  i Note For more details on these Customizing activities, see the attachment of the following SAP Note: SAP Note 3282752 	Activate Source Type Documents for Company Code (EDOCOMPANYACTIV)	For a company code, activate the types of source documents for which you want electronic documents to be created.
	Assign eDocument Status to Process Status (EDOMETASTATUSV)	For an eDocument type, define which process statuses are assigned to which eDocument status.
	Define SOA Services for Communication (EDOSOASERV)	Define SOA services to logical ports.
	Assign SOA Services to eDocument Interfaces (EDOINTV)	Assign SOA services to eDocument interfaces.
	Assign eDocument Type to Delivery Type (TVLKEDOCV)	Define if a delivery type is relevant for eDocument creation by assigning an eDocument type to it.
Customizing for eDocument under Cross-Application Components General Application Functions Document and Reporting Compliance Country/Region-Specific Settings Portugal Electronic Document Processing Transport Registration Optional Settings : 	Redefine Activation Date for Interface Version (EDOINTVERSCUSTV)	Activate the interface version that you want to use.
	Maintain General Parameters for eDocument (EDOGENCUSTV)	Maintain general customizing parameters for electronic documents.
Customizing for eDocument under Cross-Application Components General Application Functions Document and Reporting Compliance Country/Region-Specific Settings Portugal Electronic Document Processing Transport Registration Business Add-Ins : 	BAAd: Enhancements for eDocument (EDOC_ADAPT0R)	Define your own rules for eDocument generation.

Parent topic: [Electronic Transport Registration](#)

Related Information

[Registering Transport](#)
[Creating and Submitting Transport Registration](#)
[Creating Transport Registration under Contingency](#)
[Apps and Transactions](#)
[Implementation](#)
[Integration](#)
[Archiving Data in SAP Application Interface Framework](#)
[Configuring Read Access Logging in Electronic Documents](#)

Mapping Fields to the XML File

The system uses SAP Application Interface Framework to map the fields of the source documents to the electronic document, normally an XML file. You implement standard settings in form of BC sets.

Context

To integrate both your system and SAP Application Interface Framework, you perform some steps that are generic and you also make some country/region-specific settings.

i Note

For information about implementation and upgrade steps for SAP Application Interface Framework, see SAP Note [2071823](#) .

Procedure

1. Create and activate database tables and BAdI implementations in a customer namespace as described in SAP Note [2027186](#) . These objects are generic and valid for all countries/regions.
2. SAP Application Interface Framework is fully compliant with the eDocument solution as of AIF version 701.SP 06. Install the global BC sets delivered with the SAP Note [2360094](#)  doing the following:
 - a. Use the SCPR3 transaction to upload the BC sets.
 - b. Use the SCPR20 transaction to activate the BC sets.The available BC sets contain all necessary generic customizing entries. By activating the BC sets, some generic entries are automatically made in your system, such as the global namespace /ED0 is created as well as all other relevant objects needed for the creation of a generic electronic document.
3. Create and activate BAdI implementations and customizing entries that are specific for Portugal. For more information, see SAP Note [2898942](#) .
4. Go to the /n/AIF/CONTENT_EXTRACT transaction to extract and deploy content of SAP Application Interface Framework using the deployment scenario SAP_COM_0631.

Value Mapping

Find information about configuring value mapping that are relevant for electronic documents in Portugal.

Mapping Delivery Document Type to Movement Type (MAP_MOVEMENT_TYPE)

Use this value mapping to map the delivery document types defined in your system to the external movement types.

Procedure

1. Maintain value mappings in the /n/AIF/VMAP transaction.
2. Enter the /EDOPT namespace and search for value mapping MAP_MOVEMENT_TYPE.
3. Map the delivery document types used in your system to the external codes for movement type code defined by the tax authority, for example: **GR** (Guia de remessa), **GT** (Guia de transporte), **GA** (Guia de movimentação de ativos próprios), **GC** (Guia de consignação), or **GD** (Guia ou nota de devolução efetuada pelo cliente).

❖ Example

Index	External Value	Delivery Type	Default
1	GD	LF	
2	GD	LO	

4. Save your entries.

Integration

You can integrate the solution with other applications to realize end-to-end business processes.

[Integrating With SAP Integration Suite](#)
How to set up integration scenarios using integration packages to communicate with external systems.

[Registering Transport With SAP Integration Suite](#)
You can realize the end-to-end processing of your electronic documents by integrating your system with SAP Cloud Integration or SAP Integration Suite, to send invoices to the service provider.

Parent topic: [Electronic Transport Registration](#)

Related Information

- [Registering Transport](#)
- [Creating and Submitting Transport Registration](#)
- [Creating Transport Registration under Contingency](#)

Integrating With SAP Integration Suite

How to set up integration scenarios using integration packages to communicate with external systems.

Context

To communicate with external systems, you deploy integration packages in SAP Integration Suite or SAP Cloud Integration (if you were onboarded before July 2020).

The setup of the integration scenarios comprises the following:

- Connection of SAP systems with the integration service.
- Connection of the integration service with external systems.

To be able to submit electronic documents, you integrate SAP Cloud Integration using the integration package **SAP Document and Reporting Compliance: Transport Registration for Portugal**.

Procedure

1. Access the SAP Business Accelerator Hub at <https://api.sap.com/> .
2. Search for your integration package and select it.
3. Select the scenario that you are interested in. The overview and the documents guide you through the settings you do to enable the scenario.

Task overview: [Integration](#)

Related Information

[Registering Transport With SAP Integration Suite](#)

Registering Transport With SAP Integration Suite

You can realize the end-to-end processing of your electronic documents by integrating your system with SAP Cloud Integration or SAP Integration Suite, to send invoices to the service provider.

Prerequisites

- You have made the required configuration options. Check [Customizing](#).
- You have integrated and configured SAP Cloud Integration or SAP Integration Suite for the communication of the electronic documents.

Procedure

1. You post a goods issue document in the source application. Once you save the source document, the system creates an instance of it (eDocument) in the database.
2. You submit the electronic document by running the **eDocument Cockpit** (EDOC_COCKPIT) transaction.
3. The system retrieves the electronic document from the database and calls the interface connector to deploy the **eDocument Interface Connector** (EDOC_INTERFACE_CONNECTOR) Business Add-In (BAI).
4. This BAI calls the interface type that enables the system to connect to SAP Application Interface Framework
5. SAP Application Interface Framework triggers the mapping of transactional data into the required XML format and saves the XML file.
6. The system calls SAP Integration Suite or SAP Cloud Integration via an ABAP Proxy and establishes communication with the application service provider.
7. If the call is successful, the outgoing XML file is saved. After the response is received successfully, the response XML file is saved.
8. The integration service processes the XML file to comply with the official communication requirements and triggers the corresponding web services for sending the XML file over to recipient.
9. The system updates the status of the electronic document in the database.

Task overview: [Integration](#)

Related Information

[Integrating With SAP Integration Suite](#)

Archiving Data in SAP Application Interface Framework

SAP Application Interface Framework stores in its database tables data created during the processing of eDocuments. We recommend that you schedule regular archiving of these data to avoid performance issues.

For more information, refer to [Data Archiving](#).

Parent topic: [Electronic Transport Registration](#)

Related Information

[Registering Transport](#)

[Creating and Submitting Transport Registration](#)

[Creating Transport Registration under Contingency](#)

[Apps and Transactions](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Configuring Read Access Logging in Electronic Documents](#)

Configuring Read Access Logging in Electronic Documents

You can use the Electronic Document channel in the Read Access Logging (RAL) Manager (transaction SRALMANAGER) to monitor and log read access to sensitive personal data for electronic documents.

Prerequisites

You have read the standard [Read Access Logging](#) documentation (especially the sections on how to enable Read Access Logging and how to create a new configuration):

- To enable Read Access Logging, follow the instructions under [Enabling Read Access Logging in Current Client](#).
- To define what to log, you create a new configuration. Follow the instructions under [Defining Configurations in Read Access Logging](#).

For more information, see section *Read Access Logging for Electronic Documents* in the [Security Guide for SAP S/4HANA 2020](#) ► [Implement](#) ► [Guides](#) ►.

Procedure

1. Go to the SRALMANAGER transaction and, on the **Administration** tab, choose **Configuration**.
2. Select **Electronic Document** as a channel.
3. Choose **Create** and choose **Search**. You can delimit the search by entering the eDocument type, for example, PT_TRREG. You can also search by entering PT_*.
The table displays, for the given eDocument type, the file types and file structures that can be enabled for RAL.
4. Choose the file type that may contain sensitive personal data and choose **Create** to create a RAL configuration. For the file types with more than one version, choose the entry corresponding to the version that you want to use.

Next Steps

Once you've created your configuration, you can monitor the read access log. To monitor the read access log, follow the instructions under [Monitoring the Read Access Log](#).

Task overview: [Electronic Transport Registration](#)

Related Information

[Registering Transport](#)

[Creating and Submitting Transport Registration](#)

[Creating Transport Registration under Contingency](#)

[Apps and Transactions](#)

[Implementation](#)

[Customizing](#)

[Integration](#)

[Archiving Data in SAP Application Interface Framework](#)

Periodic VAT Return and Annexes

The **Periodic VAT Return and Annexes** report enables you to generate the periodic VAT return (declaração periódica) and fulfill the statutory reporting requirements in Portugal. You generate this report in the **Run Statutory Reports** app.

The **Periodic VAT Return and Annexes** report (report category PT_VAT_DCL) generates the VAT return and the relevant annexes in XML format. You can upload the file directly to the authorities' tax portal or use it as the basis for entering the amounts manually.

VAT-registered entities in Portugal are required to file periodic VAT returns on a monthly basis in the month following the taxable period. If annual turnover is less than a specific threshold, they can opt for a quarterly return. The VAT return lists the tax base, tax payable, and tax deductible amounts, grouped by the transaction type.

The following annexes are submitted in addition to the main return:

Annex	Description
Annex R	Required if an entity has operations in other tax regions in addition to the main region For example, if an entity's main location is classed as Continent, and it has operations in Madeira and Azores, it files annex R twice (once for Madeira and once for Azores). Similar to the main return, annex R contains the tax base, tax payable, and tax deductible amounts, grouped by the transaction type.
Annex 40	Required if tax box 40 contains an amount Tax box 40 contains the total VAT amount that the taxpayer is entitled to after VAT corrections. Annex 40 lists the VAT amounts per VAT ID, classified according to the relevant legal articles.
Annex 41	Required if tax box 41 contains an amount Tax box 41 contains the total VAT amount that the tax authorities are entitled to after VAT corrections. Annex 41 lists the VAT amounts per VAT ID, classified according to the relevant legal articles.

If the VAT calculation results in a tax payable amount, this amount is declared in tax box 93 (Imposto a entregar ao estado).

If the calculation of VAT return results in a tax credit, the amount is declared in tax box 94 (crédito a recuperar). The entity can either carry the credit amount forward into the next period and declare it in tax box 96 (excesso a reportar) or request a refund and declare it in tax box 95 (solicito reembolso). To support the request for a refund, the following annexes are required:

Annex	Description
Annex I - Customer Relationships (Relação de Clientes)	This annex contains details of the amount in tax box 8 (deductible nontaxable or exempt transactions). The annex lists the amounts grouped by the tax number (NIF) of the domestic customer or by the export declaration number, classified according to the type of transaction, for example, domestic or export transactions.
Annex II - Supplier Relationships (Relação de Fornecedores)	This annex contains details of deductible taxes reported in tax boxes 20, 21, 22, 23, and 24, grouped by the tax number (NIF) of the domestic customer, EU VAT registration number, or import declaration number.

This report extracts data from financial journal entries. If you use Contract Accounts Receivable and Payable, the report also extracts data from contract accounting documents for Annex 40, Annex 41, and Annex I - Customer Relationships.

[Setting Up the Periodic VAT Return and Annexes](#)

Define reporting preferences for the [Periodic VAT Return and Annexes](#) report for Portugal to enable users to generate the report in the [Run Statutory Reports](#) app.

[Making Additional Settings for the Periodic VAT Return and Annexes](#)

Make settings for the [Periodic VAT Return and Annexes](#) report for Portugal. These settings enable users to generate the report with the required data and to use the reporting features in the [Run Statutory Reports](#) app.

[Generating the Periodic VAT Return and Annexes](#)

Generate the [Periodic VAT Return and Annexes](#) (declaração periódica) using the [Run Statutory Reports](#) app to fulfill the statutory reporting requirements in Portugal.

[Output of the Periodic VAT Return and Annexes](#)

Get an overview of the different sections in the output of the [Periodic VAT Return and Annexes](#) report for Portugal, including the relevant configuration settings and analytical views.

Setting Up the Periodic VAT Return and Annexes

Define reporting preferences for the [Periodic VAT Return and Annexes](#) report for Portugal to enable users to generate the report in the [Run Statutory Reports](#) app.

Prerequisites

SAP pre-delivers Tax Box Structure Types set up as such for the following locations: "1" for Continent as the main location, "2" for Azores as Region 1, and "3" for Madeira as Region 2.

If you follow a scenario with a main location differing from the one pre-delivered by SAP, make sure you've created the relevant [Tax Box Structure Types](#) in the [TBS Type Control Table](#) view (V_VG_TBS_CT) before updating your Customizing with these parameters: PT_TAXB0XSTRTYPE_PE_MA, PT_TAXB0XSTRTYPE_PE_R1, and PT_TAXB0XSTRTYPE_PE_R2.

Context

As the key user for configuration, you can set up reporting preferences, such as:

- Assign organizational units to your reporting entity
- Define the report's validity, due dates, and notification settings
- Specify values of reporting parameters

Procedure

1. Go to Customizing for [Cross-Application Components](#) under [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Statutory Reporting](#) > [Periodic VAT Return and Annexes](#) > [General Settings](#) > [Setting Up Your Statutory Reporting](#).

i Note

You can also access this activity by calling view cluster SRFVC_RPG_ENT in transaction SM34.

2. Choose the reporting entity PT_RPG_ENT.
 3. Choose the report category PT_VAT_DCL
 4. Set the periodicity of the report category:

Field	Sample Value
From	01.01.2022
To	
Offset	10
Fiscal Year Variant	K0
Notification Period (Days)	0
Is Adhoc	No
TimeUnit	Days

5. Specify values for parameters specific to the report category:

Parameter Name	Sample Value	Explanation of the Parameter
PT_LOCATION_REGION1	1: Continent2: Azores3: Madeira	Region where your company has operations (different from the region of the head office)
PT_LOCATION_REGION2	1: Continent2: Azores3: Madeira	Region where your company has operations (different from the region of the head office)
PT_LOCATION_MAIN	1: Continent2: Azores3: Madeira	Mandatory Region where your company has its head office
PT_NIF_ROC	012345678	9-digit tax number (NIF) of the statutory auditor (ROC - revisor oficial de contas) for annex 40 You can enter multiple values.
PT_NIF_CCI	012345678	9-digit tax number of independent tax consultants for annex 40 You can enter multiple values.
PT_VAT_REFUND_POSTPONED_ACCTG	" " = No X = Yes	Mandatory If you leave this parameter empty, import VAT is displayed with the company's NIF and the prefix IM in the supplier annex. If you enter X, import VAT is displayed without the company's NIF (tax number) and without a prefix in the supplier annex.
PT_VAT_REFUND_CUSTOMS_FIELD	" " XBLNR: Reference BKTXT: Header Text	Mandatory The document field that contains the import declaration number for the supplier annex. Leave the parameter empty if it is not relevant.
PT_VAT_REFUND_EXPORT_FIELD	" " XBLNR: Reference BKTXT: Header Text	Mandatory The document field that contains the export declaration number for the customer annex. Leave the parameter empty if it is not relevant
PT_VAT_REFUND_TAX_CODE_CUSTOMS		The tax codes used when posting import VAT from custom documents. You can enter multiple values.
PT_VAT_REFUND_TAX_CODE_REVCHRG		The tax codes used to identify reverse charge scenarios. You can enter multiple values.
PT_TAXBOXSTRYPE_PE_MA	Z	Mandatory if a location other than Continent is set for your company code. Maintain the ID of your customized tax box structure type (with either of these allowed values: U, V, W, X, Y, or Z) for your main location (for example, Azores).

Parameter Name	Sample Value	Explanation of the Parameter
PT_TAXB0XSTRTYPE_PE_R1	V	Mandatory if either Continent or Madeira is set to region 1 for your company code. Maintain the ID of your customized (with either of these allowed values: U, V, W, X,Y, or Z) or SAP tax box structure type for region 1.
PT_TAXB0XSTRTYPE_PE_R2	Y	Mandatory if either Continent or Azores is set to region 2 for your company code. Maintain the ID of your customized (with either of these allowed values: U, V, W, X,Y, or Z) or SAP tax box structure type for region 2.

6. Set the validity of the organizational unit:

Valid From	Comment
01.01.2018	

7. Assign organizational units to reporting entity:

Organizational Unit	Value	Leading
COMPANYCODE	3510	Yes

8. Specify values for parameters specific to the reporting entity:

Parameter Name	Sample Value	Explanation of the Parameter
PT_NIF_T0C	012345678	Optional 9-digit tax number (NIF) of the tax consultant

9. Save your changes.

Task overview: [Periodic VAT Return and Annexes](#)

Related Information

[Making Additional Settings for the Periodic VAT Return and Annexes](#)
[Generating the Periodic VAT Return and Annexes](#)
[Output of the Periodic VAT Return and Annexes](#)
[Setting Up Your Statutory Reports](#)

Making Additional Settings for the Periodic VAT Return and Annexes

Make settings for the [Periodic VAT Return and Annexes](#) report for Portugal. These settings enable users to generate the report with the required data and to use the reporting features in the [Run Statutory Reports](#) app.

Context

As the key user for configuration, complete the following activities to maintain the data required to generate the report and to enable its various features.

Procedure

- Configure the tax box mappings.
- Make the required settings in the [Classify Tax Codes for VAT Return Annexes](#) configuration activity.
- Complete the settings required for the [Manage Tax Items](#) reporting activity.
- Complete the settings required for the [Post Tax Payable](#) reporting activity.
- If you report contract accounting data, configure the tax determination settings for correction invoices in Convergent Invoicing. For more information, see [Defining Tax Codes for Correction Invoices in Convergent Invoicing](#).

Task overview: [Periodic VAT Return and Annexes](#)

Related Information

[Setting Up the Periodic VAT Return and Annexes](#)
[Generating the Periodic VAT Return and Annexes](#)
[Output of the Periodic VAT Return and Annexes](#)
[Manage Tax Items for Legal Reporting](#)
[Tax Payable Posting](#)

Configuring the Tax Box Mappings for the Periodic VAT Return and Annexes

Find out how you, as the key user for configuration, can set up the tax box mappings for the [Periodic VAT Return and Annexes](#) (PT_VAT_DCL) report for Portugal.

Context

You can check and make changes to configuration settings or create new settings if required.

Procedure

- Go to Customizing for [Cross-Application Components](#) under [General Application Functions](#) [Document and Reporting Compliance](#) [Country/Region-Specific Settings](#) [Portugal](#) [Statutory Reporting](#) [Periodic VAT Return and Annexes](#) [Define Tax Box Structure](#)

- On the initial screen, add a new entry for Portugal and [Tax Box Structure Type](#) 1. This represents the tax box structure type for the periodic VAT return for the main location.

For tax codes that are relevant for other regions, maintain the corresponding tax box structure types 2, 3, or both, according to your requirements.

Note the following:

- The [Type Description](#) is automatically derived from the [Tax Box Structure Type](#).
- The [From Date](#) defines the date from which the periodic VAT return can be generated by the system.
- [Tax Box S.](#) and [TB Description](#) are optional fields that you can fill according to your requirements.

Example: Tax Box Structure

C/R	From Date	TaxBoxStTy	Type Description	Tax Box S.	TB Description
PT	01.01.2023	1	Periodic VAT Return - Main Location		

- Choose [Tax Boxes](#) in the dialog structure.

Define the tax boxes that correspond to the fields of the official form for the periodic VAT return. Do not fill the field [TB Condition](#).

Example: Tax Boxes

Tax Box	Name	Tax Box Output Type	TB Condition
3	Taxable supply of goods at normal rate	Tax Base	
4	Taxable supply of goods at normal rate	Tax Amount	
8	Deductible exempt operations	Tax Base	
9	Non-deductible exempt operations	Tax Base	
16	EU acquisition of services with reverse charge	Tax Base	
17	EU acquisition of services with reverse charge	Tax Amount	
20	Deductible taxes on non-current assets	Tax Amount	
24	Deductible taxes on other goods and services	Tax Amount	
40	Regularizations in favor of the taxpayer	Tax Amount	
41	Regularizations in favor of the state	Tax Amount	

- Choose [Tax Groups](#) in the dialog structure.

Define the tax groups and assign the corresponding tax codes and transaction keys.. The tax groups must correspond to the tax boxes.

Leave the columns [Balance](#), [Special G/L Ind.](#), [Group](#), [Percentage](#), and [Arithmetic Operation](#) empty.

Example: Tax Groups

Tax Group	Tx	Trs	Bal	Type	SG	Group	Percentage	ArithmOper
3	Output tax goods no deduction right 23%	MWS						
4	Output tax goods no deduction right 23%	MWS						
8	Output tax exemption 9°, n°30 assets	MWS						

Tax Group	Tx	Trs	Bal	Type	SG	Group	Percentage	ArithmOper
9	Output tax goods 0%	MWS						
16	VAT EU Acquisition tax paid by declarant 13%	ESA						
17	VAT EU Acquisition tax paid by declarant 13%	ESA						
20	Input tax deductible assets 23%	VST						
24	VAT EU Acquisition tax paid by declarant 13%	ESE						
40	REG F.COMPANY Normal rate 78°, n° 2	VST						
41	REG F.STATE RED- 78°-C, n° 3	MWS						

5. Choose **Assignment of Tax Groups to Tax Boxes** in the dialog structure.

Map the tax groups to the tax boxes.

Example: Tax Box Mapping

Tax Box	Tax Group	Op
3	3	
4	4	
8	8	
9	9	
16	16	
17	17	
20	20	
24	24	
40	40	
41	41	

Related Information

Classifying Tax Codes for the Periodic VAT Return and Annexes

Classify your tax codes for the annexes of the periodic VAT return for Portugal. These settings enable users to generate the report with the required data and to use the reporting features in the **Run Statutory Reports** app.

Prerequisites

You've configured the tax box mappings. For more information, see [Configuring the Tax Box Mappings for the Periodic VAT Return and Annexes](#).

Context

As the key user for configuration, complete the following activities to maintain the data required to generate the report and to enable its various features.

Procedure

- 1. In Customizing for Cross-Application Components under [General Application Functions](#) > [Document and Reporting Compliance](#) > [Country/Region-Specific Settings](#) > [Portugal](#) > [Statutory Reporting](#) > [Periodic VAT Return and Annexes](#) > [Classify Tax Codes for Periodic VAT Return Annexes](#)

i Note

You can also access this activity by calling view cluster FIPT_VAT_VC in transaction SM34.

2. Select the procedure, for example, TAXPT.
3. Classify tax codes for annex 40.

Classify tax codes that you assigned to tax box 40 in tax box structure type 1 in the [Define Tax Box Structure](#) configuration activity.

Example: Classify Tax Codes for Annex 40

Tax Code	Account Key	Classification	Article Number
REG F.COMPANY Normal rate - 78°, n° 2	VST	1-A	01

4. Classify tax codes for annex 41.

Classify tax codes that you assigned to tax box 41 in the tax box structure type 1 in the [Define Tax Box Structure](#) configuration activity.

Example: Classify Tax Codes for Annex 41

Tax Code	Account Key	Classification	Article Number
REG F.STATE RED-78°-C, n° 3	MWS	1-A	02

5. Classify tax codes for the customer relationship annex.

Classify tax codes that you assigned to tax box 8 in tax box structure types 1, 2, and 3 in the [Define Tax Box Structure](#) configuration activity.

Example: Classify Tax Codes for Customer Relationship Annex

Tax Code	Account Key	Classification
Output tax exemption 9°, n°30 assets	MWS	NATIONAL

6. Save your entries.

i Note

For more information about the required settings, see the documentation of the Customizing activity in the system.

Generating the Periodic VAT Return and Annexes

Generate the [Periodic VAT Return and Annexes](#) (declaração periódica) using the [Run Statutory Reports](#) app to fulfill the statutory reporting requirements in Portugal.

Prerequisites

The key user for configuration has completed the following activities:

- Set up the report as explained in [Setting Up the Periodic VAT Return and Annexes](#)
- Completed the settings described in [Making Additional Settings for the Periodic VAT Return and Annexes](#)

Context

Using the [Run Statutory Reports](#) app, you can generate the [Periodic VAT Return and Annexes](#) and view, analyze, and download the report output.

You can also process the following additional activities for the report:

- [Manage Tax Items](#): Include or exclude tax items from your current reporting period.
- [Post Tax Payables](#): Post the balances of tax accounts directly to a tax payable account.

Procedure

1. Open the [Run Statutory Reports](#) from your launchpad.
2. Specify the report category PT_VAT_DCL ([Portugal Periodic VAT Return and Annexes](#)) in the [Report Name](#) field and specify other selection criteria, for example, reporting year and reporting status.
3. Choose [Go](#).
4. Select the reporting task that you want to process.
A list of reporting activities is displayed.
5. To manually include or exclude tax items from the current reporting period, choose the [Manage Tax Items](#) activity.
For more information, see the related links.
The app navigates to the [Manage Tax Items for Legal Reporting](#) app.
6. To mark the [Manage Tax Items](#) reporting activity as complete, go back to the activity overview screen, select the checkbox next to the activity name, and choose [Set Completed](#).
7. Choose the [Prepare Periodic VAT Return and Annexes \(Portugal\)](#) activity.

8. Choose [New Run](#).

9. Specify the required selection parameters and a run option.

In addition to the company code and reporting dates, you can specify the following:

Selection Parameter	Use
Tax Credit from Previous Period [61]	Enter the tax credit amount from the previous closed period that you want to include in the VAT calculation. A closed period is a period for which the status of the run is Submission Accepted by Authority . If you carried over a tax credit from the previous closed period by reporting it in tax box 96 of the return for the previous closed period, the system enters this tax credit amount by default.
Refund and Customer/Supplier Annexes	Select this checkbox if you want to request a refund for a tax credit that is calculated in this report run. The system outputs the tax credit amount in tax box 95 instead of tax box 96 and generates the required annexes for customer relationships and supplier relationships.
Date for Customer/Supplier Annexes	Specify the reporting period for the annexes. If the requested refund also comes from credit amounts carried forward from previous periods, enter a date range that includes the previous periods.

10. Choose [Run](#).

The app generates the run and displays it in the [Generated](#) section.

11. Choose the report run.

The report output is listed in the [Legal Reporting](#) section.

12. Perform the following actions on the report output as required:

Action	Step
Review the report output data	Choose the link in the Document Name column.
Analyze the report data in the analytical view	Choose Analyze Data on the right-hand side of your screen. The main analytical view is called Tax Items . Depending on the scope of the report run, the following additional analytical views are provided: ◦ If the report generates annexes 40 and 41, you can check the Tax Items for Annex 40 and Tax Items for Annex 41 views. ◦ If the report generates the refund and the corresponding customer and supplier annexes, you can check the Customer Items and Supplier Items views.
Manually adjust your report data	Choose the link in the Document Name column and on the preview screen, choose Edit .
Download the report output file	Select the checkbox next to the document name and then choose Download .

13. Submit the report to the authorities as required.

14. After you've submitted the report, update the submission status by selecting the report run in the [Generated](#) section and choosing [Update Submission Status](#). If you've also received a response from the authorities, update the run status to accepted or declined as applicable.

The report run is displayed in the [Submitted](#) section.

i Note

If you want to change a submitted report run, choose [Revert Status](#) to change the status back to its previous state.

15. To post the balances of tax accounts directly to a tax payable account, choose the [Post Tax Payables](#) activity.

The app navigates to the [Post Tax Payables](#) app.

16. To mark the [Post Tax Payables](#) activity as complete, go back to the activity overview screen, select the checkbox next to the activity name, and choose [Set Completed](#).

Results

When all the activities for the reporting task are completed, the reporting task status changes to [Completed](#).

Next Steps

If you want to generate a correction for a VAT return that has already been submitted, start a new phase and generate a new declaration for the reporting period. A full report is generated during the correction phase.

Task overview: [Periodic VAT Return and Annexes](#)

Related Information

[Setting Up the Periodic VAT Return and Annexes](#)

[Making Additional Settings for the Periodic VAT Return and Annexes](#)
[Output of the Periodic VAT Return and Annexes](#)
[Manage Tax Items for Legal Reporting](#)
[Tax Payable Posting](#)
[Preview](#)
[Analyze Data](#)
[Manual Adjustment](#)
[Correction, Additional Correction, and Clarification Phases](#)
[Creating a New Phase](#)

Output of the Periodic VAT Return and Annexes

Get an overview of the different sections in the output of the [Periodic VAT Return and Annexes](#) report for Portugal, including the relevant configuration settings and analytical views.

The analytical views are displayed when you choose [Analyze Data](#) after you have generated the report output. For detailed information about the configuration settings, see the documentation of the configuration activities in the system.

Main Section: <rosto>

XML Tag	<rosto>
Section Description	This section contains the header information of the return (reporting period, NIF, and locations) and the grouping of the tax base, tax payable, and tax deductible amounts. It also contains the calculation of the tax payable or tax credit amount.
Name of Analytical View	Tax Items
Relevant Configuration Settings	• Define Enhanced Tax Box Structure configuration activity: ◦ Mandatory: tax box structure type PE_MA ◦ Optional: tax box structure types PE_R1, PE_R2, or both i Note The tax box structure types PE_R1 and PE_R2 are required only if you have operations in regions different to the region of the tax office. Their groupings are used in Annex R. Their totals are included in tax boxes 65, 66, 67, and 68 of the main return. • Setting Up Your Statutory Reporting configuration activity Specify values for the following parameters that are specific to the report category: ◦ PT_LOCATION_MAIN ◦ PT_LOCATION_REGION1 (only if you have operations in other regions) ◦ PT_LOCATION_REGION2 (only if you have operations in other regions) ◦ PT_NIF_TOC (optional)

Annex of Field 40: <anexoCampo40R>

XML Tag	<anexoCampo40R>
Section Description	The output contains this section if tax box 40 in the main return contains an amount.
Name of Analytical View	Tax Items for Annex 40
Relevant Configuration Settings	• Define Enhanced Tax Box Structure configuration activity: ◦ Tax box structure type: PE_MA ◦ Assign tax codes to tax box 40. • Classify Tax Codes for Periodic VAT Return Annexes configuration activity: ◦ Classify tax codes for annex 40. • Setting Up Your Statutory Reporting configuration activity Specify values for the following parameters that are specific to the report category: ◦ PT_NIF_CCI (optional) ◦ PT_NIF_ROC (optional)

Annex of Field 41: <anexoCampo41R>

XML Tag	<anexoCampo41R>
---------	-----------------

Section Description	The output contains this section if tax box 41 in the main return contains an amount.
Name of Analytical View	Tax Items for Annex 41
Relevant Configuration Settings	• Define Enhanced Tax Box Structure configuration activity: ◦ Tax box structure type: PE_MA ◦ Assign tax codes to tax box 41. • Classify Tax Codes for Periodic VAT Return Annexes configuration activity: ◦ Classify tax codes for annex 41.

Annex R: <anexoR>

XML Tag	<anexoR>
Section Description	The output contains this section if you have operations in regions different to the region of the head office.
Name of Analytical View	Tax Items To filter the groupings for annex R in the analytical view, select the unified tax box structure PE_R1 or PE_R2.
Relevant Configuration Settings	Relevant configuration settings: • Define Enhanced Tax Box Structure configuration activity: ◦ Tax box structure types PE_R1, PE_R2, or both • Setting Up Your Statutory Reporting configuration activity The following parameters that are specific to the report category are required for the main section of the return and annex R: ◦ PT_LOCATION_REGION1 ◦ PT_LOCATION_REGION2

Customers: <clientes>

XML Tag	<clientes>
Section Description	The output contains this section if both of the following apply: • The user selects the Refund and Customer/Supplier Annexes checkbox in the report selection parameters. • Tax box 8 contains an amount during the period that the user enters in the Date for Customer/Supplier Annexes report selection parameter.
Name of Analytical View	Tax Items for Annex 41
Relevant Configuration Settings	• Define Enhanced Tax Box Structure configuration activity: ◦ Tax box structure type: PE_MA, PE_R1, PE_R2 ◦ Assign tax codes to tax box 8. • Classify Tax Codes for Periodic VAT Return Annexes configuration activity: ◦ Classify the tax codes for the customer relationship annex • Setting Up Your Statutory Reporting configuration activity Specify a value for the following parameter that is specific to the report category: ◦ PT_VAT_REFUND_EXPORT_FIELD

Suppliers: <fornecedores>

XML Tag	<fornecedores>
Section Description	The output contains this section if both of the following apply: • The user selects the Refund and Customer/Supplier Annexes checkbox in the report selection parameters. • Tax boxes 20, 21, 22, 23, and 24 contain an amount during the period that the user enters in the Date for Customer/Supplier Annexes report selection parameter.

Name of Analytical View	Supplier Items
Relevant Configuration Settings	Define Enhanced Tax Box Structure configuration activity: - Tax box structure type: PE_MA, PE_R1, PE_R2 - Assign tax codes to 20, 21, 22, 23, and 24. Setting Up Your Statutory Reporting configuration activity Specify values for the following parameters that are specific to the report category: - PT_VAT_REFUND_POSTPONED_ACCTG - PT_VAT_REFUND_CUSTOMS_FIELD - PT_VAT_REFUND_TAX_CODE_CUSTOMS (optional) - PT_VAT_REFUND_TAX_CODE_REVCHRG (optional)

Parent topic: [Periodic VAT Return and Annexes](#)

Related Information

- [Setting Up the Periodic VAT Return and Annexes](#)
- [Making Additional Settings for the Periodic VAT Return and Annexes](#)
- [Generating the Periodic VAT Return and Annexes](#)

Manage Series Validation Code for Portugal

According to Portaria 195/2020, it is mandatory for all the companies to communicate the series identifier used in document numbering of invoices, deliveries, etc., to the tax authorities. The tax authorities will return a validation code for each communicated series identifier. Use the validation code to create a Unique Document Number or ATCUD. ATCUD is created by combining the validation code and the sequential document number. It is mandatory to print the ATCUD on documents, to report e-Invoices and SAF-T (PT) files and to include in the QR-Code.

Use the **Manage Series Validation Code** report to associate the series identifier with a validation code and to manage **Registration, Cancellation, Finishing** of the series identifier for all the affected business processes.

The **Manage Series Validation Code** report displays configuration and master data associated with number range series identifiers from all relevant business processes, and structures the information as required for the registration process. Using this app you can do the following actions on number range series identifier:

- Register number range series identifiers from one or many business processes.
- Cancel/Finish number range series identifier which is already registered.

There are two possibilities to do these actions:

- Triggering the Portugal tax authority Web Service to register/finish/cancel the series identifier directly from the **Manage Series Validation Code** report. This is a one step process.
- Using the Portugal tax authority portal to register/finish/cancel the series identifier and then updating the same manually in the **Manage Series Validation Code** report. This is a two-step process.

The **Manage Series Validation Code** report then persists validation code and status associated with the number range series. This is subsequently used by business applications for printing, SAF-T reporting and impacted processes.

i Note

It is recommended to use the Web Service solution. This avoids the correction process in cases of end user errors during manual maintenance of validation codes.

- [Prerequisites For Series Registration](#)
- [Integrating Web Service Registration](#)

You use SAP Cloud Integration to establish communication with external systems in order to register series identifiers.

- [Integrating Web Service Registration for Self-Billing Documents](#)

You use SAP Cloud Integration to establish communication with external systems in order to register series identifiers.

- [Managing Series Identifiers Using Web Service](#)

You can **Register, Finish** or **Cancel** series identifier by triggering the Portugal tax authority Web Service directly using the **Manage Series Validation Code** report.

- [Managing Series Identifiers Using Manual Update](#)

You can use the Portugal tax authority portal to manually **Register, Finish** or **Cancel** the series identifier and update the same in the **Manage Series Validation Code** report.

- [Fields Associated With The Number Range Series Identifier](#)

Learn more about the various fields on the ALV Grid screen in **Manage Series Validation Code** report.

- [Status Assigned to Series Identifier](#)

Learn more about the status assigned to series identifier during the communication process.

- [Archiving Series Validation Code Using PT_SVC](#)

You can use the archiving object **PT_SVC** for archiving series validation code.

Prerequisites For Series Registration

Before you register the series identifier in the [Manage Series Validation Code](#) report, do the following:

- Maintain the correct VAT number in the Company code Master Data.
- Maintain the number ranges in the respective business process configurations with the defined rules.
- For Web Service registration:

Perform the communication setup for integrating to the tax authority Web Service. For more information see, [Integrating Web Service Registration](#)

i Note

Web Service registration and Message Log options are enabled only if this setup is done.

i Note

Before the Self-Billing series registration, a valid Self-Billing agreement is required between the requesting company code and the supplier.

- For Manual update:

In case of manual registration process, before you do the activity in the [Manage Series Validation Code](#) report, series identifier must be registered in the Portugal tax authority portal.

Parent topic: [Manage Series Validation Code for Portugal](#)

Related Information

[Integrating Web Service Registration](#)

[Integrating Web Service Registration for Self-Billing Documents](#)

[Managing Series Identifiers Using Web Service](#)

[Managing Series Identifiers Using Manual Update](#)

[Fields Associated With The Number Range Series Identifier](#)

[Status Assigned to Series Identifier](#)

[Archiving Series Validation Code Using PT_SVC](#)

[Customizing for Digital Signature of Invoices](#)

Integrating Web Service Registration

You use SAP Cloud Integration to establish communication with external systems in order to register series identifiers.

Use

To use the Web Service based solution to [Register](#), [Cancel](#) or [Finish](#) series identifiers, set up the Web Service configurations in SOAMANAGER.

Prerequisites

- A technical user is required in SAP ERP to perform the manual configurations in SOAMANAGER.
- A technical user is required in the SAP Cloud Integration to copy the integration package and to configure and deploy the integration flow. The technical user must be assigned the AuthGroup.Administrator role.

Access SAP Cloud Integration

Your company has to subscribe to the SAP Cloud Integration to get access to the system. Contact your SAP Account Executive for more information.

Once you subscribe to SAP Cloud Integration, you will be provided with an SDN account that enables you to access SAP Cloud Integration. SAP recommends that you read through the Quick onboarding guide for SAP Cloud Integration to familiarize yourself with all features and capabilities of SAP Cloud Integration.

Procedure

To create a logical destination, there is specific information in the integration package in SAP Cloud Integration. To access this guide, follow the steps below:

1. Access SAP Cloud Integration.
2. Search for [Portugal Series Registration](#).
3. Select [SAP S/4HANA Integration with Portugal Tax Authority Web Service](#).
4. Go to [Documents](#) and select the integration documentation from the available documents.

The document guides you through the settings you do in SAP Cloud Integration.

i Note

The integration flow requires Keys to connect securely to the tax authority servers. To obtain the keys, [3137385](#) .

Parent topic: [Manage Series Validation Code for Portugal](#)

Related Information

[Prerequisites For Series Registration](#)

[Integrating Web Service Registration for Self-Billing Documents](#)

[Managing Series Identifiers Using Web Service](#)

[Managing Series Identifiers Using Manual Update](#)

[Fields Associated With The Number Range Series Identifier](#)

[Status Assigned to Series Identifier](#)

[Archiving Series Validation Code Using PT_SVC](#)

Integrating Web Service Registration for Self-Billing Documents

You use SAP Cloud Integration to establish communication with external systems in order to register series identifiers.

Use

To use the Web Service based solution to [Register](#), [Cancel](#) or [Finish](#) series identifiers, set up the Web Service configurations in SOAMANAGER.

Prerequisites

- A technical user is required in SAP ERP to perform the manual configurations in SOAMANAGER.
- A technical user is required in the SAP Cloud Integration to copy the integration package and to configure and deploy the integration flow. The technical user must be assigned the `AuthGroup.Administrator` role.

Access SAP Cloud Integration

Your company has to subscribe to the SAP Cloud Integration to get access to the system. Contact your SAP Account Executive for more information.

Once you subscribe to SAP Cloud Integration, you will be provided with an SDN account that enables you to access SAP Cloud Integration. SAP recommends that you read through the Quick onboarding guide for SAP Cloud Integration to familiarize yourself with all features and capabilities of SAP Cloud Integration.

Procedure

To create a logical destination, there is specific information in the integration package in SAP Cloud Integration. To access this guide, follow the steps below:

1. Access SAP Cloud Integration.
2. Search for [Portugal Series Registration](#).
3. Select [SAP S/4HANA Integration with Portugal Tax Authority for Self-Billing](#).
4. Go to [Documents](#) and select the integration documentation from the available documents.

The document guides you through the settings you do in SAP Cloud Integration.

i Note

The integration flow requires Keys to connect securely to the tax authority servers. To obtain the keys, [3137385](#) .

Parent topic: [Manage Series Validation Code for Portugal](#)

Related Information

[Prerequisites For Series Registration](#)

[Integrating Web Service Registration](#)

[Managing Series Identifiers Using Web Service](#)

[Managing Series Identifiers Using Manual Update](#)

[Fields Associated With The Number Range Series Identifier](#)

[Status Assigned to Series Identifier](#)

[Archiving Series Validation Code Using PT_SVC](#)

Managing Series Identifiers Using Web Service

You can [Register](#), [Finish](#) or [Cancel](#) series identifier by triggering the Portugal tax authority Web Service directly using the [Manage Series Validation Code](#) report.

Context

Procedure

1. To access the **Manage Series Validation Code** report from your SAP GUI, go to transaction GLO_PT_SVC.
2. In the **Series Business Process** field, select the relevant business processes for which you intend to register the series identifiers. This represents the independent business processes which use number ranges relevant for series communication. Example: Sales Billing, Deliveries etc
3. Choose **Execute (F8)**.

A list of fields associated with the series identifier is displayed. For more information see, [Fields Associated With The Number Range Series Identifier](#)

i Note

If no Series Business Process is selected, then all the business applications are selected by default.

4. To register the series identifier(s), select one or many series identifiers and choose **WS Registration**.

Verify if the Web Service registration is activated by choosing **Refresh**. The Validation code column should be updated, and **Series Status** should be set as **Active**. If Validation code is not updated, you could refer to the error log by choosing **Message Log** for detailed information.

i Note

You cannot manually edit validation codes of series identifiers once registration is complete using Web Service.

i Note

If you are performing registration operation for multiple series identifiers, all the series identifiers should correspond to a single tax entity (VAT Registration number). System will display an integration error when trying to register for multiple tax entities.

5. Once the number range is consumed, to mark the status of series identifier as **Finished**, do the following actions for a series that is in **Active** status.

- a. Select the series identifier which you want to mark as **Finished** from the ALV Grid.
- b. In the subsequent detail screen, choose **Finish Series**.
- c. Pop up is displayed to confirm the finish series action.
- d. The **Series Last Number** is prepopulated with the last number in the number range.

i Note

You can change or edit the **Series Last Number** if required.

- e. Select the **Communication Method** as **PI Web Service Update** from the drop down menu.
- f. Enter the **Justification** to finish the series identifier.
- g. Choose **Ok** to confirm the finish series action.

i Note

After finish series action, no further actions are possible on the series and the series status cannot be reverted.

On finishing the series, **Series Status** is marked as **Finished** in the ALV Grid.

6. If the series identifier was communicated and registered by mistake, to mark the status of series identifier as **Cancelled**, do the following actions for a series that is in **Active** status.

- a. Select the series identifier which you want to cancel from the ALV Grid.
- b. In subsequent screen, choose **Cancel Series**.
Pop up is displayed to confirm the cancel action.
- c. Enter the **Cancel Reason Code** by selecting drop down menu.
- d. Select the **Communication Method** as **PI Web Service Update** from the drop down menu.
- e. Select the **Declaration for Series Cancellation** checkbox.
- f. Choose **Ok** to confirm the cancel series action.

i Note

After **Cancel Series** action, no further actions are possible on the series identifier and the status cannot be reverted. **Cancel Series** action should be performed only if there are no documents posted using the series identifier and was previously registered by mistake.

On cancelling the series, **Series Status** is marked as **Cancelled** in the ALV Grid.

Task overview: [Manage Series Validation Code for Portugal](#)

Related Information

[Prerequisites For Series Registration](#)

[Integrating Web Service Registration](#)

[Integrating Web Service Registration for Self-Billing Documents](#)

[Managing Series Identifiers Using Manual Update](#)

[Fields Associated With The Number Range Series Identifier](#)

[Status Assigned to Series Identifier](#)

Managing Series Identifiers Using Manual Update

You can use the Portugal tax authority portal to manually [Register](#), [Finish](#) or [Cancel](#) the series identifier and update the same in the [Manage Series Validation Code](#) report.

Context

Series identifier is registered in the Portugal tax authority portal. For more information see, [Prerequisites For Series Registration](#).

Procedure

1. To access the [Manage Series Validation Code](#) report from your SAP GUI, go to transaction GLO_PT_SVC.
2. In the [Series Business Process](#) field, select the relevant business processes for which you intend to register the series identifiers. This represents the independent business processes which use number ranges relevant for series communication. Example: Sales Billing, Deliveries etc
3. Choose [Execute \(F8\)](#).

A list of fields associated with the series identifier is displayed. For more information see, [Fields Associated With The Number Range Series Identifier](#)

i Note

If no Series Business Process is selected, then all the business applications are selected by default.

4. To register the series identifier manually, perform the following actions when series is in [Initial](#) status.
 - a. Select the series identifier which you want [Register](#) from the ALV Grid.
 - b. In subsequent detail screen, choose [Edit](#).
 - c. Enter the validation code received in the tax portal in the [Validation Code](#) field.

i Note

Validation code must be at least eight characters long as per legal specification.

- d. Enter the timestamp of series registration in the [Series Status Change Timestamp](#) field.
- e. Choose [Save](#).

On registering the series, the status of the series is set to [Active](#).

i Note

In case there is an error when maintaining the validation code, system allows you to conditionally change the validation code for series identifiers already in [Active](#) state. It is only allowed if no document is posted using the corresponding number range series identifier. [Edit](#) option on the detail screen will be disabled once documents are posted using the number range series.

i Note

The [Series Status Change Date and Time](#) must be updated in DD.MM.YYYY. HH.MM.SS UTC (Universal Time Coordinate) format and when not filled, system will update the timestamp of performing the save action.

5. Once the number range is consumed, to mark the status of series identifier as [Finished](#), do the following actions for a series that is in [Active](#) status.
 - a. Select the series identifier which you want to mark as [Finished](#) from the ALV Grid.
 - b. In subsequent detail screen, choose [Finish Series](#).
 - c. Pop up is displayed to confirm the finish action and the [Series Last Number](#) is prepopulated with the last number in the number range.

i Note

You can change or edit the [Series Last Number](#) if required.

- d. Select the [Communication Method](#) as [PF Manual Update](#) from the drop down menu.
- e. Enter the [Justification](#) to finish the series identifier.
- f. Choose [Ok](#) to confirm the finish series action.

i Note

After [Finish Series](#) action, no further actions are possible on the series and the series status cannot be reverted.

6. If the series identifier was communicated and registered by mistake, to mark the status of series identifier as [Cancelled](#), do the following actions for a series identifier that is in [Active](#) status.
 - a. Select the series identifier which you want to cancel from the ALV Grid.
 - b. In subsequent detail screen, choose [Cancel Series](#).
Pop up is displayed to confirm the [Cancel](#) action.
 - c. Enter the [Cancel Reason Code](#) by selecting drop down menu.
 - d. Select the [Communication Method](#) as [PF Manual Update](#) from the drop down menu.
 - e. Select the [Declaration for Series Cancellation](#) checkbox.
 - f. Choose [Ok](#) to confirm the cancel series action.

i **Note**

After **Cancel** series action, no further actions are possible on the series and the status cannot be reverted. **Cancel** should be performed only if there are no documents posted using the series identifier and was previously registered by mistake.

Task overview: [Manage Series Validation Code for Portugal](#)

Related Information

- [Prerequisites For Series Registration](#)
- [Integrating Web Service Registration](#)
- [Integrating Web Service Registration for Self-Billing Documents](#)
- [Managing Series Identifiers Using Web Service](#)
- [Fields Associated With The Number Range Series Identifier](#)
- [Status Assigned to Series Identifier](#)
- [Archiving Series Validation Code Using PT_SVC](#)

Fields Associated With The Number Range Series Identifier

Learn more about the various fields on the ALV Grid screen in [Manage Series Validation Code](#) report.

Fields Associated with the Number Range Series Identifier

The below table provides the list of fields associated with the number range series identifier and their description:

Field Name	Description
Series Identifier	Indicates the series identifier corresponding to a number range interval.
VAT Registration Number	VAT registration number (VAT reg.no.) of the tax entity for which you are registering the Series Identifier.
Series Type Code	Classifies the type of the series identifier.
SAFT Document Type	Indicates the type of the documents corresponding to the series identifier.
Series Business Process	Indicates the business process to which the series identifier belongs to.
Series Start Number	The first internal sequential document number of the numbering interval corresponding to the series identifier.
Series Start Date	The date on which the validation code is activated for the series identifier.
Series Status	Indicates the status code that the series identifier will have during the communication process.
Series Processing Medium Code	Indicates the processing medium code of documents to be issued. This code can be either Web Service Update or Manual Update.
Series Validation Code	The series validation code assigned by tax authority. The validation code is specific to the series identifier it was requested for and assigned to. The validation code is updated either manually or via Web Service call.

Hidden Fields Associated with the Number Range Series Identifier

In the [Personalization](#) dialog, you can choose to show or hide following fields:

Field Name	Description
Series Document Class	Indicates the classification of the documents which are numbered using the series identifier.
Series Certification ID	Certificate of the billing software as granted by the tax authority.
Registration Date	Date of registration of the series identifier.
Status Change Date	Date of latest status change of the series identifier.
Cancel Reason Code	Indicates the reason code to cancel the series identifier communication.
Series Last Number	Indicates the last sequential document number of the numbering interval corresponding to the series identifier.
Declaration	Declaration in case of cancelling a series by the taxpayer that the series identifier previously communicated by mistake, is not used for issuing any documents. Communication will only be accepted if the taxpayer indicates (by filling in true value in this parameter) that they are aware of the situation.
Justification	Specifies the comments for finishing the series identifier.

Parent topic: [Manage Series Validation Code for Portugal](#)

Related Information

- [Prerequisites For Series Registration](#)
- [Integrating Web Service Registration](#)
- [Integrating Web Service Registration for Self-Billing Documents](#)
- [Managing Series Identifiers Using Web Service](#)
- [Managing Series Identifiers Using Manual Update](#)
- [Status Assigned to Series Identifier](#)
- [Archiving Series Validation Code Using PT_SVC](#)

Status Assigned to Series Identifier

Learn more about the status assigned to series identifier during the communication process.

In the **Series Status** column, you will see the following statuses assigned to each number range series:

Status	Description
Initial	This status represents that you have configured the series identifier in the views but has not been communicated.
Active	This status represents that you have already registered the Series identifier and Validation code is assigned.
Finished	This indicates that a series was valid for a set of documents, but that it will no longer be used from the last document communicated. This status represents the final status.
Cancelled	This indicates the status of a series identifier which was previously communicated by mistake. This status represents the final status.

Parent topic: [Manage Series Validation Code for Portugal](#)

Related Information

- [Prerequisites For Series Registration](#)
- [Integrating Web Service Registration](#)
- [Integrating Web Service Registration for Self-Billing Documents](#)
- [Managing Series Identifiers Using Web Service](#)
- [Managing Series Identifiers Using Manual Update](#)
- [Fields Associated With The Number Range Series Identifier](#)
- [Archiving Series Validation Code Using PT_SVC](#)

Archiving Series Validation Code Using PT_SVC

You can use the archiving object **PT_SVC** for archiving series validation code.

Prerequisites

Prerequisites for archiving a Series Validation Code:

- The corresponding Series Validation Code has the status set to Cancelled or Finished

ILM-Related Information for the Archiving Object

You can use this archiving object with the **PT_SVC** ILM object as part of SAP Information Lifecycle Management.

Before you archive your documents, the following prerequisites must be fulfilled:

1. You have assigned the ILM object to the relevant audit areas.
2. You have defined ILM policies for retention rules and residence rules for your audit areas and the ILM object **PT_SVC** in the **ILM Policies** Customizing activity (transaction code **IRMPOL**).
3. You have set the policies status to Live.

The following fields for **PT_SVC** are defined in the ILM policy and are visible in the **ILM Policies** Customizing activity (transaction code **IRMPOL**):

Available Time References

- Create Date (CREATE_DATE)
- End of Year (END_OF_YEAR)
- Last Change Date (LAST_CHANGE_DATE)

Available Condition Fields

- VAT Registration Number (STCEG)
- Series Identifier (GLO_PT_SERIES_ID)

9/4/26, 12:24 PM

- Series Type Code (GLO_PT_SERIES_TC)
- Series Document Class (GLO_PT_SERIES_DC)
- SAF-T Document Type (GLO_PT_SERIES_DT)

Available Policy Categories

- RTP: Retention Rules

Defining Write Variants

To schedule the archiving run, you enter an existing variant or create a new one in the **Archiving Administration** Customizing activity (transaction code [SARA](#)). The variant contains the selection criteria for the deliveries that you want to archive.

You can select the deliveries to be archived using the following criteria:

- VAT Registration No.
- Series Identifier
- Series Type Code
- Series Document Class
- SAF-T Document Type
- Last Changed by in Further selection Criteria

Parent topic: [Manage Series Validation Code for Portugal](#)

Related Information

[Prerequisites For Series Registration](#)

[Integrating Web Service Registration](#)

[Integrating Web Service Registration for Self-Billing Documents](#)

[Managing Series Identifiers Using Web Service](#)

[Managing Series Identifiers Using Manual Update](#)

[Fields Associated With The Number Range Series Identifier](#)

[Status Assigned to Series Identifier](#)