









Review Incompatibility

Explanation	Screenshot
1. Choose the <i>Edit Incompatibility</i> app from the Profiles and Settings group to proceed.	
2. Choose the icon for the <i>value help</i> list to check for existing definitions of incompatibility.	
3. Incompatibilities specify which objects should not be combined during transportation. For instance, ice cream should not be transported with vehicles that lack a cooling unit, as this would cause the ice cream to melt.	

Explanation	Screenshot
Choose the <i>selection box</i> for incompatibility INC_S4TM1_VEH_FU to continue.	
 The incompatibility area defines where the system should account for an incompatibility. In this example, incompatibility area 01 is used. This means that incompatibilities maintained are checked in all automatic planning applications, such as VSR optimization, load planning, load consolidation, and the creation of transportation proposals, as well as during all manual planning activities. Further areas, as listed in the search box, are also available to specify the usage of incompatibilities. Choose <i>Next</i> to continue.	

Explanation	Screenshot
 The incompatibility type is used to define the business objects between which an incompatibility should be valid. In this example, the incompatibility INC_S4TM1_VEH_FU is defined between Freight Unit(s) and Vehicle Resource(s)/Vehicle Type(s). Choose <i>Next</i> to continue.	
 In addition to the incompatibility type 04 used in this example, several other incompatibility types exist to support the maintenance and coverage of various business processes. Choose <i>Next</i> to continue.	

Explanation	Screenshot
 When defining incompatibilities, it is possible to specify whether the system is permitted to violate these incompatibilities during manual planning or VSR optimization. This determination can be made independently for manual planning and automated planning. For instance, violations may be forbidden during automated planning, while manual overrides may be allowed, resulting in only a warning. Choose <i>Next</i> to continue.	
 Freight units for which the condition INC_S4TM1_FU returns a result of X (these may be all that include ice cream) are deemed incompatible with vehicle resources or vehicle types that meet the second condition,	

Explanation	Screenshot
INC_S4TM2_RES, yielding a result of T. (these may be all, that do not have a cooling unit) Choose <i>Next</i> to continue.	
 Through this simulation, you have learned how to manage the transportation of specific freight units, such as those with particular temperature requirements. This can only be accomplished using specific truck resources, like those equipped with cooling units. These limitations are known as incompatibilities and can become quite complex in real business environments. This concludes this simulation.	