




Explain a Calculation Sheet


Explanation	Screenshot
1. Choose the <i>Charge Management Worklist</i> app to access a worklist for all master data elements involved in charge calculations.	
2. Choose the <i>All Calculation Sheets</i> query to display calculation sheets.	
3. Choose the calculation sheet <i>S4TM1_CALCSHET_CAR10</i> to open it.	

Explanation

4. In the charge calculation sheet you will find all charge types defined in the calculation sheet in the items section.


Choose in the *area below the scroll bar* to scroll down.

Screenshot




5. Additional details, such as basic data, rate information, and classification data, can be defined for each item.

Choose *the checkbox* to deselect the Sum line to continue.



6. Choose *the checkbox* for the Basic Freight Charge to display its details.




Explanation

7. On the Basic Data tab, you can define whether a charge is a manual charge item or whether it will be calculated automatically.

Furthermore, you can assign a rounding and adjustment profile to each charge line.


Choose the *Rate* tab to continue.



Screenshot




8. On the Rate tab, you can either define a rate amount, assign a rate table or define a rate table determination rule that determines the rate table.

Choose the *Classification* tab to proceed.



Explanation	Screenshot
9. In the Classification tab, you can view the charge category and subcategory. Additionally, you can specify whether a charge line is mandatory, a statistical charge, or a tax. Choose <i>the</i> checkbox to deselect the Basic Freight Charge to continue.	
10. Choose <i>the</i> checkbox for the Handling Charge to display its details.	

Explanation	Screenshot
11. Choose in the area below the scroll bar to scroll down.	
 On the Basic Data tab for the handling charge, the calculation resolution base is defined as PRODUCT. This means, that the charge line is applied multiple times in the freight order, once for each product, that is transported. This concludes this simulation.	