USER ACCEPTANCE TEST PLAN

Project Name: **FETCH: Inventory Management System with Predictive Analytics for Risha Pet Supplies**

Date:

Project Manager: **Juan Carlo Reusora and Joylinda Jugan**

Run/Tested by:

Legend:

- **Passed (Result is same as expected)**
- **Failed (Actual result is NOT same as expected result)**
- **In Progress (Test is still in progress or not yet done)**
- **Open (Not yet tested)**

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
ADMINISTRATOR							
Login Module							
	1	Completeness Check					
			Check if Username is empty: leave Username empty and click Sign in. The required field is checked in the browser before POST /api/auth/login is sent	The request is not sent and the tooltip "Please fill out this field." is displayed on Username			
	2	Format Check					
			Check if the password has no number: on the reset page, enter a new password without a number (0–9). The password policy needs 6 or more characters with an uppercase letter, a lowercase letter, a number and a special character	"Password must contain at least one number (0–9)" is displayed and users.password is not updated			
	3	Range Check					
			Check if a 6th wrong sign-in is blocked: enter a wrong password 5 times within 15 minutes from the same computer, then try a 6th time. The sign-in limiter counts failed attempts per IP address	POST /api/auth/login returns HTTP 429 with "Too many login attempts. Try again in (seconds)s." and no session token is issued			
	4	Consistency Check					
			Check if the two passwords do not match: open a reset link (reset-password.html?token=…), enter one password in New password and a different one in Confirm password, then click Save new password	"Passwords do not match." is displayed and users.password is not changed			
	5	Database Check					
			Check if the password is wrong: sign in with an existing username and a wrong password. The password is compared with the bcrypt hash in	POST /api/auth/login returns HTTP 401 "Invalid username or password" (the same answer as an unknown username), no token cookie is set and the			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			users.password	failure is counted toward the lockout			
	6	System Check					
			Check if the Administrator opens the Dashboard: sign in as Administrator. The server issues a signed token (JWT) holding the user id, role 'admin' and token_version	HTTP 200, the token cookie is set and dashboard.html opens with the shop's figures from GET /api/dashboard/stats			
			Check if "Keep me signed in" keeps the session: tick "Keep me signed in", sign in, close the browser and open FETCH again. The token is issued for 7 days instead of 24 hours	The token is still valid, so the user is signed in without entering the password again			
Navigation Module							
	1	Consistency Check					
			Check if each menu opens its own records: sign in as Administrator and click Dashboard, Inventory, Sales, Suppliers, Reports and Users in the sidebar one after another, then the bell and View all notifications. Each page loads its records from its own API endpoint	Each request returns HTTP 200 and each page lists its own records: products, sales, suppliers, user accounts and notifications			
			Check if a cashier can open Inventory: sign in as Cashier and type the address of the Inventory page (inventory.html). The server reads the role in the token and checks the pages that role may open	The server redirects the cashier to pos.html, and Inventory API calls from a cashier account are refused with HTTP 403			
			Check if a supplier can open the Dashboard: sign in as Supplier and type the address of the Dashboard (dashboard.html). The server reads the role in the token and checks the pages that role may open	The server redirects the supplier to supplier.html (Supplier Portal), and shop API calls from a supplier account are refused with HTTP 403			
	2	System Check					
			Check if Jump to finds a product: press Ctrl + J (Cmd + J on a Mac), type the name of a product, then press Enter. Jump to searches with GET /api/products?search=(name)&limit=5	The product is listed among the matches (5 at most) and Enter opens that product			
Dashboard Module							
	1	Consistency Check					
			Check if the product counts match Inventory: compare Total Products, Restock Needed and	The three numbers are equal on both pages; Restock Needed counts the products with			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			Expiring Soon on the Dashboard with the matching figures in Inventory. Both pages count the products table with the same query	stock_quantity at or below reorder_level			
	2	System Check					
			Check if a voided sale is left out of revenue: void a sale, then reload the Dashboard. Total Revenue sums sales.final_amount only where payment_status is not 'voided'	The sale reads "Voided" in Recent Sales and Total Revenue goes down by its final_amount			
Inventory Module							
	1	Completeness Check					
			Check if Product name is empty: click Add, leave Product name empty, then click Save product. The form is checked before POST /api/products is sent	"Enter the product name." is displayed under Product name and no row is inserted in products			
	2	Format Check					
			Check if letters can be typed in Unit price: click Add and type letters in Unit price (a number field saved to products.unit_price)	The letters are not accepted: the field holds numbers only			
			Check if the barcode is not 8, 12 or 13 digits: click Add, type 1111 in Barcode, then click Save product. A barcode must be 8, 12 or 13 digits, numbers only (EAN-8, UPC-A or EAN-13)	"A barcode is 8, 12 or 13 digits. This one has 4." is displayed under Barcode; POST /api/products is refused with HTTP 400 and no row is inserted in products			
			Check if the bulk quantity is not a whole number: tick a product, click Adjust stock, choose Add stock, type 10+10, then click Continue. The quantity must be one whole number above 0	""10+10" is not a whole number. Type one number only, like 10 (no + or - signs, no letters). Use Add stock or Remove stock above to choose which." is displayed in the dialog and no stock change is sent			
	3	Range Check					
			Check if more stock is removed than is on hand: tick a product with 20 in stock, click Adjust stock, choose Remove stock, enter 999, click Continue, then Yes, Adjust. PUT /api/products/(id)/stock locks the product row and compares 999 with stock_quantity	The result lists the product under Not changed with "Only 20 in stock: you cannot remove 999." (HTTP 400). The change is rolled back: stock_quantity stays 20 and no stock_movements row is added			
			Check if the expiration date is less than 7 days away: click Add and enter today's date in Expiration date. The date picker starts 7 days ahead, and a typed date is checked as soon as it is complete	"The expiration date must be at least 7 days from today: (date) or later." is displayed under Expiration date; saving is refused with HTTP 400 and products.expiration_date is not set			
			Check if the picture is larger than 10 MB: click	"This picture is (n) MB. Choose one of 10 MB or			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			Add, open More details, click Upload and choose a picture larger than 10 MB. Only PNG, JPG, WEBP or GIF up to 10 MB is accepted	less." is displayed and the picture is not attached; the server also refuses a picture over 10 MB with HTTP 400			
	4	Consistency Check					
			Check if Low Stock lists only low products: click the Low Stock chip. The list is filtered to products with stock_quantity above 0 and at or below reorder_level	Only those products are listed, and the count on the chip equals the number of rows			
	5	Database Check					
			Check if the barcode is already used: click Barcodes, tick Show all, type a barcode that another product already has, then press Enter. PUT /api/products/(id) looks for another product with the same products.barcode	HTTP 409 with "The barcode (code) is already used by (product) (SKU (sku)). Each product needs its own barcode." and products.barcode is not changed			
	6	System Check					
			Check if reordering creates purchase orders: click Reorder, tick the products, click Reorder Selected, then click Yes, Create Orders. POST /api/purchase-orders/auto-generate groups the products by supplier	One purchase_orders row (status 'pending') with its po_items rows is created per supplier, each supplier is emailed its order (logged in email_logs as 'po'), and "Purchase orders sent" is displayed			
			Check if expired stock is written off: in Suppliers, open the Orders view, click Receive into stock on an order for a product that has expired, enter the new batch's expiration date (7 days ahead or later), then confirm. PUT /api/purchase-orders/(id)/status 'received' runs as one transaction	A stock_movements row 'damage' takes off the expired units, the received quantity is added with a 'purchase' row, products.expiration_date is set to the new date, and the order reads Received			
Sales History Module							
	1	Completeness Check					
			Check if the void reason is empty: click Void on a sale, leave the reason empty, then click Void Sale. The reason is required before POST /api/sales/(id)/void is sent	"A reason is required to void a sale" is displayed and sales.payment_status stays 'completed'			
	2	Range Check					
			Check if From is later than To: choose a From date later than the To date, then click Filter. The date range is checked before the sales are fetched	"The start date is after the end date" is displayed and no sales are listed for the reversed range			
			Check if the end-of-day date is in the future: click	"You cannot count a day that has not happened yet.			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			End of day and type a business date after today. The date picker stops at today	Choose today or an earlier date." is displayed and the date goes back to today; GET and POST /api/sales/eod refuse a future date with HTTP 400			
	3	Consistency Check					
			Check if a voided sale is left out of the total: find a voided sale (sales.payment_status 'voided') in the Sales History list	Its row reads Voided and its final_amount is not part of Total Sales Amount, which sums only sales that are not voided			
	4	Database Check					
			Check if the end-of-day count is saved: click End of day, enter the cash counted, then click Save count. POST /api/sales/eod works out the expected cash: opening cash + cash sales + cash in − cash out	A cash_reconciliations row is saved with expected_cash, counted_cash and discrepancy (counted − expected), shown as Balanced, Over by or Short by			
	5	System Check					
			Check if a sale is voided: click Void on a sale, enter the reason, then click Void Sale. POST /api/sales/(id)/void runs as one transaction	sales.payment_status becomes 'voided' with the reason added to notes, each item's stock_quantity goes back up with an 'in' stock_movements row (reference 'sale_void'), an audit_logs row is written, and "Sale voided" is displayed			
Suppliers Module							
	1	Completeness Check					
			Check if Supplier name is empty: click Add supplier, leave Supplier name empty, then click Save supplier. The required field is checked in the browser before POST /api/suppliers is sent	The tooltip "Please fill out this field." is displayed on Supplier name and no row is inserted in suppliers			
	2	Format Check					
			Check if the email has no @: enter an email without @, then click Save supplier. The email field is checked in the browser	The tooltip "Please include an '@' in the email address." is displayed and the supplier is not saved			
	3	Range Check					
			Check if the expiration date is less than 7 days away: in the Orders view, click Receive into stock and enter an expiration date less than 7 days from today	"The expiration date must be at least 7 days from today: (date) or later." is displayed; the order is not marked received and stock_quantity does not change			
	4	Consistency Check					
			Check if the Rating matches Performance: read a supplier's stars in the Rating column, then click Performance on the same supplier. Both use the same rating rule: 4 stars or more meets the	The stars and the result (Meets the standard / Below the standard / Not rated yet) are the same in both places			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			standard				
	5	Database Check					
			Check if the supplier name is already used: click Add supplier, enter a name that is already in suppliers, then click Save supplier. POST /api/suppliers looks for a supplier with the same name	HTTP 409 with "A supplier with this name is already on the list." and no second row is inserted			
	6	System Check					
			Check if receiving an order adds the stock: open the Orders view, click Receive into stock on an order, then confirm. PUT /api/purchase-orders/(id)/status 'received' runs as one transaction	purchase_orders.status becomes 'received' with received_at set, each product's stock_quantity goes up by the quantity received, and a stock_movements row 'purchase' (reference 'purchase_order') is added for each item			
Sales Report Module							
	1	Completeness Check					
			Check if the custom dates are empty: in Reports, click Custom, clear both dates, then click Apply	"Choose both a start and an end date" is displayed and no report is produced			
	2	Range Check					
			Check if From is later than To: in Reports, click Custom, choose a From date later than the To date, then click Apply	"The start date is after the end date" is displayed and no report is produced			
	3	Consistency Check					
			Check if the category lines add up to Revenue: choose All time and read the lines under Sales by category. The lines come from sale_items grouped by category, the sales recorded without items, and the discounts	"Items sold, all categories" + "Sales recorded without items" − "Discounts given" equals "Revenue", the sum of sales.final_amount for sales that are not voided			
	4	System Check					
			Check if a voided sale is left out of revenue: void a sale, then reload the Sales report for that day. Revenue leaves out sales whose payment_status is 'voided'	Revenue for that day goes down by the voided sale's final_amount			
Stock Planning Module							
	1	Consistency Check					
			Check if What to reorder lists only products to order: open Stock Planning and read the What to reorder table. It is built from the sales forecast,	Only products that need ordering are listed, each with the reason, stock on hand, on order, order-by date and suggested quantity			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			the stock on hand and the orders still open				
	2	Database Check					
			Check if the reorder list is exported: click Export list when products need reordering. The list is written to a CSV file	reorder_list_(YYYY-MM-DD).csv is downloaded with the columns Product, SKU, Supplier, Status, Why, In stock, On order … Suggested order, and "Reorder list exported" is displayed			
Void Requests and Activity Log Module							
	1	Consistency Check					
			Check if the activity log filters match: click the Activity log tab, then choose an action and an area. GET /api/audit?action=(action)&table_name=(area) filters audit_logs	Only audit_logs rows with that action and that table_name are listed			
	2	System Check					
			Check if a requested sale is voided: in Void Requests, click Void sale on a request, then confirm. POST /api/sales/(id)/void runs as one transaction	sales.payment_status becomes 'voided', the items go back into stock_quantity with 'in' stock_movements rows, "Sale voided and its items returned to stock" is displayed and the request leaves Waiting for a decision			
Notifications Module							
	1	Consistency Check					
			Check if Low Stock lists only low-stock notices: choose Low Stock in All Types. The list is filtered to notifications.type 'low_stock'	Only low-stock notices are listed			
			Check if Mark all read marks every notice: click Mark all read. PUT /api/notifications/read-all sets is_read = TRUE on the unread notices of this user and the shop-wide ones	"All notifications marked as read" is displayed, every notice shows as read and the unread count on the bell is 0			
User Management Module							
	1	Completeness Check					
			Check if Full name is empty: click Add user, leave Full name empty, then click Create user. The required field is checked in the browser	The tooltip "Please fill out this field." is displayed on Full name and no row is inserted in users			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
	2	Format Check					
			Check if the password has no number: enter a password without a number, then click Create user. The password policy is checked before the account is saved	"Password too weak" is displayed with "Add at least one number (0–9)." and no row is inserted in users			
	3	Range Check					
			Check if the password is shorter than 6 characters: enter a password with fewer than 6 characters, then click Create user. The field's 6-character minimum is checked in the browser	The tooltip "Please lengthen this text to 6 characters or more (you are currently using (number) characters)." is displayed on Password and the account is not created			
	4	Consistency Check					
			Check if you can deactivate your own account: find your own row in the Users list. The Deactivate button is left out where the row's user id is the signed-in user's id	There is no Deactivate button on your own row, so an Administrator cannot lock themselves out			
	5	Database Check					
			Check if the username is already taken: click Add user, enter a username that is already in users, then click Create user. The server looks for the username among all accounts, deactivated ones included	HTTP 400 with "Username already taken" and no row is inserted in users			
	6	System Check					
			Check if an account is deactivated: click Deactivate on another user, then click Yes, deactivate. users.is_active is set to FALSE and token_version goes up by 1	"Account deactivated" is displayed, that user's open sessions stop working at their next request, and a new sign-in is refused with "Invalid username or password"			
Settings Module							
	1	Completeness Check					
			Check if Full name is empty: in Profile, clear Full name, then click Save changes	"Please enter your full name" is displayed and users.full_name is not changed			
	2	Format Check					
			Check if the email has no @: in Profile, enter an email without @, then click Save changes. The email format is checked before users.email is updated	"Please enter a valid email address" is displayed and users.email is not changed			
	3	Range Check					
			Check if the discount limit is above 100: enter 150 in "Largest discount a cashier can give (%)", then click Save limit. The limit is kept in app_settings	"Enter a limit between 0 and 100" is displayed and the saved limit does not change			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			(pos_max_discount_percent) and must be 0 to 100				
	4	Consistency Check					
			Check if the two passwords do not match: in Password, enter one new password and a different one in Confirm new password	"Passwords do not match" is displayed and the password is not changed			
	5	Database Check					
			Check if the current password is wrong: in Password, enter a wrong current password, then click Update password. The current password is compared with the bcrypt hash in users.password	HTTP 400: "Password not changed" is displayed with "Current password is incorrect" and users.password is not changed			
	6	System Check					
			Check if the password is changed: in Password, enter the current password and the same new password twice, then click Update password	users.password is replaced by a new bcrypt hash and token_version goes up (other sessions are signed out); "Password changed" is displayed and the new password works at the next sign-in			
CASHIER							
Login Module							
	1	Completeness Check					
			Check if Username is empty: leave Username empty and click Sign in. The required field is checked in the browser before POST /api/auth/login is sent	The request is not sent and the tooltip "Please fill out this field." is displayed on Username			
	2	Format Check					
			Check if the password has no number: on the reset page, enter a new password without a number (0–9). The password policy needs 6 or more characters with an uppercase letter, a lowercase letter, a number and a special character	"Password must contain at least one number (0–9)" is displayed and users.password is not updated			
	3	Range Check					
			Check if a 6th wrong sign-in is blocked: enter a wrong password 5 times within 15 minutes from the same computer, then try a 6th time. The sign-in limiter counts failed attempts per IP address	POST /api/auth/login returns HTTP 429 with "Too many login attempts. Try again in (seconds)s." and no session token is issued			
	4	Consistency Check					
			Check if the two passwords do not match: open a reset link (reset-password.html?token=…), enter one password in New password and a different	"Passwords do not match." is displayed and users.password is not changed			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			one in Confirm password, then click Save new password				
	5	Database Check					
			Check if the password is wrong: sign in with an existing username and a wrong password. The password is compared with the bcrypt hash in users.password	POST /api/auth/login returns HTTP 401 "Invalid username or password" (the same answer as an unknown username), no token cookie is set and the failure is counted toward the lockout			
	6	System Check					
			Check if the Cashier opens the Point of Sale: sign in as Cashier. The token carries role 'cashier', whose home page is pos.html	The Point of Sale opens, not the Dashboard, with "Cashier: (name)" taken from the signed-in user's full_name			
			Check if "Keep me signed in" keeps the session: tick "Keep me signed in", sign in, close the browser and open FETCH again. The token is issued for 7 days instead of 24 hours	The token is still valid, so the user is signed in without entering the password again			
Navigation Module							
	1	Consistency Check					
			Check if a cashier can open Inventory: sign in as Cashier and type the address of the Inventory page (inventory.html). The server reads the role in the token and checks the pages that role may open	The server redirects the cashier to pos.html, and Inventory API calls from a cashier account are refused with HTTP 403			
Settings Module							
	1	Completeness Check					
			Check if Full name is empty: in Profile, clear Full name, then click Save changes	"Please enter your full name" is displayed and users.full_name is not changed			
	2	Format Check					
			Check if the email has no @: in Profile, enter an email without @, then click Save changes. The email format is checked before users.email is updated	"Please enter a valid email address" is displayed and users.email is not changed			
	3	Consistency Check					
			Check if the two passwords do not match: in Password, enter one new password and a different one in Confirm new password	"Passwords do not match" is displayed and the password is not changed			
	4	Database Check					
			Check if the current password is wrong: in Password, enter a wrong current password, then	HTTP 400: "Password not changed" is displayed with "Current password is incorrect" and users.password			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			click Update password. The current password is compared with the bcrypt hash in users.password	is not changed			
	5	System Check					
			Check if the password is changed: in Password, enter the current password and the same new password twice, then click Update password	users.password is replaced by a new bcrypt hash and token_version goes up (other sessions are signed out); "Password changed" is displayed and the new password works at the next sign-in			
Point of Sale Module							
	1	Completeness Check					
			Check if the cart is empty: click Charge with an empty cart	"Cart is empty" is displayed and no sale is recorded			
	2	Format Check					
			Check if letters can be typed in Cash received: type letters in Cash received (a number field)	The letters are not accepted: the field holds numbers only			
	3	Range Check					
			Check if the quantity is more than the stock: change an item's quantity in the cart to more than its "(n) left" (products.stock_quantity)	"Only (n) in stock" is displayed and the quantity is set to n; the server also refuses more than stock_quantity with HTTP 400			
			Check if an expired product is scanned: scan a product whose expiration_date is before today (shop time, Asia/Manila)	"(product) has expired and cannot be sold" is displayed and the product is not added to the cart; POST /api/sales also refuses it with HTTP 400			
	4	Consistency Check					
			Check if the subtotal and total add up: add two items and a discount	Subtotal = the sum of quantity × unit price of the lines; Total = Subtotal less the discount %. The server works out the same figures and saves them in sales.total_amount and sales.final_amount			
	5	Database Check					
			Check if the barcode is not on record: scan or type a barcode that is not in products.barcode	"No product found for "(barcode)"" is displayed and nothing is added to the cart			
	6	System Check					
			Check if a sale lowers the stock: complete a sale of 2 of a product. POST /api/sales runs as one transaction that locks the product row	A sales row and a sale_items row (quantity 2) are inserted, products.stock_quantity goes down by 2 with a stock_movements row 'out' (−2, reference 'sale'), and the card's "(n) left" and Inventory show the same new stock			
			Check if Complete sale is clicked twice: click Complete sale twice quickly. Both requests carry the same sale reference, and sales.sale_number is	Only one sales row is inserted (the second request gets back the sale already saved) and stock_quantity goes down once			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			UNIQUE				
SUPPLIER							
Login Module							
	1	Completeness Check					
			Check if Username is empty: leave Username empty and click Sign in. The required field is checked in the browser before POST /api/auth/login is sent	The request is not sent and the tooltip "Please fill out this field." is displayed on Username			
	2	Format Check					
			Check if the password has no number: on the reset page, enter a new password without a number (0–9). The password policy needs 6 or more characters with an uppercase letter, a lowercase letter, a number and a special character	"Password must contain at least one number (0–9)" is displayed and users.password is not updated			
	3	Range Check					
			Check if a 6th wrong sign-in is blocked: enter a wrong password 5 times within 15 minutes from the same computer, then try a 6th time. The sign-in limiter counts failed attempts per IP address	POST /api/auth/login returns HTTP 429 with "Too many login attempts. Try again in (seconds)s." and no session token is issued			
	4	Consistency Check					
			Check if the two passwords do not match: open a reset link (reset-password.html?token=…), enter one password in New password and a different one in Confirm password, then click Save new password	"Passwords do not match." is displayed and users.password is not changed			
	5	Database Check					
			Check if the password is wrong: sign in with an existing username and a wrong password. The password is compared with the bcrypt hash in users.password	POST /api/auth/login returns HTTP 401 "Invalid username or password" (the same answer as an unknown username), no token cookie is set and the failure is counted toward the lockout			
	6	System Check					
			Check if the Supplier opens the Supplier Portal: sign in as Supplier. The account is linked to its supplier through users.supplier_id	supplier.html (Supplier Portal) opens and lists only the purchase orders and products whose supplier_id is that supplier			
			Check if "Keep me signed in" keeps the session: tick "Keep me signed in", sign in, close the browser and open FETCH again. The token is issued for 7 days instead of 24 hours	The token is still valid, so the user is signed in without entering the password again			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
Navigation Module							
	1	Consistency Check					
			Check if a supplier can open the Dashboard: sign in as Supplier and type the address of the Dashboard (dashboard.html). The server reads the role in the token and checks the pages that role may open	The server redirects the supplier to supplier.html (Supplier Portal), and shop API calls from a supplier account are refused with HTTP 403			
Settings Module							
	1	Completeness Check					
			Check if Full name is empty: in Profile, clear Full name, then click Save changes	"Please enter your full name" is displayed and users.full_name is not changed			
	2	Format Check					
			Check if the email has no @: in Profile, enter an email without @, then click Save changes. The email format is checked before users.email is updated	"Please enter a valid email address" is displayed and users.email is not changed			
	3	Consistency Check					
			Check if the two passwords do not match: in Password, enter one new password and a different one in Confirm new password	"Passwords do not match" is displayed and the password is not changed			
	4	Database Check					
			Check if the current password is wrong: in Password, enter a wrong current password, then click Update password. The current password is compared with the bcrypt hash in users.password	HTTP 400: "Password not changed" is displayed with "Current password is incorrect" and users.password is not changed			
	5	System Check					
			Check if the password is changed: in Password, enter the current password and the same new password twice, then click Update password	users.password is replaced by a new bcrypt hash and token_version goes up (other sessions are signed out); "Password changed" is displayed and the new password works at the next sign-in			
Supplier Portal Module							
	1	Completeness Check					
			Check if the delivery date is empty: click Confirm order and leave the delivery date empty	"Choose the date you will deliver" is displayed and purchase_orders.status stays 'pending'			
	2	Format Check					
			Check if the receipt number has * or @: mark an	"The receipt number can use letters, numbers,			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
			order shipped with a receipt number that has * or @. The receipt number (purchase_orders.delivery_ref) may hold letters, numbers, spaces and . / # _ - only	spaces and . / # _ - only." is displayed; the order stays 'confirmed' and delivery_ref is not saved			
	3	Range Check					
			Check if the delivery date is in the past: click Confirm order and type a delivery date in the past. promised_date is compared with today's date (shop time)	"The delivery date cannot be in the past." is displayed and purchase_orders.status stays 'pending'			
	4	Consistency Check					
			Check if another supplier's order is listed: look for an order the shop placed with another supplier. Every portal query is filtered by the supplier_id of the signed-in account	It is not listed, and opening its id directly answers "not found"			
	5	Database Check					
			Check if the contact details are saved: click Edit contact details, change them, then click Save details. The portal updates contact_person, phone, address and city on the supplier's own row in suppliers	"Your details were updated." is displayed and the new values are saved			
	6	System Check					
			Check if the stars match the shop's: read the star rating on the portal. It uses the same rating rule as the shop's Performance window	The same stars and conditions as the shop's Performance window are shown, with whether it meets the standard (4 stars or more)			
			Check if a price proposal reaches the shop: click Change price and enter a price different from the current one (products.cost_price)	A price_proposals row is inserted with current_price, proposed_price and status 'pending', the shop gets a notification "Price change proposed", and products.cost_price stays the same until the shop approves			