USER ACCEPTANCE TEST PLAN (CASHIER)

Project Name: **FETCH: Inventory Management System with Predictive Analytics for Risha Pet Supplies**

Date:

Project Manager: **Juan Carlo Reusora and Joylinda Jugan**

Run/Tested by:

Legend:

- **Passed (Result is same as expected)**
- **Failed (Actual result is NOT same as expected result)**
- **In Progress (Test is still in progress or not yet done)**
- **Open (Not yet tested)**

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
Login Module							
	1	Completeness Check					
			Check if Username is empty: leave Username empty and click Sign in. The required field is checked in the browser before POST /api/auth/login is sent	The request is not sent and the tooltip "Please fill out this field." is displayed on Username			
	2	Format Check					
			Check if the password has no number: on the reset page, enter a new password without a number (0–9). The password policy needs 6 or more characters with an uppercase letter, a lowercase letter, a number and a special character	"Password must contain at least one number (0–9)" is displayed and users.password is not updated			
	3	Range Check					
			Check if a 6th wrong sign-in is blocked: enter a wrong password 5 times within 15 minutes from the same computer, then try a 6th time. The sign-in limiter counts failed attempts per IP address	POST /api/auth/login returns HTTP 429 with "Too many login attempts. Try again in (seconds)s." and no session token is issued			
	4	Consistency Check					
			Check if the two passwords do not match: open a reset link (reset-password.html?token=…), enter one password in New password and a different one in Confirm password, then click Save new password	"Passwords do not match." is displayed and users.password is not changed			
	5	Database Check					
			Check if the password is wrong: sign in with an existing username and a wrong password. The password is compared with the bcrypt hash in users.password	POST /api/auth/login returns HTTP 401 "Invalid username or password" (the same answer as an unknown username), no token cookie is set and the failure is counted toward the lockout			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
	6	System Check					
			Check if the Cashier opens the Point of Sale: sign in as Cashier. The token carries role 'cashier', whose home page is pos.html	The Point of Sale opens, not the Dashboard, with "Cashier: (name)" taken from the signed-in user's full_name			
			Check if "Keep me signed in" keeps the session: tick "Keep me signed in", sign in, close the browser and open FETCH again. The token is issued for 7 days instead of 24 hours	The token is still valid, so the user is signed in without entering the password again			
Navigation Module							
	1	Consistency Check					
			Check if a cashier can open Inventory: sign in as Cashier and type the address of the Inventory page (inventory.html). The server reads the role in the token and checks the pages that role may open	The server redirects the cashier to pos.html, and Inventory API calls from a cashier account are refused with HTTP 403			
Settings Module							
	1	Completeness Check					
			Check if Full name is empty: in Profile, clear Full name, then click Save changes	"Please enter your full name" is displayed and users.full_name is not changed			
	2	Format Check					
			Check if the email has no @: in Profile, enter an email without @, then click Save changes. The email format is checked before users.email is updated	"Please enter a valid email address" is displayed and users.email is not changed			
	3	Consistency Check					
			Check if the two passwords do not match: in Password, enter one new password and a different one in Confirm new password	"Passwords do not match" is displayed and the password is not changed			
	4	Database Check					
			Check if the current password is wrong: in Password, enter a wrong current password, then click Update password. The current password is compared with the bcrypt hash in users.password	HTTP 400: "Password not changed" is displayed with "Current password is incorrect" and users.password is not changed			
	5	System Check					
			Check if the password is changed: in Password, enter the current password and the same new password twice, then click Update password	users.password is replaced by a new bcrypt hash and token_version goes up (other sessions are signed out); "Password changed" is displayed and the new password works at the next sign-in			

MODULE	NO.	TESTCASE	DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	COMMENT	STATUS
Point of Sale Module							
	1	Completeness Check					
			Check if the cart is empty: click Charge with an empty cart	"Cart is empty" is displayed and no sale is recorded			
	2	Format Check					
			Check if letters can be typed in Cash received: type letters in Cash received (a number field)	The letters are not accepted: the field holds numbers only			
	3	Range Check					
			Check if the quantity is more than the stock: change an item's quantity in the cart to more than its "(n) left" (products.stock_quantity)	"Only (n) in stock" is displayed and the quantity is set to n; the server also refuses more than stock_quantity with HTTP 400			
			Check if an expired product is scanned: scan a product whose expiration_date is before today (shop time, Asia/Manila)	"(product) has expired and cannot be sold" is displayed and the product is not added to the cart; POST /api/sales also refuses it with HTTP 400			
	4	Consistency Check					
			Check if the subtotal and total add up: add two items and a discount	Subtotal = the sum of quantity × unit price of the lines; Total = Subtotal less the discount %. The server works out the same figures and saves them in sales.total_amount and sales.final_amount			
	5	Database Check					
			Check if the barcode is not on record: scan or type a barcode that is not in products.barcode	"No product found for "(barcode)"" is displayed and nothing is added to the cart			
	6	System Check					
			Check if a sale lowers the stock: complete a sale of 2 of a product. POST /api/sales runs as one transaction that locks the product row	A sales row and a sale_items row (quantity 2) are inserted, products.stock_quantity goes down by 2 with a stock_movements row 'out' (−2, reference 'sale'), and the card's "(n) left" and Inventory show the same new stock			
			Check if Complete sale is clicked twice: click Complete sale twice quickly. Both requests carry the same sale reference, and sales.sale_number is UNIQUE	Only one sales row is inserted (the second request gets back the sale already saved) and stock_quantity goes down once			