

Project Specification

for the

Construction Department of Southern Illinois University Edwardsville

by

Bryan Allen

Daniel Grote

Zach Smith

of

CS425 / CS499 Senior Project

Concrete Drying Application Team

CS-SPEC

Revision 1.0.2

As Of: 2 October 2014

Change Log:

<u>Revision</u>	<u>Change Note(s)</u>
1.0.1	<ul style="list-style-type: none">• Added verification section• Made grammatical corrections
1.0.2	<ul style="list-style-type: none">• Revisions made as suggested by manager• Changed from mobile application to web based application

Reviewed and Approved By:

NameSignatureDate

Table of Contents

1 INTRODUCTION.....	1
1.1 Business and Domain Description.....	1
1.2 Concept of Proposed System / Scope.....	1
1.2.1 Operational Concept and Scenario	1
1.3 Product Overview.....	2
1.3.1 Product Perspective	2
1.3.2 Product Functions.....	2
1.3.3 User Characteristics	2
1.3.4 Limitations.....	2
1.4 Definitions.....	3
1.5 Stakeholders.....	4
2 REFERENCES.....	4
3 SPECIFIC REQUIREMENTS	4
3.1 External Interfaces.....	4
3.2 Functions	5
3.2.1 Agile Use Cases.....	5
3.3 Usability Requirements.....	8
3.4 Performance Requirements	9
3.5 Logical Database Requirements.....	9
3.6 Design Constraints	10
3.7 Software System Attributes	10
3.8 Supporting Information	10
3.8.1 Sample input/output formats	10
3.8.2 Description of the problem to be solved by the software	11
4 VERIFICATION	11
4.1 External Interfaces.....	12
4.2 Functions	12
4.2.1 Agile Use Cases.....	12
4.3 Usability Requirements.....	12
4.4 Performance Requirements	12
4.5 Logical Database Requirements.....	12
4.6 Design Constraints	13

4.7 Software System Attributes	13
4.8 Supporting Information	13
5 APPENDICES	13
5.1 Assumptions and Dependencies	13
5.2 Acronyms and Abbreviations	13

Figures

Figure 1: Use Case Diagram	5
Figure 2: Evaporation Rate Example Output	11

Tables

Table 1: Stakeholders.....	4
----------------------------	---

1 INTRODUCTION

1.1 Business and Domain Description

The purpose of this document is to define the requirements of the Concrete Drying Web Application, and provide analysis. The business of pouring concrete relies on the ability to determine whether or not shrinkage cracks will occur by calculating the evaporation rate. To calculate the evaporation rate, a nomograph is used in conjunction with weather data provided by the NOAA.

1.2 Concept of Proposed System / Scope

The software will forecast the probability of shrinkage cracks in an easier and more efficient way. It will automatically pull weather data from the NOAA databases and calculate the evaporation rate for every hour of every day for up to seven days. Then, the software will display this information in the form of a graph that the user will be able to zoom in and out of as well as textual data. In addition to displaying the information the software will allow users to enter desired dates, and the software will notify them if the evaporation rates change for the selected days.

1.2.1 *Operational Concept and Scenario*

- The web site will be opened by visiting the URL. This may also be done by visiting the Construction Dept. of SIUE website, and clicking the appropriate link.
- Once the web page is open the user will be able to login with an account, create an account, or login as a guest.
- Once logged in the user will be on their home screen. On their home screen the user will be able to create, edit, delete, or view projects.
- When a project is created the user will be able to enter project specific data (such as location and name of the project).
- The user will also be able to select a specific time for which the application will notify them by email if the evaporation rate changes.

1.3 Product Overview

1.3.1 Product Perspective

This project will rely on the NOAA site for weather data. When designing the user interface the idea is to make the interface simple and easy to use, but still displaying all the needed information. Keeping the different parts of the interface similar to each other is also a main goal.

- a) system interfaces: access stored database of saved weather data, and user login database
- b) hardware interfaces: N/A
- c) software interfaces: NOAA database
- d) communication interfaces: e-mail service
- e) memory: 256 MB should be enough for the software to run
- f) operations: pull data from NOAA, calculate evaporation rate, display calculated information

1.3.2 Product Functions

There will be three major functions this software must perform. The first will be pulling the required data off the NOAA site. The next is calculating the probability of shrinkage cracks. Lastly, the software will create an easy to read graph for the users.

1.3.3 User Characteristics

The targeted users will be construction managers that have access to Internet. The user should be familiar with how to navigate a website, and have experience reading graphs.

1.3.4 Limitations

- This software will not be able to update data used for calculations if Internet access is not available.
- The software can only retrieve updated weather data when the NOAA databases have been updated.
- The software can only retrieve updated weather data when the NOAA database is accessible at that time.

1.4 Definitions

Concrete Drying - waiting for the concrete to dry

Concrete Floor Pours - pouring concrete to make a floor

Concrete Project - a specific concrete job site (multiple projects can exist)

Concrete Shrinkage Cracks - cosmetic and/or structural cracks that appear in concrete due to evaporation rate

Contractors - a person or company that undertakes a concrete floor pour

Construction - process of preparing and forming something

Evaporation Rate - rate at which water evaporates / used to forecast concrete shrinkage crack probability in concrete floor pours

Forecast - predicting the evaporation rate

Humidity - amount of water vapor in the atmosphere (variable used to calculate evaporation rate)

Location - the site where the concrete is going to be poured (zip code)

Materials - the substances that make up the concrete (variable used to calculate evaporation rate)

National Oceanic and Atmospheric Administration (NOAA) - the organization chosen to gather weather information from

Nomograph - chart used to manually predict the evaporation rate

Notification - an alert that brings a change to the user's attention

Percent Cloud Cover - weather term to measure the amount of sunshine visible (variable used to calculate evaporation rate)

Projects - a specific job site (multiple projects can exist)

Temperature - measurement of how hot or cold and area is (variable used to calculate evaporation rate)

User Interface - what the user sees and interacts with

Wind Direction - the direction the wind is blowing (variable used to calculate evaporation rate)

Wind Speed - the speed at which the wind is blowing (variable used to calculate evaporation rate)

1.5 Stakeholders

Table 1: Stakeholders

People / Group	Organization	Relationship
Mark Grinter	SIUE Construction Dept.	Client
Anne Werner	SIUE Construction Dept.	Secondary Client
Software Users	N/A	User

2 REFERENCES

Mayer, Gary "Semi-Agile Software Engineering (SAGE) Process Specification"
Revision 2.1.3 18 August 2014: 1-40. Print

Mayer, Gary "Semi-Agile Software Engineering (SAGE) Deliverable Standard"
Revision 1.0 06 September 2013: 1-12. Print

ISO/IEC/ IEEE "Systems and software engineering — Life Cycle Processes —
Requirements Engineering" First Edition 1 December 2011: 1-83. Print

Uno, Paul "Plastic Shrinkage Cracking and Evaporation Formulas" ACI Materials
Journal, 1998: 365-75. Print

3 SPECIFIC REQUIREMENTS

3.1 External Interfaces

N/A

3.2 Functions

3.2.1 Agile Use Cases




Figure 1: Use Case Diagram

Create Account

Trigger: User wants to create an account

1. User selects create account button.
2. User enters account specific data (ex. E-mail)
3. User submits form

Forgot Password

Trigger: The user forgot their password and wants a new one

1. User selects forgot password button
2. User enters their e-mail address
3. User submits form
4. Then user follows the instructions sent to them in the e-mail to change their password

Login

Trigger: User wants login to use software

1. User enters account information and submits.
 - a. User chooses to login as guest by clicking guest login button

Edit Account

Trigger: User wants to edit account information

1. User selects edit account button.
2. User changes the account specific data they wish to change
3. User submits form

Delete Account

Trigger: User wants to delete an account

1. User selects edit account button.
2. User selects delete account button

View Stats

Trigger: Admin wants to view website statics

1. Admin logs in
2. Admin selects view stats button
3. Stats are displayed

Add Project

Trigger: User wants to create a new project to forecast concrete shrinkage

1. User selects add new project button
2. User enters project specific data (ex. location)
3. The Project name defaults to location
 - a. User can choose to enter the project name
4. User submits form

Edit Project

Trigger: User wants to change the project name or project specific data

1. User selects the edit project Button
2. User selects the edit information button on the project that needs changed
3. User changes project specific data
4. User submits changes

Delete Project

Trigger: User wants to delete a project

1. User selects the edit project button
2. User selects the delete project button on the project that needs deleted

Display Project

Trigger: User wants to find the probability of concrete shrinkage

1. User selects one of the existing projects
2. Color coded line graph is displayed over a period of time for the user to see the probability of concrete shrinkage

Add Notification

Trigger: User wants to be notified if the probability of concrete shrinkage dramatically changes on a user specified date

1. User adds a new project or chooses an existing project
2. User selects add notification
3. User selects a date
4. User chooses the parameters of when to be notified (ex. If the probability falls under X%)
5. User submits form
6. Notification(s) is displayed under the line graph

Edit Notification

Trigger: User wants to change a notification

1. User selects the project with the notification that needs changed
2. User selects the edit notifications button
3. User selects the edit button on the notification that needs to be changed
4. User changes the notifications date or parameters.
5. User submits changes

Delete Notification

Trigger: User wants to delete a notification

1. User selects the project with the notification that needs to be deleted
2. User selects the edit notification button
3. User selects the delete button on the notification that needs to be deleted

3.3 Usability Requirements

The site should be quick and easy to learn.

- 90% of users should learn how to use the application in five minutes or less.

The site should be easy to navigate.

- 90% of users should be able to navigate to a specified page in less than one minute.

The site output should be clear and understandable.

- 90% of targeted users should understand what the output means and how to use this information effectively.

The site output should be trusted by the user.

- The applications formula calculations should be right 100% of the time.

3.4 Performance Requirements

- 95% of data retrieval shall take place in less than five seconds
- Formula calculation shall take less than 1 second to complete

3.5 Logical Database Requirements

Account Table:

- Account
 - Username
 - Password
 - E-mail
 - Projects

Projects Table:

- Project
 - Name
 - Location (zip code)
 - Notification

Location Table:

- Location (zip code)
 - For each hour of each day out to seven days:
 - Wind Speed
 - Relative humidity
 - Atmospheric Temperature
 - Material Temperature
 - Percent Cloud Coverage

3.6 Design Constraints

- User must have Internet access to use the software.
- The NOAA database must be up and available or the project information will not be accurate and the notifications will not be sent.

3.7 Software System Attributes

- Reliability – The software must work all the time when there is Internet connection and the NOAA database tables are live. If the NOAA database tables are currently unavailable the software will notify the user.
- Availability – Software should be readily available when the user has access to the Internet.
- Security
 - Check data integrity for critical variables
 - Validate data entry
- Maintainability – Software modules should be loosely coupled so that new requirements can be easily added.
- Portability – Software must run on anything that can host web sites.
- Robustness – If connection with the NOAA database is lost or unreliable, data from the last access to NOAA will be used instead of current data.

3.8 Supporting Information

3.8.1 *Sample input/output formats*

Input would be textboxes where user enters into textboxes.

The output would be a color-coded line graph. Green would mean it is safe to pour. Yellow would be caution (Take caution when pouring). Yellow would also give

tips/steps on how to reduce the chance of concrete shrinkage. Red would mean do not pour.

These items should be considered part of the requirements.



Figure 2: Evaporation Rate Example Output

3.8.2 Description of the problem to be solved by the software

The software would automate the process of calculating the evaporation rate for a given location and time, then display the information in an easy to read format.

4 VERIFICATION

The client verifies this document to ensure that the proposed requirements are the desired requirement.

4.1 External Interfaces

N/A

4.2 Functions

4.2.1 Agile Use Cases

Each use case must be represented and each use case needs to contain the necessary functionality of the application. The use cases need to be verified to see whether or not the needed functionality is present.

4.3 Usability Requirements

Bring in a sufficient amount of test subjects and introduce them to the application interface.

- Leave them to navigate the interface for five minutes. After that ask them to do all the basic functions of the application and find the number of them that can accomplish these tasks.
- Ask them to go a specific page of the application in under a minute and find the number of them that can accomplish this.
- Ask them if they can read and understand the output of the application and find the number of them that can read and understand.

Do the calculations manually and compare the results to the results of the applications formula.

4.4 Performance Requirements

- Run the data retrieval at varying times throughout the day on multiple days, and during different network conditions.
- Run the formula calculation with various data multiple times.

4.5 Logical Database Requirements

Perform testing to determine if the proper projects and notification are in the database and are correctly displayed.

4.6 Design Constraints

Perform testing to verify the application notifies the user when there is no Internet access and/or there is not up to date data being used in the application.

4.7 Software System Attributes

- Reliability – See section 4.4
- Availability – Connect to the website throughout a day to make sure it is connecting.
- Security
 - Test to see if weather variables have changed since last use.
 - Test variable validation
- Maintainability – Perform preventive maintenance to reduce future maintenance cost.
- Portability – Install on multiple operating systems to verify.
- Robustness – Test to see if data from the last access to NOAA is used.

4.8 Supporting Information

Perform a usability study to determine if the input and output of the software is intuitive and easy to use. (See section 4.3)

5 APPENDICES

5.1 Assumptions and Dependencies

- Users will have Internet access
- Users will use one of the three Internet browsers: Google Chrome, Microsoft Internet Explorer, Mozilla Firefox
- NOAA database is live and has the forecast predictions
- If user wants notifications they must use an account

5.2 Acronyms and Abbreviations

NOAA - National Oceanic and Atmospheric Administration