Polynomial and Rational Inequalities

Objectives

Solve polynomial inequalities

2 Solve rational inequalities

Polynomial Inequalities

When solving polynomial inequalities, first find the zeros of the polynomial (may have to get = to 0 first).

Polynomial Inequalities

When solving polynomial inequalities, first find the zeros of the polynomial (may have to get = to 0 first).

Then, set up a number line and use test values.

$$8x^3 - 2x^2 > 41x + 10$$


$$8x^3 - 2x^2 > 41x + 10$$
$$8x^3 - 2x^2 - 41x - 10 > 0$$

$$8x^3-2x^2>41x+10$$
 $8x^3-2x^2-41x-10>0$ Zeros at $x=-2,\,-rac{1}{4},\,rac{5}{2}$

$$8x^{3} - 2x^{2} > 41x + 10$$

$$8x^{3} - 2x^{2} - 41x - 10 > 0$$
Zeros at $x = -2, -\frac{1}{4}, \frac{5}{2}$

$$\leftarrow -2 \qquad -\frac{1}{4} \qquad \qquad \frac{5}{2}$$



Objectives

Solve polynomial inequalities

Solve rational inequalities

Rational Inequalities

When solving rational inequalities, first be sure that there is a 0 on one side of your inequality. You'll want to simplify the other side (i.e. find a common denominator to combine the fractions.)

Rational Inequalities

When solving rational inequalities, first be sure that there is a 0 on one side of your inequality. You'll want to simplify the other side (i.e. find a common denominator to combine the fractions.)

Your critical values will be where the numerator = 0 and the denominator = 0

Rational Inequalities

When solving rational inequalities, first be sure that there is a 0 on one side of your inequality. You'll want to simplify the other side (i.e. find a common denominator to combine the fractions.)

Your critical values will be where the numerator = 0 and the denominator = 0

Note: The critical values of the **denominator** will <u>always</u> be open circles on the number line.

$$(a) \quad \frac{3x+9}{2x-5} \le 0$$

(a)
$$\frac{3x+9}{2x-5} \le 0$$
 $3x+9=0$ $2x-5=0$

(a)
$$\frac{3x+9}{2x-5} \le 0$$

 $3x+9=0$ $2x-5=0$
 $x=-3$ $x=\frac{5}{2}$

(a)
$$\frac{3x+9}{2x-5} \le 0$$

 $3x+9=0$ $2x-5=0$
 $x=-3$ $x=\frac{5}{2}$



(a)
$$\frac{3x+9}{2x-5} \le 0$$

 $3x+9=0$ $2x-5=0$
 $x=-3$ $x=\frac{5}{2}$




(a)
$$\frac{3x+9}{2x-5} \le 0$$
 $3x+9=0$

$$x = -3$$


$$2x - 5 = 0$$

$$x=\frac{5}{2}$$



(a)
$$\frac{3x+9}{2x-5} \le 0$$

 $3x+9=0$ $2x-5=0$
 $x=-3$ $x=\frac{5}{2}$



(b)
$$\frac{4-x}{x+1} > 2$$

$$(b) \quad \frac{4-x}{x+1} > 2$$

$$\frac{4-x}{x+1} > 2$$

$$(b) \quad \frac{4-x}{x+1} > 2$$

$$\frac{4-x}{x+1} > 2$$

$$\frac{4-x}{x+1}-2>0$$

(b)
$$\frac{4-x}{x+1} > 2$$

$$\frac{4-x}{x+1} > 2$$

$$\frac{4-x}{x+1} - 2 > 0$$

$$\frac{4-x}{x+1} - \frac{2(x+1)}{x+1} > 0$$

(b)
$$\frac{4-x}{x+1} > 2$$

$$\frac{4-x}{x+1} > 2$$

$$\frac{4-x}{x+1} - 2 > 0$$

$$\frac{4-x}{x+1} - \frac{2(x+1)}{x+1} > 0$$

$$\frac{4-x}{x+1} - \frac{2x+2}{x+1} > 0$$

$$(b) \quad \frac{4-x}{x+1} > 2$$

$$\frac{4-x}{x+1} > 2$$

$$\frac{4-x}{x+1} - 2 > 0$$

$$\frac{4-x}{x+1} - \frac{2(x+1)}{x+1} > 0$$

$$\frac{4-x}{x+1} - \frac{2x+2}{x+1} > 0$$

$$\frac{-3x+2}{x+1} > 0$$

$$\frac{-3x+2}{x+1} > 0$$

$$\frac{-3x+2}{x+1} > 0$$

$$-3x+2 = 0 x+1 = 0$$

$$\frac{-3x+2}{x+1} > 0$$

$$-3x+2=0 \qquad x+1=0$$

$$x = \frac{2}{3} \qquad x = -1$$


$$\frac{-3x+2}{x+1} > 0$$

$$-3x+2=0 \qquad x+1=0$$

$$x = \frac{2}{3} \qquad x = -1$$

$$\longleftarrow \qquad \qquad \downarrow \qquad \qquad \downarrow$$

$$-1 \qquad \qquad \frac{2}{3}$$



(c)
$$\frac{x^2-3x-4}{x^2-4x+3} \ge 0$$

(c)
$$\frac{x^2 - 3x - 4}{x^2 - 4x + 3} \ge 0$$
$$x^2 - 3x - 4 = 0 \qquad x^2 - 4x + 3 = 0$$

(c)
$$\frac{x^2 - 3x - 4}{x^2 - 4x + 3} \ge 0$$
$$x^2 - 3x - 4 = 0 \qquad x^2 - 4x + 3 = 0$$
$$(x - 4)(x + 1) = 0 \qquad (x - 3)(x - 1) = 0$$

(c)
$$\frac{x^2 - 3x - 4}{x^2 - 4x + 3} \ge 0$$
$$x^2 - 3x - 4 = 0 \qquad x^2 - 4x + 3 = 0$$
$$(x - 4)(x + 1) = 0 \qquad (x - 3)(x - 1) = 0$$
$$x - 4 = 0 \qquad x + 1 = 0 \qquad x - 3 = 0 \qquad x - 1 = 0$$

(c)
$$\frac{x^2 - 3x - 4}{x^2 - 4x + 3} \ge 0$$
$$x^2 - 3x - 4 = 0 \qquad x^2 - 4x + 3 = 0$$
$$(x - 4)(x + 1) = 0 \qquad (x - 3)(x - 1) = 0$$
$$x - 4 = 0 \qquad x + 1 = 0 \qquad x - 3 = 0 \qquad x - 1 = 0$$
$$x = 4 \qquad x = -1 \qquad x = 3 \qquad x = 1$$

(c)
$$\frac{x^2 - 3x - 4}{x^2 - 4x + 3} \ge 0$$

$$x^2 - 3x - 4 = 0 \qquad x^2 - 4x + 3 = 0$$

$$(x - 4)(x + 1) = 0 \qquad (x - 3)(x - 1) = 0$$

$$x - 4 = 0 \qquad x + 1 = 0 \qquad x - 3 = 0 \qquad x - 1 = 0$$

$$x = 4 \qquad x = -1 \qquad x = 3 \qquad x = 1$$

$$\leftarrow -1 \qquad 1 \qquad 3 \qquad 4$$

(c)
$$\frac{x^2 - 3x - 4}{x^2 - 4x + 3} \ge 0$$

$$x^2 - 3x - 4 = 0 \qquad x^2 - 4x + 3 = 0$$

$$(x - 4)(x + 1) = 0 \qquad (x - 3)(x - 1) = 0$$

$$x - 4 = 0 \qquad x + 1 = 0 \qquad x - 3 = 0 \qquad x - 1 = 0$$

$$x = 4 \qquad x = -1 \qquad x = 3 \qquad x = 1$$

$$\leftarrow -1 \qquad 1 \qquad 3 \qquad 4$$

(c)
$$\frac{x^2 - 3x - 4}{x^2 - 4x + 3} \ge 0$$

$$x^2 - 3x - 4 = 0 \qquad x^2 - 4x + 3 = 0$$

$$(x - 4)(x + 1) = 0 \qquad (x - 3)(x - 1) = 0$$

$$x - 4 = 0 \qquad x + 1 = 0 \qquad x - 3 = 0 \qquad x - 1 = 0$$

$$x = 4 \qquad x = -1 \qquad x = 3 \qquad x = 1$$

(c)
$$\frac{x^2 - 3x - 4}{x^2 - 4x + 3} \ge 0$$


$$x^2 - 3x - 4 = 0 \qquad x^2 - 4x + 3 = 0$$

$$(x - 4)(x + 1) = 0 \qquad (x - 3)(x - 1) = 0$$

$$x - 4 = 0 \qquad x + 1 = 0 \qquad x - 3 = 0 \qquad x - 1 = 0$$

$$x = 4 \qquad x = -1 \qquad x = 3 \qquad x = 1$$

$$(-\infty, -1] \cup (1, 3) \cup [4, \infty)$$



(d)
$$\frac{x+2}{x-3} < 2x-2$$

(d)
$$\frac{x+2}{x-3} < 2x-2$$

$$\frac{x+2}{x-3} = 2x-2$$

(d)
$$\frac{x+2}{x-3} < 2x-2$$

$$\frac{x+2}{x-3} = 2x-2$$

$$\frac{x+2}{x-3} = \frac{(2x-2)(x-3)}{x-3}$$

$$(d) \quad \frac{x+2}{x-3} < 2x-2$$

$$\frac{x+2}{x-3} = 2x - 2$$

$$\frac{x+2}{x-3} = \frac{(2x-2)(x-3)}{x-3}$$

$$\frac{x+2}{x-3} = \frac{2x^2 - 8x + 6}{x-3}$$

$$(\mathsf{d}) \quad \frac{x+2}{x-3} < 2x-2$$

$$\frac{x+2}{x-3} = 2x - 2$$

$$\frac{x+2}{x-3} = \frac{(2x-2)(x-3)}{x-3}$$

$$\frac{x+2}{x-3} = \frac{2x^2 - 8x + 6}{x-3}$$

$$x+2 = 2x^2 - 8x + 6$$

(d)
$$\frac{x+2}{x-3} < 2x-2$$
$$\frac{x+2}{x-3} = 2x-2$$
$$\frac{x+2}{x-3} = \frac{(2x-2)(x-3)}{x-3}$$
$$\frac{x+2}{x-3} = \frac{2x^2 - 8x + 6}{x-3}$$
$$x+2 = 2x^2 - 8x + 6$$
$$2x^2 - 9x + 4 = 0$$

(d)
$$\frac{x+2}{x-3} < 2x-2$$

$$\frac{x+2}{x-3} = 2x-2$$

$$\frac{x+2}{x-3} = \frac{(2x-2)(x-3)}{x-3}$$

$$\frac{x+2}{x-3} = \frac{2x^2 - 8x + 6}{x-3}$$

$$x+2 = 2x^2 - 8x + 6$$


$$2x^2 - 9x + 4 = 0$$

$$x = \frac{1}{2}, 4$$


Example 2
$$\frac{x+2}{x-3} < 2x - 2$$

Critical values:
$$x = \frac{1}{2}$$
, 3, 4


Example 2
$$\frac{x+2}{x-3} < 2x - 2$$




Example 2
$$\frac{x+2}{x-3} < 2x - 2$$



Example 2
$$\frac{x+2}{x-3} < 2x - 2$$



Example 2
$$\frac{x+2}{x-3} < 2x - 2$$



$$\left(\frac{1}{2},3\right)\cup\left(4,\infty\right)$$