Basic Set Theory and Interval Notation

Sets

A set is a well-defined collection of things called *elements*. By "well-defined", we mean that we will know whether or not an element belongs in the set.

Verbally

- Verbally
- Roster Method (list out everything)

- Verbally
- Roster Method (list out everything)
- Set-Builder Method (give a rule to generate the items in the set)

- Verbally
- Roster Method (list out everything)
- Set-Builder Method (give a rule to generate the items in the set)
 - $A = \{x \mid x \text{ is a positive even integer.}\} = \{2, 4, 6, 8, \dots\}$

- Verbally
- Roster Method (list out everything)
- Set-Builder Method (give a rule to generate the items in the set)
 - $A = \{x \mid x \text{ is a positive even integer.}\} = \{2, 4, 6, 8, \dots\}$

The empty set is a set with no elements (symbol is \emptyset). This is notation used for "No Solution" answers.

Table of Contents

1 Write a set using interval notation

2 Finding intersections and unions of intervals

Interval Notation

Interval Notation	Set-Builder Notation	Graph
(4, 9)	${x \mid 4 < x < 9}$	
[4, 9]	$\{x \mid 4 \le x \le 9\}$	4 9
[4, 9)	$\{x \mid 4 \le x < 9\}$	← 4 9
(4, 9]	${x \mid 4 < x \le 9}$	←

Interval Notation

Interval Notation	Set-Builder Notation	Graph
(4, ∞)	$\{x \mid x > 4\}$	←
[4, ∞)	$\{x\mid x\geq 4\}$	4
$(-\infty, 9)$	${x \mid x < 9}$	←
$(-\infty, 9]$	$\{x \mid x \leq 9\}$	← 9

Interval Notation

Interval Notation	Set-Builder Notation	Graph
$(-\infty, \infty)$	\mathbb{R}	←
Ø	{}	←

Express each interval in set-builder notation and graph:

(a)
$$(-1, 4]$$

Express each interval in set-builder notation and graph:

(a)
$$(-1, 4]$$



Express each interval in set-builder notation and graph:

(a)
$$(-1, 4]$$




$${x \mid -1 < x \le 4}$$

(b) [2.5, 4]

(b) [2.5, 4]



(b) [2.5, 4]




(c)
$$(-4, \infty)$$

(c)
$$(-4, \infty)$$



(c)
$$(-4, \infty)$$



(d) $(-\infty, 5]$

(d)
$$(-\infty, 5]$$



(d)
$$(-\infty, 5]$$




Table of Contents

Write a set using interval notation

Finding intersections and unions of intervals

The intersection of two sets is the set of elements that both sets have in common.

The intersection of two sets is the set of elements that both sets have in common.

The word AND is associated with intersections of sets.

The intersection of two sets is the set of elements that both sets have in common.

The word AND is associated with intersections of sets.

The intersection of sets A and B is denoted

$$A \cap B$$

The intersection of two sets is the set of elements that both sets have in common.

The word AND is associated with intersections of sets.

The intersection of sets A and B is denoted

$$A \cap B$$

Intersections are common when the variable is between two values.

The union of two sets is set of elements in either set (or both).

The union of two sets is set of elements in either set (or both).

The word OR is associated with the unions of sets.

The union of two sets is set of elements in either set (or both).

The word OR is associated with the unions of sets.

The union of sets A and B is denoted

$$A \cup B$$

The union of two sets is set of elements in either set (or both).

The word OR is associated with the unions of sets.


The union of sets A and B is denoted

$$A \cup B$$


Unions are common when the intervals do not overlap (although they can).

(a)
$$x \le 4 \text{ or } x > 7$$

(a)
$$x \le 4 \text{ or } x > 7$$




(a)
$$x \le 4$$
 or $x > 7$



(a)
$$x \le 4 \text{ or } x > 7$$




(a)
$$x \le 4 \text{ or } x > 7$$




$$(-\infty,4]\cup(7,\infty)$$

(b)
$$x < 2$$
 or $x \ge 9$


(b) $x < 2 \text{ or } x \ge 9$



(b) x < 2 or $x \ge 9$



(b) x < 2 or $x \ge 9$



(b)
$$x < 2 \text{ or } x \ge 9$$




$$(-\infty,2)\cup[9,\infty)$$

(c)
$$0 < x \le 5$$

(c)
$$0 < x \le 5$$




(c) $0 < x \le 5$



(c)
$$0 < x \le 5$$



(c)
$$0 < x \le 5$$




(c)
$$0 < x \le 5$$




(0, 5]

(d)
$$-5 \le x \le -3$$

(d)
$$-5 \le x \le -3$$



(d)
$$-5 \le x \le -3$$



(d)
$$-5 \le x \le -3$$



(d)
$$-5 \le x \le -3$$




(d)
$$-5 \le x \le -3$$




$$[-5,\,-3]$$

(a)
$$\{x \mid x \neq 0\}$$


(a)
$$\{x \mid x \neq 0\}$$



(a)
$$\{x \mid x \neq 0\}$$




(a)
$$\{x \mid x \neq 0\}$$



$$(-\infty,0)\cup(0,\infty)$$

(b)
$$\{x \mid x \neq 0, 2\}$$

(b)
$$\{x \mid x \neq 0, 2\}$$



(b)
$$\{x \mid x \neq 0, 2\}$$




(b)
$$\{x \mid x \neq 0, 2\}$$




$$(-\infty,0)\cup(0,2)\cup(2,\infty)$$

(c)
$$\{x \mid x \neq -1, 1, 3\}$$


(c)
$$\{x \mid x \neq -1, 1, 3\}$$



(c)
$$\{x \mid x \neq -1, 1, 3\}$$



(c)
$$\{x \mid x \neq -1, 1, 3\}$$



$$(-\infty, -1) \cup (-1, 1) \cup (1, 3) \cup (3, \infty)$$