

# Patterns and Inductive Reasoning

# Objectives

- 1 Use inductive reasoning to find the next terms of a pattern

# Inductive Reasoning

## Inductive Reasoning

**Inductive Reasoning** is reasoning that is based on some pattern observed.

## Example 1

Look for a pattern. What are the next 2 terms in each sequence?

(a) 3, 9, 27, 81, ...

## Example 1

Look for a pattern. What are the next 2 terms in each sequence?

(a) 3, 9, 27, 81, ...

Multiply by 3 to get each new term.

## Example 1

Look for a pattern. What are the next 2 terms in each sequence?

(a) 3, 9, 27, 81, ...

Multiply by 3 to get each new term.

$$81(3) = 243$$

## Example 1

Look for a pattern. What are the next 2 terms in each sequence?

(a) 3, 9, 27, 81, ...

Multiply by 3 to get each new term.

$$81(3) = 243$$

$$243(3) = 729$$

## Example 1

Look for a pattern. What are the next 2 terms in each sequence?

(a) 3, 9, 27, 81, ...

Multiply by 3 to get each new term.

$$81(3) = 243$$




$$243(3) = 729$$

The next two terms are 243 and 729.





# Example 1

(b)





# Example 1

(b)



## Example 1



(b)




Each has a circle and number of sides increases by 1 each time.

# Example 1

(b)




Each has a circle and number of sides increases by 1 each time.





# Example 1

(b)



Each has a circle and number of sides increases by 1 each time.






# Conjectures

## Conjectures

A **conjecture** is a conclusion you reach based on inductive reasoning.




## Example 2

Look at the circles. What conjecture can you make about the number of regions 20 diameters form?



## Example 2

Look at the circles. What conjecture can you make about the number of regions 20 diameters form?






Num diam	1	2	3	...	20
Num regions	2	4	6	...	



## Example 2

Look at the circles. What conjecture can you make about the number of regions 20 diameters form?






<b>Num diam</b>	1	2	3	...	20
<b>Num regions</b>	2	4	6	...	

$$\text{Num regions} = 2 \times \text{num diameters}$$

## Example 2

Look at the circles. What conjecture can you make about the number of regions 20 diameters form?



Num diam	1	2	3	...	20
Num regions	2	4	6	...	<b>40</b>

$$\text{Num regions} = 2 \times \text{num diameters}$$

## Example 3

What conjecture can you make about the sum of the first 30 even numbers (starting at 2)?

## Example 3

What conjecture can you make about the sum of the first 30 even numbers (starting at 2)?

<b>Term Number</b>	1	2	3	4	5	...	30
<b>Sum</b>	2	6	12	20	30	...	

## Example 3

What conjecture can you make about the sum of the first 30 even numbers (starting at 2)?

<b>Term Number</b>	1	2	3	4	5	...	30
<b>Sum</b>	2	6	12	20	30	...	

Sum = term number  $\times$  next term number

## Example 3

What conjecture can you make about the sum of the first 30 even numbers (starting at 2)?

<b>Term Number</b>	1	2	3	4	5	...	30
<b>Sum</b>	2	6	12	20	30	...	

$$\text{Sum} = \text{term number} \times \text{next term number} \quad 30 \times 31 = 930$$

## Example 3

What conjecture can you make about the sum of the first 30 even numbers (starting at 2)?

<b>Term Number</b>	1	2	3	4	5	...	30
<b>Sum</b>	2	6	12	20	30	...	930

$$\text{Sum} = \text{term number} \times \text{next term number} \quad 30 \times 31 = 930$$

# Counterexamples

## Counterexamples

A **counterexample** is an example that shows a conjecture is incorrect.



## Example 4

What is a counterexample for each conjecture?

(a) If the name of a month starts with the letter J, it is a summer month.

## Example 4

What is a counterexample for each conjecture?

(a) If the name of a month starts with the letter J, it is a summer month.

Counterexample: January

(b) You can connect any 3 points to form a triangle.


## Example 4

What is a counterexample for each conjecture?

(a) If the name of a month starts with the letter J, it is a summer month.

Counterexample: January

(b) You can connect any 3 points to form a triangle.




## Example 4

What is a counterexample for each conjecture?

(a) If the name of a month starts with the letter J, it is a summer month.

Counterexample: January

(b) You can connect any 3 points to form a triangle.



(c) When you multiply a number by 2, the product is greater than the original number.


## Example 4

What is a counterexample for each conjecture?

(a) If the name of a month starts with the letter J, it is a summer month.

Counterexample: January

(b) You can connect any 3 points to form a triangle.



(c) When you multiply a number by 2, the product is greater than the original number.

Counterexample:  $0 \times 2 = 0$