
# Angles and Radian Measure



An angle is in standard position if

An angle is in standard position if

• Vertex is at the origin.

An angle is in standard position if

- Vertex is at the origin.
- Initial side runs along positive x-axis.

An angle is in standard position if

- Vertex is at the origin.
- Initial side runs along positive *x*-axis.

Positive angles open **counter-clockwise** and negative angles open **clockwise**.

An angle is in standard position if


- Vertex is at the origin.
- Initial side runs along positive *x*-axis.

Positive angles open **counter-clockwise** and negative angles open **clockwise**.

A quadrantal angle is one whose terminal side lies on an axis. In other words, it's a multiple of  $90^{\circ}$ .

#### Radians

One **radian** is the measure of the central angle of a circle in which the radius equals the length of the intercepted arc.



#### Radian Interpretation

In other words, its when the length of your slice of pizza's crust is equal to the radius of the pizza.

#### Table of Contents

Convert degrees to radians and radians to degrees.

2 Draw angles in standard position

Find a coterminal angle to a given angle.

$$360^{\circ} = 2\pi \text{ radians}$$

$$360^{\circ} = 2\pi \text{ radians}$$

$$180^{\circ} = \pi$$
 radians

$$360^{\circ}=2\pi$$
 radians

$$180^\circ = \pi \text{ radians}$$

$$\frac{180^{\circ}}{\pi}=1 \; \text{radian}$$

## Convert Degrees to Radians and Radians to Degrees

• To convert degrees to radians, multiply by  $\frac{\pi}{180^{\circ}}$ .

## Convert Degrees to Radians and Radians to Degrees

- To convert degrees to radians, multiply by  $\frac{\pi}{180^{\circ}}$ .
- To convert radians to degrees, multiply by  $\frac{180^{\circ}}{\pi}$ .

Convert each angle to radians.

(a)  $30^{\circ}$ 

Convert each angle to radians.

(a)  $30^{\circ}$ 

 $30^{\circ}$ 

$$(a)$$
 30°

$$30^{\circ} \rightarrow 30^{\circ} \left(\frac{\pi}{180^{\circ}}\right)$$

$$(a)$$
 30°

$$30^{\circ} \rightarrow 30^{\circ} \left(\frac{\pi}{180^{\circ}}\right)$$

$$= \frac{30\pi}{180}$$

$$(a)$$
 30°

$$30^{\circ} \rightarrow 30^{\circ} \left(\frac{\pi}{180^{\circ}}\right)$$
$$= \frac{30\pi}{180}$$
$$= \frac{\pi}{6}$$

Convert each angle to radians.

(b) 90°

Convert each angle to radians.

(b) 90°

 $90^{\circ}$ 

$$90^{\circ} \rightarrow 90^{\circ} \left(\frac{\pi}{180^{\circ}}\right)$$

$$90^{\circ} \rightarrow 90^{\circ} \left(\frac{\pi}{180^{\circ}}\right)$$
$$= \frac{90\pi}{180}$$

$$90^{\circ} \rightarrow 90^{\circ} \left(\frac{\pi}{180^{\circ}}\right)$$
$$= \frac{90\pi}{180}$$
$$= \frac{\pi}{2}$$

(c) 
$$-135^{\circ}$$

(c) 
$$-135^{\circ}$$

$$-135^{\circ}$$

(c) 
$$-135^{\circ}$$

$$-\ 135^\circ \rightarrow -135^\circ \left(\frac{\pi}{180^\circ}\right)$$

(c) 
$$-135^\circ$$
 
$$-135^\circ \to -135^\circ \left(\frac{\pi}{180^\circ}\right)$$
 
$$= \frac{-135\pi}{180}$$

(c) 
$$-135^{\circ}$$

$$-135^{\circ} \rightarrow -135^{\circ} \left(\frac{\pi}{180^{\circ}}\right)$$

$$= \frac{-135\pi}{180}$$

$$= \frac{-3\pi}{4}$$

(a) 
$$\frac{\pi}{3}$$

(a) 
$$\frac{\pi}{3}$$

$$\frac{\pi}{3}$$

(a) 
$$\frac{\pi}{3}$$

$$\frac{\pi}{3} \to \frac{\pi}{3} \left( \frac{180^{\circ}}{\pi} \right)$$

(a) 
$$\frac{\pi}{3}$$

$$\frac{\pi}{3} \to \frac{\pi}{3} \left( \frac{180^{\circ}}{\pi} \right)$$
$$= \frac{180^{\circ}}{3}$$

(a) 
$$\frac{\pi}{3}$$

$$\frac{\pi}{3} \to \frac{\pi}{3} \left( \frac{180^{\circ}}{\pi} \right)$$
$$= \frac{180^{\circ}}{3}$$
$$= 60^{\circ}$$

(b) 
$$-\frac{5\pi}{4}$$

(b) 
$$-\frac{5\pi}{4}$$

$$-\frac{5\pi}{4}$$

(b) 
$$-\frac{5\pi}{4}$$

$$-\;\frac{5\pi}{4}\to -\frac{5\pi}{4}\left(\frac{180^\circ}{\pi}\right)$$

(b) 
$$-\frac{5\pi}{4}$$

$$-\frac{5\pi}{4} \rightarrow -\frac{5\pi}{4} \left(\frac{180^{\circ}}{\pi}\right)$$
$$= -\frac{900^{\circ}}{4}$$

(b) 
$$-\frac{5\pi}{4}$$

$$-\frac{5\pi}{4} \to -\frac{5\pi}{4} \left(\frac{180^{\circ}}{\pi}\right)$$
$$= -\frac{900^{\circ}}{4}$$
$$= -225^{\circ}$$


#### Table of Contents

Convert degrees to radians and radians to degrees


2 Draw angles in standard position.

Find a coterminal angle to a given angle


(a) 
$$\alpha = \frac{\pi}{6}$$




(a) 
$$\alpha = \frac{\pi}{6}$$
  $\alpha = 30^{\circ}$ 




(a) 
$$\alpha = \frac{\pi}{6}$$
  $\alpha = 30^{\circ}$ 




(a) 
$$\alpha = \frac{\pi}{6}$$
  $\alpha = 30^{\circ}$ 




(b) 
$$\beta = -\frac{4\pi}{3}$$




(b) 
$$\beta = -\frac{4\pi}{3}$$
  $\beta = -240^{\circ}$ 




(b) 
$$\beta = -\frac{4\pi}{3}$$
  $\beta = -240^{\circ}$ 




(b) 
$$\beta = -\frac{4\pi}{3}$$
  $\beta = -240^{\circ}$ 




(c) 
$$\gamma = -\frac{9\pi}{4}$$




(c) 
$$\gamma = -\frac{9\pi}{4}$$
  $\gamma = -405^{\circ}$ 




(c) 
$$\gamma = -\frac{9\pi}{4}$$
  $\gamma = -405^{\circ}$ 




(c) 
$$\gamma = -\frac{9\pi}{4}$$
  $\gamma = -405^{\circ}$ 




(d) 
$$\delta = -\frac{5\pi}{2}$$




(d) 
$$\delta = -\frac{5\pi}{2}$$
  $\delta = -450^{\circ}$ 



(d) 
$$\delta = -\frac{5\pi}{2}$$
  $\delta = -450^{\circ}$ 



(d) 
$$\delta = -\frac{5\pi}{2}$$
  $\delta = -450^{\circ}$ 



#### Table of Contents

Convert degrees to radians and radians to degrees

2 Draw angles in standard position

Find a coterminal angle to a given angle.

### Coterminal Angles

Two angles that have the same initial and terminal side are coterminal angles.

### Coterminal Angles

Two angles that have the same initial and terminal side are coterminal angles.

To find coterminal angles, add (or subtract) multiples of  $360^{\circ}$  (or  $2\pi$  radians).

Find a coterminal angle between 0° and 360° (or 0 and  $2\pi$  radians) for each.

(a)  $400^{\circ}$ 

Find a coterminal angle between 0° and 360° (or 0 and  $2\pi$  radians) for each.

(a)  $400^{\circ}$ 

 $400^{\circ}$ 

Find a coterminal angle between 0° and 360° (or 0 and  $2\pi$  radians) for each.

(a) 
$$400^{\circ}$$

$$400^{\circ} \rightarrow 400^{\circ} - 360^{\circ}$$

Find a coterminal angle between  $0^{\circ}$  and  $360^{\circ}$  (or 0 and  $2\pi$  radians) for each.

(a) 
$$400^{\circ}$$

$$400^{\circ} \rightarrow 400^{\circ} - 360^{\circ}$$
$$= 40^{\circ}$$

(b) 
$$-\frac{4\pi}{3}$$

(b) 
$$-\frac{4\pi}{3}$$

$$-\frac{4\pi}{3}$$

(b) 
$$-\frac{4\pi}{3}$$

$$-\,\frac{4\pi}{3}\rightarrow -\frac{4\pi}{3}+2\pi$$

(b) 
$$-\frac{4\pi}{3}$$

$$-\frac{4\pi}{3} \rightarrow -\frac{4\pi}{3} + 2\pi$$
$$= \frac{2\pi}{3}$$

(c) 
$$\frac{9\pi}{4}$$

(c) 
$$\frac{9\pi}{4}$$

$$\frac{9\pi}{4}$$

(c) 
$$\frac{9\pi}{4}$$

$$\frac{9\pi}{4} \to \frac{9\pi}{4} - 2\pi$$

(c) 
$$\frac{9\pi}{4}$$

$$\frac{9\pi}{4} \to \frac{9\pi}{4} - 2\pi$$
$$= \frac{\pi}{4}$$

(d) 
$$-785^{\circ}$$

(d) 
$$-785^{\circ}$$

 $-785^{\circ}$ 

(d) 
$$-785^{\circ}$$

$$-~785^{\circ}\rightarrow-785^{\circ}+1080^{\circ}$$

(d) 
$$-785^{\circ}$$
 
$$-785^{\circ} \rightarrow -785^{\circ} + 1080^{\circ}$$
 
$$= 295^{\circ}$$