

Graphs of Quadratic Expressions

Objectives

- 1 Determine the vertex and axis of symmetry of a quadratic function in standard form
- 2 Convert between standard and general form of quadratic expressions

Graphing Quadratic Expressions


We will be looking at graphing equations in the form

$$y = ax^2 + bx + c$$

where a , b , and c are real numbers with $a \neq 0$.

Graph of a Quadratic Expression

For $y = x^2$, the graph below is a **parabola**.



Graph of a Quadratic Expression

The point $(0, 0)$ is called the **vertex** of the parabola and can be either a minimum (smile) or maximum point (frown).

Graph of a Quadratic Expression

The point $(0, 0)$ is called the **vertex** of the parabola and can be either a minimum (smile) or maximum point (frown).

Through the vertex is a vertical line called the **axis of symmetry** that divides the parabola into 2 equal halves.

Example 1


Find the vertex, state whether the vertex is a maximum or minimum, and find the equation of the axis of symmetry for each.

(a) $y = x^2 + 4x + 1$

Example 1

Find the vertex, state whether the vertex is a maximum or minimum, and find the equation of the axis of symmetry for each.


(a) $y = x^2 + 4x + 1$



Example 1

Find the vertex, state whether the vertex is a maximum or minimum, and find the equation of the axis of symmetry for each.

(a) $y = x^2 + 4x + 1$




Vertex $(-2, -3)$

Example 1

Find the vertex, state whether the vertex is a maximum or minimum, and find the equation of the axis of symmetry for each.

(a) $y = x^2 + 4x + 1$




Vertex $(-2, -3)$

Vertex is a minimum

Example 1

Find the vertex, state whether the vertex is a maximum or minimum, and find the equation of the axis of symmetry for each.

(a) $y = x^2 + 4x + 1$



Vertex $(-2, -3)$

Vertex is a minimum


Axis of symmetry: $x = -2$

Example 1

$$(b) \quad y = -2x^2 + 12x - 17$$


Example 1

(b) $y = -2x^2 + 12x - 17$



Example 1


(b) $y = -2x^2 + 12x - 17$



Vertex (3, 1)

Example 1

(b) $y = -2x^2 + 12x - 17$




Vertex (3, 1)

Vertex is a maximum

Example 1

(b) $y = -2x^2 + 12x - 17$



Vertex (3, 1)

Vertex is a maximum

Axis of symmetry: $x = 3$

Objectives

- 1 Determine the vertex and axis of symmetry of a quadratic function in standard form
- 2 Convert between standard and general form of quadratic expressions

Standard and General Form of Quadratic Expressions

For a quadratic function:

- The **general form** is $y = ax^2 + bx + c$

Standard and General Form of Quadratic Expressions

For a quadratic function:

- The **general form** is $y = ax^2 + bx + c$
 - a , b , and c are real numbers

Standard and General Form of Quadratic Expressions

For a quadratic function:

- The **general form** is $y = ax^2 + bx + c$
 - a , b , and c are real numbers
 - $a \neq 0$

Standard and General Form of Quadratic Expressions

For a quadratic function:

- The **general form** is $y = ax^2 + bx + c$
 - a , b , and c are real numbers
 - $a \neq 0$
- The **standard form** is $y = a(x - h)^2 + k$

Standard and General Form of Quadratic Expressions

For a quadratic function:

- The **general form** is $y = ax^2 + bx + c$
 - a , b , and c are real numbers
 - $a \neq 0$
- The **standard form** is $y = a(x - h)^2 + k$
 - Vertex is (h, k)

Standard and General Form of Quadratic Expressions

For a quadratic function:

- The **general form** is $y = ax^2 + bx + c$
 - a , b , and c are real numbers
 - $a \neq 0$
- The **standard form** is $y = a(x - h)^2 + k$
 - Vertex is (h, k)
 - $a \neq 0$

Standard and General Form of Quadratic Expressions

For a quadratic function:

- The **general form** is $y = ax^2 + bx + c$
 - a , b , and c are real numbers
 - $a \neq 0$
- The **standard form** is $y = a(x - h)^2 + k$
 - Vertex is (h, k)
 - $a \neq 0$
 - a , h , and k are real numbers

Converting From General to Standard Form

To convert from general form $y = ax^2 + bx + c$ to standard form $y = a(x - h)^2 + k$

Converting From General to Standard Form

To convert from general form $y = ax^2 + bx + c$ to standard form $y = a(x - h)^2 + k$

① Find the vertex:

- x-coordinate: $\frac{-b}{2a}$
- y-coordinate: Evaluate expression at x-coordinate
- Or use graphing technology

② Use the same value of a

Example 2

Convert each to standard form.

(a) $y = x^2 - 4x + 3$

Example 2

Convert each to standard form.

(a) $y = x^2 - 4x + 3$

Vertex:

Example 2

Convert each to standard form.

(a) $y = x^2 - 4x + 3$

Vertex:

$$x = \frac{-(-4)}{2(1)}$$

Example 2

Convert each to standard form.

$$(a) \quad y = x^2 - 4x + 3$$

Vertex:

$$x = \frac{-(-4)}{2(1)}$$

$$x = 2$$

Example 2

Convert each to standard form.

$$(a) \quad y = x^2 - 4x + 3$$

Vertex:

$$x = \frac{-(-4)}{2(1)}$$

$$x = 2$$

$$y = 2^2 - 4(2) + 3$$

Example 2

Convert each to standard form.

$$(a) \quad y = x^2 - 4x + 3$$

Vertex:

$$x = \frac{-(-4)}{2(1)}$$

$$x = 2$$

$$y = 2^2 - 4(2) + 3$$

$$y = -1$$

Example 2

(a) $y = x^2 - 4x + 3$

Vertex: $(2, -1)$

Example 2

$$(a) \quad y = x^2 - 4x + 3$$

Vertex: $(2, -1)$

$$a = 1$$

Example 2

$$(a) \quad y = x^2 - 4x + 3$$

Vertex: $(2, -1)$

$$a = 1$$

$$y = (x - 2)^2 - 1$$

Example 2

Convert each to standard form.

(b) $y = 6 - x - x^2$

Example 2

Convert each to standard form.

(b) $y = 6 - x - x^2$


$$y = -x^2 - x + 6$$

Example 2

Convert each to standard form.

(b) $y = 6 - x - x^2$

$$y = -x^2 - x + 6$$




Example 2

Convert each to standard form.

(b) $y = 6 - x - x^2$

$$y = -x^2 - x + 6$$




Vertex: $\left(-\frac{1}{2}, \frac{25}{4}\right)$

Example 2

Convert each to standard form.

(b) $y = 6 - x - x^2$

$$y = -x^2 - x + 6$$



Vertex: $\left(-\frac{1}{2}, \frac{25}{4}\right)$


$$a = -1$$

Example 2

Convert each to standard form.

(b) $y = 6 - x - x^2$

$$y = -x^2 - x + 6$$



Vertex: $\left(-\frac{1}{2}, \frac{25}{4}\right)$

$$a = -1$$

$$y = -\left(x + \frac{1}{2}\right)^2 + \frac{25}{4}$$

Converting From Standard to General Form

To convert from

$$y = a(x - h)^2 + k$$

form to

$$y = ax^2 + bx + c$$

just **do the math** and remember your order of operations.

Example 3

(a) Convert $y = (x + 2)^2 - 3$ to general form.

Example 3

- (a) Convert $y = (x + 2)^2 - 3$ to general form.

$$y = (x + 2)^2 - 3$$

Example 3

- (a) Convert $y = (x + 2)^2 - 3$ to general form.

$$y = (x + 2)^2 - 3$$

$$y = x^2 + 4x + 4 - 3$$

Example 3

(a) Convert $y = (x + 2)^2 - 3$ to general form.

$$y = (x + 2)^2 - 3$$

$$y = x^2 + 4x + 4 - 3$$

$$y = x^2 + 4x + 1$$

Example 3

(a) Convert $y = (x + 2)^2 - 3$ to general form.

$$y = (x + 2)^2 - 3$$

$$y = x^2 + 4x + 4 - 3$$

$$y = x^2 + 4x + 1$$

$$y = x^2 + 4x + 1$$

Example 3

(b) Convert $y = -(x - 7)^2 + 10$ to general form.

Example 3

(b) Convert $y = -(x - 7)^2 + 10$ to general form.

$$y = -(x - 7)^2 + 10$$

Example 3

(b) Convert $y = -(x - 7)^2 + 10$ to general form.

$$y = -(x - 7)^2 + 10$$

$$y = -(x^2 - 14x + 49) + 10$$

Example 3

(b) Convert $y = -(x - 7)^2 + 10$ to general form.

$$y = -(x - 7)^2 + 10$$

$$y = -(x^2 - 14x + 49) + 10$$

$$y = -x^2 + 14x - 49 + 10$$

Example 3

(b) Convert $y = -(x - 7)^2 + 10$ to general form.

$$y = -(x - 7)^2 + 10$$

$$y = -(x^2 - 14x + 49) + 10$$

$$y = -x^2 + 14x - 49 + 10$$

$$y = -x^2 + 14x - 39$$