

Linear Functions and Slope

Objectives

- 1 Calculate the slope of a line connecting two points
- 2 Write the point-slope form of a line
- 3 Write the equation of a line in slope-intercept form
- 4 Determine the average rate of change of a function
- 5 Find the least-squares regression line

Slope

The slope of the line connect points $P(x_1, y_1)$ and $Q(x_2, y_2)$ is


$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

provided $x_2 \neq x_1$

Example 1

Find the slope of the line connecting each pair of points.


(a) $(0, 0)$ and $(2, 4)$



Example 1

Find the slope of the line connecting each pair of points.

(a) $(0, 0)$ and $(2, 4)$




$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

Example 1

Find the slope of the line connecting each pair of points.

(a) $(0, 0)$ and $(2, 4)$




$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{4 - 0}{2 - 0} \end{aligned}$$

Example 1

Find the slope of the line connecting each pair of points.


(a) $(0, 0)$ and $(2, 4)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{4 - 0}{2 - 0} \\ &= 2 \end{aligned}$$


Example 1

(b) $(-2, 3)$ and $(2, -3)$



Example 1


(b) $(-2, 3)$ and $(2, -3)$



$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

Example 1


(b) $(-2, 3)$ and $(2, -3)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{-3 - 3}{2 - (-2)} \end{aligned}$$

Example 1


(b) $(-2, 3)$ and $(2, -3)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{-3 - 3}{2 - (-2)} \\ &= \frac{-6}{4} \end{aligned}$$

Example 1


(b) $(-2, 3)$ and $(2, -3)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{-3 - 3}{2 - (-2)} \\ &= \frac{-6}{4} \\ &= -\frac{3}{2} \end{aligned}$$


Example 1

(c) $(-3, 2)$ and $(4, 2)$



Example 1


(c) $(-3, 2)$ and $(4, 2)$



$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

Example 1


(c) $(-3, 2)$ and $(4, 2)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{2 - 2}{4 - (-3)} \end{aligned}$$

Example 1


(c) $(-3, 2)$ and $(4, 2)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{2 - 2}{4 - (-3)} \\ &= \frac{0}{7} \end{aligned}$$

Example 1


(c) $(-3, 2)$ and $(4, 2)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{2 - 2}{4 - (-3)} \\ &= \frac{0}{7} \\ &= 0 \end{aligned}$$


Example 1

(d) $(2, 3)$ and $(2, -1)$



Example 1


(d) $(2, 3)$ and $(2, -1)$



$$m = \frac{y_2 - y_1}{x_2 - x_1}$$

Example 1


(d) $(2, 3)$ and $(2, -1)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{-1 - 3}{2 - 2} \end{aligned}$$

Example 1


(d) $(2, 3)$ and $(2, -1)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{-1 - 3}{2 - 2} \\ &= \frac{-4}{0} \end{aligned}$$

Example 1

(d) $(2, 3)$ and $(2, -1)$



$$\begin{aligned} m &= \frac{y_2 - y_1}{x_2 - x_1} \\ &= \frac{-1 - 3}{2 - 2} \\ &= \frac{-4}{0} \\ &= \text{undefined} \end{aligned}$$

Objectives

- 1 Calculate the slope of a line connecting two points
- 2 Write the point-slope form of a line**
- 3 Write the equation of a line in slope-intercept form
- 4 Determine the average rate of change of a function
- 5 Find the least-squares regression line

Point-Slope Form of a Line

The **point-slope form** of a line is a general equation involving the slope of the line and a point on the line.

Point-Slope Form of a Line

The **point-slope form** of a line is a general equation involving the slope of the line and a point on the line.

$$m = \frac{y - y_1}{x - x_1}$$

Point-Slope Form of a Line

The **point-slope form** of a line is a general equation involving the slope of the line and a point on the line.

$$m = \frac{y - y_1}{x - x_1}$$

$$m(x - x_1) = y - y_1$$

Point-Slope Form of a Line

The **point-slope form** of a line is a general equation involving the slope of the line and a point on the line.

$$m = \frac{y - y_1}{x - x_1}$$

$$m(x - x_1) = y - y_1$$

$$y - y_1 = m(x - x_1)$$

Example 2

Write the equation of the line connecting the points $(-1, 3)$ and $(2, 1)$.

Example 2

Write the equation of the line connecting the points $(-1, 3)$ and $(2, 1)$.

$$m = \frac{1 - 3}{2 - (-1)}$$

Example 2

Write the equation of the line connecting the points $(-1, 3)$ and $(2, 1)$.

$$m = \frac{1 - 3}{2 - (-1)}$$

$$m = -\frac{2}{3}$$

Example 2

Write the equation of the line connecting the points $(-1, 3)$ and $(2, 1)$.

$$m = \frac{1 - 3}{2 - (-1)}$$

$$m = -\frac{2}{3}$$

$$y - 3 = -\frac{2}{3}(x - (-1))$$

Example 2

Write the equation of the line connecting the points $(-1, 3)$ and $(2, 1)$.

$$m = \frac{1 - 3}{2 - (-1)}$$

$$m = -\frac{2}{3}$$

$$y - 3 = -\frac{2}{3}(x - (-1))$$

$$y - 3 = -\frac{2}{3}(x + 1)$$

Objectives

- 1 Calculate the slope of a line connecting two points
- 2 Write the point-slope form of a line
- 3 Write the equation of a line in slope-intercept form
- 4 Determine the average rate of change of a function
- 5 Find the least-squares regression line

Slope-Intercept Form

The **slope-intercept form** of the equation of a line is

$$y = mx + b$$

where b is the y -intercept.

Slope-Intercept Form

The **slope-intercept form** of the equation of a line is

$$y = mx + b$$

where b is the y -intercept.

To convert from point-slope form to slope-intercept form, solve the point-slope form for y .

Example 3

Convert $y - 3 = -\frac{2}{3}(x + 1)$ to slope-intercept form.

Example 3

Convert $y - 3 = -\frac{2}{3}(x + 1)$ to slope-intercept form.

$$y - 3 = -\frac{2}{3}(x + 1)$$

Example 3

Convert $y - 3 = -\frac{2}{3}(x + 1)$ to slope-intercept form.

$$y - 3 = -\frac{2}{3}(x + 1)$$

$$y - 3 = -\frac{2}{3}x - \frac{2}{3}$$

Example 3

Convert $y - 3 = -\frac{2}{3}(x + 1)$ to slope-intercept form.

$$y - 3 = -\frac{2}{3}(x + 1)$$

$$y - 3 = -\frac{2}{3}x - \frac{2}{3}$$

$$y = -\frac{2}{3}x + \frac{7}{3}$$

Objectives

- 1 Calculate the slope of a line connecting two points
- 2 Write the point-slope form of a line
- 3 Write the equation of a line in slope-intercept form
- 4 Determine the average rate of change of a function
- 5 Find the least-squares regression line

Average Rate of Change


The **average rate of change** over an interval $[a, b]$ of a function is the slope of the line connecting the endpoints of the interval.

Average Rate of Change

The **average rate of change** over an interval $[a, b]$ of a function is the slope of the line connecting the endpoints of the interval.

$$\frac{\Delta f}{\Delta x} = \frac{f(b) - f(a)}{b - a}$$


Average Rate of Change



Example 4

Find the average rate of change for each.


(a) $f(x) = \frac{1}{x}$ $[1, 5]$



Example 4

Find the average rate of change for each.

(a) $f(x) = \frac{1}{x}$ $[1, 5]$




$$f(5) = \frac{1}{5}$$

$$f(1) = 1$$

Example 4

Find the average rate of change for each.

(a) $f(x) = \frac{1}{x}$ $[1, 5]$



$$f(5) = \frac{1}{5}$$


$$f(1) = 1$$

$$\frac{\Delta f}{\Delta x} = \frac{\frac{1}{5} - 1}{5 - 1} \left(\frac{5}{5} \right)$$

Example 4

Find the average rate of change for each.

(a) $f(x) = \frac{1}{x}$ $[1, 5]$



$$f(5) = \frac{1}{5}$$

$$f(1) = 1$$


$$\frac{\Delta f}{\Delta x} = \frac{\frac{1}{5} - 1}{5 - 1} \left(\frac{5}{5} \right)$$

$$\frac{\Delta f}{\Delta x} = \frac{1 - 5}{25 - 5}$$

Example 4

Find the average rate of change for each.

(a) $f(x) = \frac{1}{x}$ $[1, 5]$



$$f(5) = \frac{1}{5}$$


$$f(1) = 1$$

$$\frac{\Delta f}{\Delta x} = \frac{\frac{1}{5} - 1}{5 - 1} \left(\frac{5}{5} \right)$$

$$\begin{aligned} \frac{\Delta f}{\Delta x} &= \frac{1 - 5}{25 - 5} \\ &= -\frac{1}{5} \end{aligned}$$


Example 4

(b) $f(x) = 3x^2 + 2x - 7$ $[-2, 2]$



Example 4

(b) $f(x) = 3x^2 + 2x - 7$ $[-2, 2]$




$$f(2) = 9$$

$$f(-2) = 1$$

Example 4

(b) $f(x) = 3x^2 + 2x - 7$ $[-2, 2]$




$$f(2) = 9 \qquad f(-2) = 1$$

$$\frac{\Delta f}{\Delta x} = \frac{9 - 1}{2 - (-2)}$$

Example 4

(b) $f(x) = 3x^2 + 2x - 7$ $[-2, 2]$



$$f(2) = 9$$


$$f(-2) = 1$$

$$\frac{\Delta f}{\Delta x} = \frac{9 - 1}{2 - (-2)}$$

$$\frac{\Delta f}{\Delta x} = \frac{8}{4}$$

Example 4

(b) $f(x) = 3x^2 + 2x - 7$ $[-2, 2]$



$$f(2) = 9$$

$$f(-2) = 1$$

$$\frac{\Delta f}{\Delta x} = \frac{9 - 1}{2 - (-2)}$$

$$\frac{\Delta f}{\Delta x} = \frac{8}{4}$$

$$= 2$$

Objectives

- 1 Calculate the slope of a line connecting two points
- 2 Write the point-slope form of a line
- 3 Write the equation of a line in slope-intercept form
- 4 Determine the average rate of change of a function
- 5 Find the least-squares regression line

Least-Squares Regression Line

When we plot data points, we can sometimes create a least squares regression line to describe and predict the data.

The value of r (the correlation coefficient) determines how well the data “falls into line.”

The closer r is to 1 (or -1) the better the linear fit.

Example 5

The census data for Lake County, Ohio is shown:

Year	1970	1980	1990	2000	2010
Pop	197200	212801	215499	227511	230041

(a) Find the least-squares regression line.

Example 5

The census data for Lake County, Ohio is shown:

Year	1970	1980	1990	2000	2010
Pop	197200	212801	215499	227511	230041

(a) Find the least-squares regression line.

$$y = 803.92x + 200532$$

Example 5

The census data for Lake County, Ohio is shown:

Year	1970	1980	1990	2000	2010
Pop	197200	212801	215499	227511	230041

(a) Find the least-squares regression line.

$$y = 803.92x + 200532$$

(b) Interpret the slope.

Example 5

The census data for Lake County, Ohio is shown:

Year	1970	1980	1990	2000	2010
Pop	197200	212801	215499	227511	230041

(a) Find the least-squares regression line.

$$y = 803.92x + 200532$$

(b) Interpret the slope.

Population increases by about 804 people per year.

Example 5

$$y = 803.92x + 200532$$

(c) Predict the population of Lake County in 2070.

Example 5

$$y = 803.92x + 200532$$

(c) Predict the population of Lake County in 2070.

$$803.92(100) + 200532 = 280924$$

Example 5

$$y = 803.92x + 200532$$

(c) Predict the population of Lake County in 2070.

$$803.92(100) + 200532 = 280924$$

(d) In what year is the population predicted to exceed 250,000?

Example 5

$$y = 803.92x + 200532$$

(c) Predict the population of Lake County in 2070.

$$803.92(100) + 200532 = 280924$$

(d) In what year is the population predicted to exceed 250,000?

$$803.92x + 200532 > 250000$$

Example 5

$$y = 803.92x + 200532$$

(c) Predict the population of Lake County in 2070.

$$803.92(100) + 200532 = 280924$$

(d) In what year is the population predicted to exceed 250,000?

$$803.92x + 200532 > 250000$$

$$x > 61.5$$

Example 5

$$y = 803.92x + 200532$$

(c) Predict the population of Lake County in 2070.

$$803.92(100) + 200532 = 280924$$

(d) In what year is the population predicted to exceed 250,000?

$$803.92x + 200532 > 250000$$

$$x > 61.5$$

Predicted to exceed 250,000 in the year 2031.