

Contents

1	Basic Set Theory and Interval Notation	2
2	Functions and Their Graphs	4
2.1	Evaluating Functions	4
2.2	Domain of Functions	4
2.3	Piecewise Functions	4
3	Properties of Functions	7
3.1	Maxima and Minima	7
3.2	Increasing, Decreasing, and Constant Intervals	7
3.3	Miscellaneous	7
4	Linear Functions and Slope	10
4.1	Average Rate of Change	10
5	Function Transformations	12
6	Function Operations	15
6.1	Adding, Subtracting, Multiplying, and Dividing Functions	15
6.2	Operations with Functions: Domain	15
6.3	Difference Quotient	15
7	Polynomials and Their Graphs	17
8	Dividing Polynomials	19
8.1	Dividing Polynomials	19
8.2	Remainder and Factor Theorems	19
9	Rational Functions and Their Graphs	21
10	Polynomial and Rational Inequalities	23
10.1	Polynomial Inequalities	23
10.2	Rational Inequalities	23
11	Function Compositions	25
12	Inverse Functions	27
A	Factoring	29
B	Complex Fractions	31


Chapter 1

Basic Set Theory and Interval Notation


You are given either interval notation, set-builder notation, or a graph. Write each of the following in its other 2 forms.

1. $(-5, 8]$

2. $\{x|x \leq 1\}$



4. $\{x|x \neq 4, 11\}$



6. $(9, \infty)$

Write each using interval notation and graph on a number line.


7. $\{x|x \geq 2\}$

8. $\{x|x < -8\}$

9. $\{x|x \neq 3\}$

10. $\{x|x \neq -2, 5\}$

You are given the graph of an interval. Write the interval and set-builder notation for it.




BASIC SET THEORY AND INTERVAL NOTATION KEY

1. $\{x | -5 < x \leq 8\}$




2. $(-\infty, 1]$




3. $[-3, \infty)$ $\{x | x \geq -3\}$

4. $(-\infty, 4) \cup (4, 11) \cup (11, \infty)$




5. $[2.4, 7.7)$ $\{x | 2.4 \leq x < 7.7\}$


6. $\{x | x > 9\}$




7. $[2, \infty)$




8. $(-\infty, -8)$



9. $(-\infty, 3) \cup (3, \infty)$



10. $(\infty, -2) \cup (-2, 5) \cup (5, \infty)$



11. $(-\infty, -8]$ $\{x | x \leq -8\}$

12. $(-\infty, 7) \cup (7, 12) \cup (12, \infty)$ $\{x | x \neq 7, 12\}$

Chapter 2

Functions and Their Graphs

2.1 Evaluating Functions

Given $f(x) = -3x^2 + 4x$ and $g(x) = \frac{1}{x} - 5$, evaluate each.

1. $f(5)$
2. $f(-2)$
3. $f(0)$
4. $g(1)$
5. $g(-5)$
6. $g(1/4)$

2.2 Domain of Functions

Find the domain of each write your answers in interval notation.

- | | |
|-----------------------------------|--|
| 1. $f(x) = -8x^2 - 7x + 1$ | 12. $f(x) = -\frac{x+7}{x^2-5x-6}$ |
| 2. $g(x) = \sqrt{5x+12} - 2$ | 13. $g(x) = \sqrt{2x+3}$ |
| 3. $h(x) = \frac{x+2}{9x-7}$ | 14. $h(x) = \sqrt[3]{2x+3}$ |
| 4. $f(x) = -5x + 4$ | 15. $f(x) = -\frac{7x-10}{x^2+3x+2}$ |
| 5. $f(x) = x^2 + 2$ | 16. $g(x) = \sqrt{-9x+8}$ |
| 6. $f(x) = \frac{2x+1}{3x-5}$ | 17. $h(x) = -\sqrt[3]{4x+1}$ |
| 7. $f(x) = \sqrt{3x-12}$ | 18. $f(x) = \sqrt[3]{8x+1}$ |
| 8. $f(x) = \frac{x}{x^2-16}$ | 19. $g(x) = \frac{x^2-1}{\sqrt{x+3}}$ |
| 9. $f(x) = \frac{x+4}{x^3-4x}$ | 20. $h(x) = \frac{3}{9+\frac{4}{x+7}}$ |
| 10. $f(x) = \frac{x}{\sqrt{x-4}}$ | 21. $f(x) = \frac{x+1}{\sqrt{10x+8}}$ |
| 11. $f(x) = \frac{x^2+1}{2x^2+8}$ | 22. $g(x) = \frac{5}{1+\frac{3}{x+2}}$ |

2.3 Piecewise Functions

Find the value of each given the piecewise function below. Use exact answers when possible.

$$f(x) = \begin{cases} x^2 - 1 & \text{if } x < -3 \\ 0.2x + 7 & \text{if } -3 \leq x < 2 \\ \sqrt{5x} & \text{if } x \geq 2 \end{cases}$$

1. $f(3)$
2. $f(0)$
3. $f(-2)$
4. $f(-3)$
5. $f(0.5)$

Find each of the following given the piecewise function

$$f(x) = \begin{cases} x^2 - 7 & x \leq -4 \\ \sqrt{2x + 7} & -4 < x < 0 \\ |-x - 1| & x \geq 0 \end{cases}$$

6. $f(3)$
7. $f(-2)$
8. $f(0)$
9. $f(-5)$

Evaluating Functions

1. -55
2. -20
3. 0
4. -4
5. -5.2
6. -1

Domain of Functions

1. $(-\infty, \infty)$
2. $[-\frac{12}{5}, \infty)$
3. $(-\infty, \frac{7}{9}) \cup (\frac{7}{9}, \infty)$
4. $(-\infty, \infty)$
5. $(-\infty, \infty)$
6. $(-\infty, \frac{5}{3}) \cup (\frac{5}{3}, \infty)$
7. $[4, \infty)$
8. $(-\infty, -4) \cup (-4, 4) \cup (4, \infty)$
9. $(-\infty, -2) \cup (-2, 0) \cup (0, 2) \cup (2, \infty)$
10. $(4, \infty)$
11. $(-\infty, \infty)$
12. $(-\infty, -1) \cup (-1, 6) \cup (6, \infty)$
13. $[-\frac{3}{2}, \infty)$
14. $(-\infty, \infty)$
15. $(-\infty, -2) \cup (-2, -1) \cup (-1, \infty)$
16. $(-\infty, \frac{8}{9}]$
17. $(-\infty, \infty)$
18. $(-\infty, \infty)$
19. $(-3, \infty)$
20. $(-\infty, -\frac{67}{9}) \cup (-\frac{67}{9}, -7) \cup (-7, \infty)$
21. $(-\frac{4}{5}, \infty)$
22. $(\infty, -5) \cup (-5, -2) \cup (-2, \infty)$

Piecewise Functions

1. $\sqrt{15} \approx 3.873$
2. 7
3. 6.6
4. 6.4
5. 7.1
6. 4
7. $\sqrt{3} \approx 1.732$
8. 1
9. 18

Chapter 3

Properties of Functions

3.1 Maxima and Minima

Find the coordinates of the any relative maxima or minima. Round to 3 decimal places when necessary.

1. $f(x) = x^2 - 3x^2 + 5$

2. $g(x) = -0.4x^3 + 0.6x^2 + 3x - 2$

3. $f(x) = -x^4 + 3x^2 - 2x + 6$

4. $g(x) = 0.25x^5 - 0.1x^4 + 2x^2 - 6x$

5. $f(x) = -4x^3 + 2x^2 + 10x + 4$

6. $g(x) = x^4 - 4x^3 + 3x^2 + 4x - 4$

7. The concentration C of a medication in the bloodstream t hours after being administered can be modeled by

$$C(t) = -0.002t^4 + 0.039t^3 - 0.285t^2 + 0.766t + 0.085, \quad t \geq 0$$

After how many hours will the concentration be the highest?

3.2 Increasing, Decreasing, and Constant Intervals

Find the intervals in which each is increasing or decreasing. Round to 3 decimal places when necessary.

1. $f(x) = x^2 - 3x^2 + 5$

2. $g(x) = -0.4x^3 + 0.6x^2 + 3x - 2$

3. $f(x) = x^3 + 2x^2 - 4x - 8$

4. $g(x) = x^4 - 2x^2 + 1$


5. $h(x) = \sqrt{x+1} - 2$

6. $f(x) = -4x^3 + 2x^2 + 10x + 4$

7. $g(x) = x^4 - 4x^3 + 3x^2 + 4x - 4$

3.3 Miscellaneous

Use the graph of $y = f(x)$ below to answer questions 1–10. Write your answers using interval notation.



1. Domain of f
2. Range of f
3. Relative Minimum
4. Relative Maximum
5. $f(1)$
6. $f(0)$
7. Increasing Interval(s)
8. Decreasing Interval(s)
9. Absolute Maximum
10. Absolute Minimum

Find each of the following given $f(x) = -2x^3 + 6x^2 - 5x + 1$. Round to 3 decimal places and use interval notation when applicable.

11. $f(7)$
12. $f(-2)$
13. Rel. Max
14. Rel. Min
15. Global Max
16. Global Min
17. Increasing Interval(s)
18. Decreasing Interval(s)

Maxima and Minima

1. Rel max @ $(0, 5)$; No rel min
2. Rel max @ $(2.158, 3.248)$; Rel min @ $(-1.158, -4.048)$
3. Rel Max $(-1.366, 10.848)$ and $(1, 6)$; Rel Min $(0.366, 5.652)$
4. Rel Max $(-1.716, 11.598)$; Rel Min $(1.132, -3.929)$
5. Rel Max: $(1.095, 12.096)$; Rel Min $(-0.761, -0.680)$
6. Rel Max: $(1.366, 0.348)$; Rel Min: $(-0.366, -4.848)$ and $(2, 0)$
7. About 2.16 hours

Increasing, Decreasing, and Constant Intervals

1. Increasing: $(-\infty, 0)$ Decreasing: $(0, \infty)$
2. Increasing: $(-1.158, 2.158)$ Decreasing: $(-\infty, -1.158) \cup (2.158, \infty)$
3. Inc: $(-\infty, -2) \cup (\frac{2}{3}, \infty)$ Dec: $(-2, \frac{2}{3})$
4. Inc: $(-1, 0) \cup (1, \infty)$ Dec: $(-\infty, -1) \cup (0, 1)$
5. Inc: $(-1, \infty)$ No intervals where it is decreasing
6. Inc: $(-0.761, 1.095)$; Dec: $(-\infty, -0.761) \cup (1.095, \infty)$
7. Inc: $(-0.366, 1.366) \cup (2, \infty)$; Dec: $(-\infty, -0.366) \cup (1.366, 2)$

Miscellaneous

1. $[-2, \infty)$
2. $[-4, \infty)$
3. $(0, -4)$
4. $(-1, -1)$
5. -1
6. $-4)$
7. $(-2, -1) \cup (0, \infty)$
8. $(-1, 0)$
9. $(0, -4)$
10. None
11. -426
12. 51
13. $(1.408, 0.272)$
14. $(0.592, -0.272)$
15. None
16. None
17. $(0.592, 1.408)$
18. $(-\infty, 0.592) \cup (1.408, \infty)$

Chapter 4

Linear Functions and Slope

4.1 Average Rate of Change

For the function $f(x) = x^2$, compute the average rate of change for each interval.

1. $[1, 1.1]$
2. $[1, 1.01]$
3. $[1, 1.001]$
4. $[1, 1.0001]$
5. For your answers in the previous four problems, what value do your average rates of change get closer and closer to?

Find the average rate of change of the function $f(x) = -6x^2 + 7x + 4$ over each specified interval.

6. $[-2, -1]$
7. $[5, 6]$
8. $[0, 1]$
9. $[5, 5.001]$
10. $[5, 5.0001]$
11. $[5, 5.00001]$
12. What value are your last 3 answers getting closer to?

For the function $f(x) = -3x^2 + 5$, determine the average rate of change of each over the given interval.

13. $[7, 7.001]$
14. $[7, 7.0001]$
15. $[7, 7.00001]$
16. For your answers in the previous three problems, what value do your average rates of change get closer and closer to?

Given $f(x) = \sqrt{x}$, find the average rate of change of each over the given interval.

17. $[1, 1.0001]$
18. $[1, 1.00001]$
19. $[1, 1.000001]$
20. For your answers in the previous three problems, what value do your average rates of change get closer and closer to?

Average Rate of Change

1. 2.1
2. 2.01
3. 2.001
4. 2.0001
5. 2
6. 25
7. -59
8. 1
9. -53.006
10. -53.0006
11. -53.00006
12. -53
13. -42.003
14. -42.0003
15. -42.00003
16. -42
17. -0.499988
18. -0.4999988
19. -0.49999988
20. -0.5

Chapter 5

Function Transformations

Write the function for $g(x)$ if it is the result of $f(x)$ after the following ordered sequence of transformations.

1. (1) Vertical stretch by 3
(2) Shift left 1 unit
(3) Reflect across y -axis
2. (1) Horizontal compression by 2
(2) Shift up 1 unit
3. (1) Reflect across x -axis
(2) Vertical compression by 4
(3) Move right 7 units

Write the function $g(x)$ that is a result of the following ordered sequence of transformations to $f(x) = |x|$.

4. (1) Reflect across x -axis
(2) Shift right 3 units
(3) Horizontal stretch by factor of 5
5. (1) Shift down 2 units
(2) Reflect across y -axis
(3) Shift up 1 unit
6. (1) Horizontal compression by factor of 7
(2) Vertical compression by factor of 4
(3) Shift left 9 units

Given $f(x) = \sqrt{x}$, determine the resulting function $g(x)$ after the following ordered sequence of transformations.

7. (1) Shift up 2 units
(2) Horizontal stretch by 5
(3) Shift left 3 units
8. (1) Vertical compression by factor of 3
(2) Reflect across y -axis
(3) Horizontal compression by 5
9. (1) Shift right 8 units
(2) Reflect across x -axis
(3) Horizontal compression by factor of 4

Write the final equation of $g(x)$ if it is found by taking $f(x) = \sqrt{x}$ after the following ordered sequence of transformations.

10.
 - (1) Shift right 2 units
 - (2) Horizontal stretch by factor 3
 - (3) Shift down 2 units
 - (4) Reflect across x -axis
11.
 - (1) Horizontal stretch by factor 3
 - (2) Shift left 1 unit
 - (3) Shift up 2 units
 - (4) Reflect across y -axis
12.
 - (1) Vertical stretch by factor 5
 - (2) Horizontal stretch by factor 2
 - (3) Shift up 3 units
 - (4) Reflect across x -axis

FUNCTION TRANSFORMATIONS KEY

1. $g(x) = 3f(-x + 1)$
2. $g(x) = f(2x) + 1$
3. $g(x) = -\frac{1}{4}f(x - 7)$
4. $g(x) = -\left|\frac{1}{5}x - 3\right|$
5. $g(x) = |-x| - 1$
6. $g(x) = \frac{1}{4}|7(x + 9)| = \frac{1}{4}|7x + 63|$
7. $g(x) = \sqrt{\frac{1}{5}(x + 3)} + 2 = \sqrt{\frac{1}{5}x + \frac{3}{5}} + 2$
8. $g(x) = \frac{1}{3}\sqrt{-5x}$
9. $g(x) = -\sqrt{4x - 8}$
10. $g(x) = -\left(\sqrt{\frac{1}{3}x - 2} - 2\right) = -\sqrt{\frac{1}{3}x - 2} + 2$
11. $g(x) = \sqrt{3(-x + 1)} + 2 = \sqrt{-3x + 3} + 2$
12. $g(x) = -\left(5\sqrt{\frac{1}{2}x} + 3\right) = -5\sqrt{\frac{1}{2}x} - 3$

Chapter 6

Function Operations

6.1 Adding, Subtracting, Multiplying, and Dividing Functions

Given $f(x) = x + 5$, $g(x) = x^2 - 1$, and $h(x) = \sqrt{x - 10}$, simplify or evaluate each.

1. $(g - f)(x)$
2. $(fh)(14)$
3. $(f + g)(x)$

Find each of the following given the table below.

x	-4	-3	-2	-1	0	1	2	3	4
$f(x)$	-3	0	-1	3	1	2	4	-4	-2
$g(x)$	3	-1	0	1	4	-2	-4	2	-3

4. $(f + g)(-2)$
5. $(f - g)(0)$
6. $(fg)(1)$
7. $\left(\frac{f}{g}\right)(3)$
8. $(f + f)(-4)$

6.2 Operations with Functions: Domain

Given $f(x) = \sqrt{2x + 7}$ and $g(x) = 3x + 3$, find the domain of each.

1. $(f + g)(x)$
2. $\left(\frac{f}{g}\right)(x)$
3. $\left(\frac{g}{f}\right)(x)$

6.3 Difference Quotient

Write the difference quotient for each.

1. $f(x) = 2x - 7$
2. $g(x) = x^2 + 4x$
3. $h(x) = -1$
4. $f(x) = \frac{3}{x+2}$
5. $g(x) = \sqrt{3x}$
6. $f(x) = x^2 - 2x + 5$
7. $g(x) = \frac{5}{x}$
8. $f(x) = -2x^2 + 3x - 5$
9. $g(x) = \frac{6}{2x+3}$
10. $h(x) = \sqrt{7x + 5}$

Adding, Subtracting, Multiplying, and Dividing Functions

1. $x^2 - x - 6$
2. 38
3. $x^2 + x + 4$
4. -1
5. -3
6. -4
7. -2
8. -6

Operations with Functions: Domain

1. $[-\frac{7}{2}, \infty)$
2. $[-\frac{7}{2}, -1) \cup (-1, \infty)$
3. $(-\frac{7}{2}, \infty)$

Difference Quotient

1. 2
2. $2x + h + 4$
3. 0
4. $\frac{-3}{(x+2)(x+h+2)}$
5. $\frac{3}{\sqrt{3x+3h}+\sqrt{3x}}$
6. $2x + h - 2$
7. $\frac{-5}{x(x+h)}$
8. $-4x - 2h + 3$
9. $\frac{-12}{(2x+3)(2x+2h+3)}$
10. $\frac{7}{\sqrt{7x+7h+5}+\sqrt{7x+5}}$

Chapter 7

Polynomials and Their Graphs

Determine the end behavior of each.

1. $f(x) = -x^5 + \sqrt{7}x^3 - 2x^2$

2. $g(x) = 4x^2 - 16x^6 + 3x$

3. $h(x) = 1 + x^{11} - 4x^8$

4. $f(x) = -x^4 + 3x^2 - 2x + 6$

5. $g(x) = 0.25x^5 - 0.1x^4 + 2x^2 - 6x$

POLYNOMIALS AND THEIR GRAPHS

1. $\lim_{x \rightarrow -\infty} f(x) = \infty$ $\lim_{x \rightarrow \infty} f(x) = -\infty$

2. $\lim_{x \rightarrow -\infty} g(x) = -\infty$, $\lim_{x \rightarrow \infty} g(x) = \infty$

3. $\lim_{x \rightarrow -\infty} h(x) = -\infty$ $\lim_{x \rightarrow \infty} h(x) = \infty$

4. $\lim_{x \rightarrow -\infty} f(x) = -\infty$ $\lim_{x \rightarrow \infty} f(x) = -\infty$

5. $\lim_{x \rightarrow -\infty} g(x) = -\infty$ $\lim_{x \rightarrow \infty} g(x) = \infty$

Chapter 8

Dividing Polynomials

8.1 Dividing Polynomials

Divide each.

1. $(28x^3 - 26x^2 + 41x - 15) \div (7x - 3)$

2. $(44y^2 + 12y^3 + 61y - 37) \div (3y + 5)$

8.2 Remainder and Factor Theorems

Determine the remainder of each.

1. $(2x^{53} - 9x^{44} + 13x^8) \div (x - 1)$

2. $(x^{71} + 15x^{58} - 3x^{14} + 2) \div (x + 1)$

Dividing Polynomials

1. $4x^2 - 2x + 5$

2. $4y^2 + 8y + 7 - \frac{72}{3y + 5}$

Remainder and Factor Theorems

1. 6

2. 13

Chapter 9

Rational Functions and Their Graphs

Find the domain, coordinates of any holes, and equations of all asymptotes.

1. $f(x) = \frac{2x^2 + 5x - 3}{2x^2 - 15x + 7}$

2. $g(x) = \frac{3x^3 + 7x^2 - 20x}{x^2 - x - 12}$

3. $f(x) = \frac{3x}{x + 4}$

4. $g(x) = \frac{x^2 + 3x + 2}{x - 1}$

5. $h(x) = \frac{x^2 + 3x - 4}{x^3 - 2x^2 + x}$

RATIONAL FUNCTIONS AND THEIR GRAPHS KEY

1. Domain: $x \neq -\frac{1}{2}, 7$; V.A.: $x = 7$; Hole @ $\left(-\frac{1}{2}, -\frac{7}{13}\right)$; H.A.: $y = 1$
2. Domain: $x \neq -3, 4$; V.A.: $x = -3$; Obl. Asymp: $y = 3x + 10$
3. Domain: $x \neq -4$; V.A.: $x = -4$; H.A.: $y = 3$
4. Domain: $x \neq 1$; V.A.: $x = 1$; Obl. Asymp: $y = x + 4$
5. Domain: $x \neq 0, 1$; V.A.: $x = 0$ and $x = 1$; H.A.: $y = 0$

Chapter 10

Polynomial and Rational Inequalities

10.1 Polynomial Inequalities

Solve each. Write your answers using interval notation.

1. $6x^3 - 4x^2 - 10x \geq 0$

10.2 Rational Inequalities

Solve each. Write your answers using interval notation.

1. $\frac{3x - 4}{x + 1} < 0$

2. $\frac{x^2 + 3x + 2}{x - 7} \leq 0$

Polynomial Inequalities

1. $[-1, 0] \cup \left[\frac{5}{3}, \infty\right)$

Rational Inequalities

1. $\left(-1, \frac{4}{3}\right)$

2. $(-\infty, -2] \cup [-1, 7)$

Chapter 11

Function Compositions

Given $f(x) = x - 5$, $g(x) = 4 + \sqrt{2x + 1}$, and $h(x) = \frac{3}{x + 7}$, simplify each and state the domain.

1. $(f \circ g)(x)$

2. $(g \circ f)(x)$

3. $h(h(x))$

Find each of the following given the table below.

x	-4	-3	-2	-1	0	1	2	3	4
f(x)	-3	0	-1	3	1	2	4	-4	-2
g(x)	3	-1	0	1	4	-2	-4	2	-3

4. $(f \circ g)(-1)$

5. $(g \circ g)(0)$

6. $(f \circ f)(2)$

7. $(g \circ g)(-3)$

8. $f(g(0))$

FUNCTION COMPOSITIONS KEY

1. $-1 + \sqrt{2x+1}$ Domain: $\left[-\frac{1}{2}, \infty\right)$

2. $4 + \sqrt{2x-9}$ Domain: $\left[\frac{9}{2}, \infty\right)$

3. $\frac{3x+21}{7x+52}$ Domain: $\left(-\infty, -\frac{52}{7}\right) \cup \left(-\frac{52}{7}, -7\right) \cup (-7, \infty)$

4. 2

5. -3

6. -2

7. 1

8. -2

Chapter 12

Inverse Functions

Find the inverse of each. Then state the domain and range of the function and the inverse.

1. $f(x) = \sqrt{-2x + 3} + 1$

2. $g(x) = (x + 4)^2 - 1, x \leq -4$

3. $h(x) = \frac{9x}{4x - 1}$

INVERSE FUNCTIONS KEY

$$1. f^{-1}(x) = -\frac{1}{2}((x-1)^2 - 3)$$

	Domain	Range
$f(x)$	$(-\infty, 1.5]$	$[1, \infty)$
$f^{-1}(x)$	$[1, \infty)$	$(-\infty, 1.5]$

$$2. g^{-1}(x) = -\sqrt{x+1} - 4$$

	Domain	Range
$g(x)$	$(-\infty, -4]$	$[-1, \infty)$
$g^{-1}(x)$	$[-1, \infty)$	$(-\infty, -4]$

$$3. h^{-1}(x) = \frac{-x}{9-4x}$$

	Domain	Range
$h(x)$	$(-\infty, 1/4) \cup (1/4, \infty)$	$(\infty, 9/4) \cup (9/4, \infty)$
$h^{-1}(x)$	$(\infty, 9/4) \cup (9/4, \infty)$	$(-\infty, 1/4) \cup (1/4, \infty)$

Appendix A

Factoring

Factor each of the following completely.

1. $x^2 + 2x - 15$

2. $x^2 - 8x + 12$

3. $x^2 + 15x + 56$

4. $5x^2 + 19x - 4$

5. $4x^2 - 5x - 6$

6. $9x^2 - 400$

7. $5x^2 - 7x - 6$

8. $9x^2 - 54x + 45$

9. $3x^3 + 12x^2 + 9x$

10. $9y^2 - 16$

11. $4x^2 - 28x + 49$

12. $14x^2 + 11xy - 15y^2$

13. $6x^2 - 48x - 120$

14. $9x^4 - 54x^3 + 45x^2$

15. $16y^2 - 40y + 25$

16. $30x^2 + xy - y^2$

17. $8w^2 + 33w + 4$

18. $3p^2 + 22p - 16$

19. $18x^2 - 27x + 4$

20. $14a^2 + 15a - 9$

21. $4x^2 - 4x - 24$

22. $18t^2 - 9t - 5$

23. $6a^2 + 23a + 21$

24. $25x^2 - 1$

FACTORING KEY

1. $(x + 5)(x - 3)$

2. $(x - 6)(x - 2)$

3. $(x + 7)(x + 8)$

4. $(5x - 1)(x + 4)$

5. $(4x + 3)(x - 2)$

6. $(3x + 20)(3x - 20)$

7. $(5x + 3)(x - 2)$

8. $9(x - 5)(x - 1)$

9. $3x(x + 3)(x + 1)$

10. $(3y + 4)(3y - 4)$

11. $(2x - 7)^2$

12. $(7x - 5y)(2x + 3y)$

13. $6(x - 10)(x + 2)$

14. $9x^2(x - 1)(x - 5)$

15. $(4y - 5)^2$

16. $(6x - y)(5x + y)$

17. $(8w + 1)(w + 4)$

18. $(3p - 2)(p + 8)$

19. $(6x - 1)(3x - 4)$

20. $(7a - 3)(2a + 3)$

21. $4(x - 3)(x + 2)$

22. $(6t - 5)(3t + 1)$

23. $(2a + 3)(3a + 7)$

24. $(5x + 1)(5x - 1)$

Appendix B

Complex Fractions

Simplify each as much as possible.

$$1. \frac{5 + \frac{3}{x}}{x - \frac{1}{2}}$$

$$2. \frac{\frac{1}{x} + \frac{2}{x^2}}{x + \frac{8}{x^2}}$$

$$3. \frac{3}{2 - \frac{x}{x-1}}$$

$$4. \frac{1 + \frac{3}{x}}{\frac{2}{x} + 7}$$

$$5. \frac{\frac{4}{x} - \frac{x}{x-2}}{\frac{1}{x} + \frac{3}{x-2}}$$

$$6. \frac{\frac{3}{x+1} - 4}{\frac{2}{x+1}}$$

$$7. \frac{\frac{5}{x} + \frac{3}{x-2}}{\frac{7}{x^2-2x}}$$

$$8. \frac{\frac{1}{x} - \frac{1}{7}}{x - 7}$$

$$9. \frac{\frac{1}{x} + \frac{1}{x+1}}{5}$$

COMPLEX FRACTIONS KEY

$$1. \frac{2(5x+3)}{x(2x-1)}$$

$$2. \frac{1}{x^2-2x+4}$$

$$3. \frac{3(x-1)}{x-2}$$

$$4. \frac{x+3}{2+7x}$$

$$5. \frac{-1(x^2-4x+8)}{2(2x-1)}$$

$$6. \frac{-4x-1}{2}$$

$$7. \frac{8x-10}{7}$$

$$8. -\frac{1}{7x}$$

$$9. \frac{2x+1}{5x(x+1)}$$