

Sampling

Objectives

- 1 Classify a data collection method as an observational study or an experiment
- 2 Examine various sampling methods
- 3 Examine various types of observational studies and experiments
- 4 Examine errors and other issues in sampling

Observational Study

Observational Study

An **observational study** is a method to obtain data in which the collector (researcher) does not get involved.

Observational Study

Observational Study

An **observational study** is a method to obtain data in which the collector (researcher) does not get involved.

Observational studies try to take as much of a *hands-off approach* as possible.

Observational Study

Observational Study

An **observational study** is a method to obtain data in which the collector (researcher) does not get involved.

Observational studies try to take as much of a *hands-off approach* as possible.

In other words, the researcher observes behaviors and takes notes, but does not interject themselves into the study.

Experiment

Experiment

In an **experiment**, the researcher divides the subjects into groups, applies a treatment to one group, and notes the effects (if any) between the groups.

Experiment

Experiment

In an **experiment**, the researcher divides the subjects into groups, applies a treatment to one group, and notes the effects (if any) between the groups.

Typically divided into 2 groups:

- **Experimental:** group that receives the treatment.

Experiment

Experiment

In an **experiment**, the researcher divides the subjects into groups, applies a treatment to one group, and notes the effects (if any) between the groups.

Typically divided into 2 groups:

- **Experimental:** group that receives the treatment.
- **Control:** group that either does not receive treatment or receives a “fake” treatment (such as a *placebo*).

Example 1

Classify each as either an observational study or an experiment.

Example 1

Classify each as either an observational study or an experiment.

- (a) A survey of 1,000 people is conducted to determine the best dog breed.

Example 1

Classify each as either an observational study or an experiment.

(a) A survey of 1,000 people is conducted to determine the best dog breed.

Observational study

Example 1

Classify each as either an observational study or an experiment.

(a) A survey of 1,000 people is conducted to determine the best dog breed.

Observational study

(b) 83 patients are given a new anxiety medication and 75 patients are given a sugar pill.

Example 1

Classify each as either an observational study or an experiment.

(a) A survey of 1,000 people is conducted to determine the best dog breed.

Observational study

(b) 83 patients are given a new anxiety medication and 75 patients are given a sugar pill.

Experiment

Objectives

- 1 Classify a data collection method as an observational study or an experiment
- 2 Examine various sampling methods
- 3 Examine various types of observational studies and experiments
- 4 Examine errors and other issues in sampling

Sampling Methods

There are various ways in which to take samples, and depending on the research, one might be more appropriate than another.

Sampling Methods

There are various ways in which to take samples, and depending on the research, one might be more appropriate than another.

However, keep in mind that **good sampling incorporates randomness into the process.**

- **Simple random sampling**

- **Simple random sampling**

- Each member of the population has an equal chance of being selected.

Sampling Methods

- **Simple random sampling**

- Each member of the population has an equal chance of being selected.

- **Stratified sampling**

Sampling Methods

- **Simple random sampling**

- Each member of the population has an equal chance of being selected.

- **Stratified sampling**

- Divide the population into non-overlapping groups (*strata*).

- **Simple random sampling**

- Each member of the population has an equal chance of being selected.

- **Stratified sampling**

- Divide the population into non-overlapping groups (*strata*).
- Randomly sample from each group.

- **Simple random sampling**

- Each member of the population has an equal chance of being selected.

- **Stratified sampling**

- Divide the population into non-overlapping groups (*strata*).
- Randomly sample from each group.
- (Some from all)

- **Cluster sampling**

- **Cluster sampling**

- Divide the population into non-overlapping groups.

- **Cluster sampling**

- Divide the population into non-overlapping groups.
- Randomly pick groups and obtain information from everyone in those groups.

- **Cluster sampling**

- Divide the population into non-overlapping groups.
- Randomly pick groups and obtain information from everyone in those groups.
- (All from some)

Sampling Methods

- **Cluster sampling**

- Divide the population into non-overlapping groups.
- Randomly pick groups and obtain information from everyone in those groups.
- (All from some)

- **Systematic sampling**

- **Cluster sampling**

- Divide the population into non-overlapping groups.
- Randomly pick groups and obtain information from everyone in those groups.
- (All from some)

- **Systematic sampling**

- Subjects are placed in some order.

- **Cluster sampling**

- Divide the population into non-overlapping groups.
- Randomly pick groups and obtain information from everyone in those groups.
- (All from some)

- **Systematic sampling**

- Subjects are placed in some order.
- Pick a random starting value (n).

- **Cluster sampling**

- Divide the population into non-overlapping groups.
- Randomly pick groups and obtain information from everyone in those groups.
- (All from some)

- **Systematic sampling**

- Subjects are placed in some order.
- Pick a random starting value (n).
- Pick a random value to count by (k).

- **Cluster sampling**

- Divide the population into non-overlapping groups.
- Randomly pick groups and obtain information from everyone in those groups.
- (All from some)

- **Systematic sampling**

- Subjects are placed in some order.
- Pick a random starting value (n).
- Pick a random value to count by (k).
- Starting at n , take every k^{th} subject thereafter.

Sampling Methods

- **Convenience sampling**

Sampling Methods

- **Convenience sampling**
 - Subjects select themselves.

- **Convenience sampling**
 - Subjects select themselves.
 - Results are easily obtained.

- **Convenience sampling**

- Subjects select themselves.
- Results are easily obtained.
- Least effective and desirable method.

- **Convenience sampling**

- Subjects select themselves.
- Results are easily obtained.
- Least effective and desirable method.
- Also known as a *voluntary response sample*.

Example 2

Classify each by the sampling method used.

- (a) An achievement test is given to all 9th and 12th grade students at a local high school.

Example 2

Classify each by the sampling method used.

- (a) An achievement test is given to all 9th and 12th grade students at a local high school. **Cluster sampling**

Example 2

Classify each by the sampling method used.

(a) An achievement test is given to all 9th and 12th grade students at a local high school. **Cluster sampling**

(b) A radio station asks listeners to call in with their opinion on a political issue.

Example 2

Classify each by the sampling method used.

(a) An achievement test is given to all 9th and 12th grade students at a local high school. **Cluster sampling**

(b) A radio station asks listeners to call in with their opinion on a political issue. **Convenience sampling**

Example 2

Classify each by the sampling method used.

- (a) An achievement test is given to all 9th and 12th grade students at a local high school. **Cluster sampling**
- (b) A radio station asks listeners to call in with their opinion on a political issue. **Convenience sampling**
- (c) A quality control manager selects the 5th circuit board on an assembly line and then selects every 14th circuit board after that.

Example 2

Classify each by the sampling method used.

(a) An achievement test is given to all 9th and 12th grade students at a local high school. **Cluster sampling**

(b) A radio station asks listeners to call in with their opinion on a political issue. **Convenience sampling**

(c) A quality control manager selects the 5th circuit board on an assembly line and then selects every 14th circuit board after that. **Systematic sampling**

Example 2

(d) 10 seniors, 12 juniors, 13 sophomores, and 10 freshmen are asked to name their favorite food.

Example 2

(d) 10 seniors, 12 juniors, 13 sophomores, and 10 freshmen are asked to name their favorite food. **Stratified sampling**

Example 2

- (d) 10 seniors, 12 juniors, 13 sophomores, and 10 freshmen are asked to name their favorite food. **Stratified sampling**
- (e) 10 names are drawn out of a hat containing 50 names.

Example 2

(d) 10 seniors, 12 juniors, 13 sophomores, and 10 freshmen are asked to name their favorite food. **Stratified sampling**

(e) 10 names are drawn out of a hat containing 50 names.
Simple random sampling

Objectives

- 1 Classify a data collection method as an observational study or an experiment
- 2 Examine various sampling methods
- 3 Examine various types of observational studies and experiments
- 4 Examine errors and other issues in sampling

Types of Observational Studies

- Cross-Sectional
 - Data is collected and observed at one point in time.

Types of Observational Studies

- Cross-Sectional
 - Data is collected and observed at one point in time.
- Retrospective

Types of Observational Studies

- Cross-Sectional
 - Data is collected and observed at one point in time.
- Retrospective
 - Collecting data from past events

Types of Observational Studies

- Cross-Sectional
 - Data is collected and observed at one point in time.
- Retrospective
 - Collecting data from past events
- Longitudinal

Types of Observational Studies

- Cross-Sectional
 - Data is collected and observed at one point in time.
- Retrospective
 - Collecting data from past events
- Longitudinal
 - Collect future data from groups with common factors.

Types of Experiments

- Blind

Types of Experiments

- Blind
 - Researcher knows what group (experimental vs. control) the subject is in, but the subject doesn't.

Types of Experiments

- Blind
 - Researcher knows what group (experimental vs. control) the subject is in, but the subject doesn't.
- Double-blind

Types of Experiments

- Blind
 - Researcher knows what group (experimental vs. control) the subject is in, but the subject doesn't.
- Double-blind
 - Neither the researcher nor the subject knows which group the subject is in; a third party knows but does not reveal.

Designing an Experiment

Good experiments will take the following into consideration:

- Subjects are assigned to different groups through random selection.

Designing an Experiment

Good experiments will take the following into consideration:

- Subjects are assigned to different groups through random selection.
- Experiments are performed on more than one subject (known as *replication*).

Designing an Experiment

Good experiments will take the following into consideration:

- Subjects are assigned to different groups through random selection.
- Experiments are performed on more than one subject (known as *replication*).
- The sample size is large enough to see the true nature of the effects.

Designing an Experiment

Good experiments will take the following into consideration:

- Subjects are assigned to different groups through random selection.
- Experiments are performed on more than one subject (known as *replication*).
- The sample size is large enough to see the true nature of the effects.
- Researchers will control the effects of the variables using such techniques as blinding.

Objectives

- 1 Classify a data collection method as an observational study or an experiment
- 2 Examine various sampling methods
- 3 Examine various types of observational studies and experiments
- 4 Examine errors and other issues in sampling

Errors

No matter how well-designed a study or experiment can be, there is always room for error.

- **Sampling error**

No matter how well-designed a study or experiment can be, there is always room for error.

- **Sampling error**

- The difference between the sample result and the true population result.

No matter how well-designed a study or experiment can be, there is always room for error.

- **Sampling error**

- The difference between the sample result and the true population result.

- **Nonsampling error**

No matter how well-designed a study or experiment can be, there is always room for error.

- **Sampling error**

- The difference between the sample result and the true population result.

- **Nonsampling error**

- Sample data isn't collected, recorded, or analyzed correctly.

No matter how well-designed a study or experiment can be, there is always room for error.

- **Sampling error**

- The difference between the sample result and the true population result.

- **Nonsampling error**

- Sample data isn't collected, recorded, or analyzed correctly.

- **Not using randomness**

No matter how well-designed a study or experiment can be, there is always room for error.

- **Sampling error**

- The difference between the sample result and the true population result.

- **Nonsampling error**

- Sample data isn't collected, recorded, or analyzed correctly.

- **Not using randomness**

- Avoid (or take with healthy dose of skepticism) sample data that does not have some component of randomness to it, such as a convenience sample.

Other Issues

- **Small sample sizes**

- **Small sample sizes**

- Make sure the sample size is large enough to include a variety of data regarding the population.

- **Small sample sizes**

- Make sure the sample size is large enough to include a variety of data regarding the population.
- More info on this later in the course.

- **Small sample sizes**

- Make sure the sample size is large enough to include a variety of data regarding the population.
- More info on this later in the course.

- **Non-responses**

- **Small sample sizes**

- Make sure the sample size is large enough to include a variety of data regarding the population.
- More info on this later in the course.

- **Non-responses**

- When someone refuses to respond to a question or is unavailable.

- **Small sample sizes**

- Make sure the sample size is large enough to include a variety of data regarding the population.
- More info on this later in the course.

- **Non-responses**

- When someone refuses to respond to a question or is unavailable.
- How are missing values handled? As n/a? As 0?

- **Small sample sizes**

- Make sure the sample size is large enough to include a variety of data regarding the population.
- More info on this later in the course.

- **Non-responses**

- When someone refuses to respond to a question or is unavailable.
- How are missing values handled? As n/a? As 0?

- **Loaded question**

- **Small sample sizes**

- Make sure the sample size is large enough to include a variety of data regarding the population.
- More info on this later in the course.

- **Non-responses**

- When someone refuses to respond to a question or is unavailable.
- How are missing values handled? As n/a? As 0?

- **Loaded question**

- A question worded in order to mislead or elicit a desired response.

Example 3

Which of the following is a loaded question?

- (1) “Should the fire department receive additional funding for new equipment?”
- (2) “Should taxpayers be responsible for new fire department equipment?”

Example 3

Which of the following is a loaded question?

- (1) “Should the fire department receive additional funding for new equipment?”
- (2) “Should taxpayers be responsible for new fire department equipment?”

Statement (2) is a loaded question.