

## Other Probability Distributions

# Objectives

- 1 Solve problems involving geometric probability distributions

# Binomial vs. Geometric Distributions

With binomial distributions, we had the following conditions:

- There are a fixed number of  $n$  repeated independent trials
- Each trial's outcome is either a success or failure
- The probability of success,  $p$ , never changes

# Binomial vs. Geometric Distributions

With binomial distributions, we had the following conditions:

- There are a fixed number of  $n$  repeated independent trials
- Each trial's outcome is either a success or failure
- The probability of success,  $p$ , never changes

We could calculate the probability of obtaining 8 heads out of 10 flips of a coin.

# Binomial vs. Geometric Distributions

With binomial distributions, we had the following conditions:

- There are a fixed number of  $n$  repeated independent trials
- Each trial's outcome is either a success or failure
- The probability of success,  $p$ , never changes

We could calculate the probability of obtaining 8 heads out of 10 flips of a coin.

One of these outcomes is TTHTHHHTTH.

# Binomial vs. Geometric Distributions

With geometric distributions, we would be interested in the probability of obtaining our first success (flipping a tail) after  $x$  flips of the coin.

# Binomial vs. Geometric Distributions

With geometric distributions, we would be interested in the probability of obtaining our first success (flipping a tail) after  $x$  flips of the coin.

To put it another way, a geometric distribution has the following property:

# Binomial vs. Geometric Distributions

With geometric distributions, we would be interested in the probability of obtaining our first success (flipping a tail) after  $x$  flips of the coin.

To put it another way, a geometric distribution has the following property:

$$\underbrace{FFF \dots FS}_{x-1 \text{ failures}}$$



# Geometric Distributions

The probability of obtaining our first success after  $x$  binomial experiments is given by

$$P(X = x) = (1 - p)^{x-1} \cdot p$$


## Example 1

A student is given a 10-question multiple choice test in which each question has 5 possible answers. What is the probability that the first question the student guesses correctly on the 4th question?

FFFS

$$\begin{aligned}P(X = 4) &= (1 - 0.2)^4(0.2) \\&= 0.08192\end{aligned}$$

# Bar Graph of Example 1



# Mean and Standard Deviation of Geometric Distributions