Hypothesis Testing Single Sample Proportion

In this section, we will test a claim regarding a population proportion.

In this section, we will test a claim regarding a population proportion.

Assumptions

In this section, we will test a claim regarding a population proportion.

Assumptions

 A random sample is selected from a binomial population (success or failure)

In this section, we will test a claim regarding a population proportion.

Assumptions

- A random sample is selected from a binomial population (success or failure)
- The sample size *n* is large

In this section, we will test a claim regarding a population proportion.

Assumptions

- A random sample is selected from a binomial population (success or failure)
- The sample size *n* is large
 - Will be met if np and n(1-p) are each at least 15

Test Statistic and Standard Error

The sample proportion, \hat{p} is given by

$$\hat{p} = \frac{x}{n} = \frac{\text{number of observed successes}}{\text{sample size}}$$

Test Statistic and Standard Error

The sample proportion, \hat{p} is given by

$$\hat{p} = \frac{x}{n} = \frac{\text{number of observed successes}}{\text{sample size}}$$

with sample standard error

$$\sigma_{\hat{p}} = \sqrt{rac{\hat{p}(1-\hat{p})}{n}}$$

The test statistic of the population proportion, z, can be found by calculating

$$z = \frac{\hat{p} - p}{\sqrt{p(1-p)/n}}$$

The test statistic of the population proportion, z, can be found by calculating

$$z = \frac{\hat{p} - p}{\sqrt{p(1 - p)/n}}$$

$$= \frac{\text{sample proportion - population proportion}}{\text{standard error}}$$


The test statistic of the population proportion, z, can be found by calculating


$$z = \frac{\hat{p} - p}{\sqrt{p(1-p)/n}}$$

$$= \frac{\text{sample proportion - population proportion}}{\text{standard error}}$$

Significance Level	Critical Value
$\alpha = 0.01$	± 2.576
$\alpha = 0.05$	± 1.96
lpha = 0.10	± 1.645







The area of the rejection region is given by α , the significance level.

The area of the rejection region is given by α , the significance level.

Recall that the p-value is the probability of obtaining sample results as extreme (or more) than one we got.

The area of the rejection region is given by α , the significance level.

Recall that the p-value is the probability of obtaining sample results as extreme (or more) than one we got.

If our *p*-value is lower than α , then our results are **statistically significant**, and would not likely occur by chance if the null hypothesis were true.

The area of the rejection region is given by α , the significance level.

Recall that the p-value is the probability of obtaining sample results as extreme (or more) than one we got.

If our *p*-value is lower than α , then our results are **statistically significant**, and would not likely occur by chance if the null hypothesis were true.


Reminder, if the *p*-value $< \alpha$, we reject the null hypothesis.









Reject null







Our confidence interval for a population proportion is given by

point estimate \pm margin of error

Hypothesis Testing

Our confidence interval for a population proportion is given by

point estimate \pm margin of error


$$\hat{p}\pm z_{\alpha/2}\sqrt{rac{\hat{p}(1-\hat{p})}{n}}$$


Our confidence interval for a population proportion is given by

point estimate \pm margin of error

$$\hat{p}\pm z_{\alpha/2}\sqrt{rac{\hat{p}(1-\hat{p})}{n}}$$

If our confidence interval contains the (claimed) population proportion, we do not reject the null hypothesis.





According to a recent study, 72% of Americans favor starting school after Labor Day. You believe the percentage is greater than 72%, so you obtain a sample of 400 Americans and find that 75% of them favor starting school after Labor Day.

At the $\alpha = 0.05$ significance level, test your claim.

According to a recent study, 72% of Americans favor starting school after Labor Day. You believe the percentage is greater than 72%, so you obtain a sample of 400 Americans and find that 75% of them favor starting school after Labor Day.

At the $\alpha = 0.05$ significance level, test your claim.

 $H_0: p = 0.72$ $H_A: p > 0.72$

```
Test statistic: z=1.336 (Critical Value = 1.645) p-value = 0.0907 > 0.05 Confidence Interval = (0.7076, 0.7924); contains p=0.72
```

```
Test statistic: z = 1.336 (Critical Value = 1.645) p-value = 0.0907 > 0.05
Confidence Interval = (0.7076, 0.7924); contains p = 0.72
```

Do not reject null hypothesis

```
Test statistic: z=1.336 (Critical Value = 1.645) p-value = 0.0907 > 0.05
Confidence Interval = (0.7076, 0.7924); contains p=0.72
```

Do not reject null hypothesis

At the 5% significance level, we do not have sufficient evidence to reject the null hypothesis and conclude that our sample does not support the claim that the mean percentage of Americans who favor starting school after Labor Day is greater than 72%.

According to a recent poll, 40% of people would vote for Bryan Bain to be President of the United States (never going to happen). You want to test the claim (at the $\alpha=0.05$ significance level) that the percent of people who would vote for Bryan Bain is not 40%, so you obtain a random sample of 700 voters and find that 45% would vote for Bryan Bain.

According to a recent poll, 40% of people would vote for Bryan Bain to be President of the United States (never going to happen). You want to test the claim (at the $\alpha=0.05$ significance level) that the percent of people who would vote for Bryan Bain is not 40%, so you obtain a random sample of 700 voters and find that 45% would vote for Bryan Bain.

 $H_0: p = 0.40$ $H_A: p \neq 0.40$

```
Test statistic: z=2.700>1.96 p-value = 0.0069<0.05 Confidence Interval = (0.4131, 0.4869); does not contain p=0.40
```

```
Test statistic: z=2.700>1.96 p-value = 0.0069<0.05 Confidence Interval = (0.4131, 0.4869); does not contain p=0.40
```

Reject the null hypothesis.

```
Test statistic: z=2.700>1.96

p-value = 0.0069<0.05

Confidence Interval = (0.4131, 0.4869); does not contain p=0.40
```

Reject the null hypothesis.

At the 5% significance level, we have sufficient evidence to reject the null hypothesis that the percentage of voters that would vote for Bryan Bain is 40% and conclude that our sample supports the claim that the percentage may be different than 40.

```
Test statistic: z = 2.700 > 1.96

p-value = 0.0069 < 0.05

Confidence Interval = (0.4131, 0.4869); does not contain p = 0.40
```

Reject the null hypothesis.

At the 5% significance level, we have sufficient evidence to reject the null hypothesis that the percentage of voters that would vote for Bryan Bain is 40% and conclude that our sample supports the claim that the percentage may be different than 40.

*On a personal note, take a look at any US President when they begin their first term and then see what they look like when they leave office. *That* is why I don't want to be President.