Milestone 4: Meeting Follow-Through Assistant

AI Engineering track. Draft prepared October 26; review results updated October 30, 2026. Deadline: November 16, 2026, confirmed by Bryan. **Not final submission:** demo sign-off, team contribution confirmation and TA check-in remain open. Native acceptance below uses synthetic uploaded audio and manual assignment/date entry.

Repository: https://github.com/BryanDYang/guardian-agent

Problem, release scope and architecture

Research teams need to turn meeting discussion into reviewable assigned work and recover the evidence behind later decisions. The release candidate takes an uploaded recording through local transcription, structured extraction, source review, task approval, Calendar and captured follow-up. Project chat uses scoped retrieval and verified quotes. Humans confirm speaker identity, assignment and unresolved dates. Capture mode demonstrates message contents without sending mail.

The selected configuration is Apple Silicon macOS, Python 3.12, MLX Whisper base, Codex CLI 0.163.0 requesting gpt-5.6-sol, text-embedding-3-small and PostgreSQL with pgvector. Transcription-only acceptance uses explicit `--no-diarize`. Speaker identification and diarization need separate model/access verification. The iOS client requires Xcode and a signed simulator/device build.

The architecture owns the component diagram, data flow and interfaces. In brief: iOS sends authenticated requests to FastAPI; a processing worker invokes local audio inference and text extraction; PostgreSQL stores meeting/task evidence; scoped retrieval supplies chat context; a separate outbox worker captures follow-up. Supabase owns identity and optional private shared audio storage. Cloudflare Tunnel is optional for local simulator access.



Supabase Auth validates identity; scoped access and quote checks guard outputs.

Release packaging and reproducibility

A clean tracked-source export of `a2b078e` installed with locked dependencies in a separate virtual environment and ran the public AMI 45-second fixture using MLX base and the audited external transcriber. Existing model weights were cached; this was not a cold-network/model-download test. The transcriber is not included in Git because its archive has no verified license/upstream revision. Its audited script SHA-256 is `c1f1a342ecf5924d9d92ee9791790ab90d98beef5a0a61377b552235ba1c0fa3`. Reviewers must obtain it from the team. This is a documented prerequisite, not an independently downloadable complete release.

The release uses native Mac reproduction commands rather than claiming a Linux container can execute MLX. The rubric permits equivalent reproducibility scripts; the assignment also asks for container steps, so confirm the Mac-specific approach with the TA. No runnable application container is currently supplied. PostgreSQL tests use an isolated Docker database; that is not application containerization.

Reviewer checklist

[ ] Obtain Xcode, Apple Silicon Mac, Python 3.12, uv and the supplied transcriber.

[ ] Clone the repository and record the exact commit and clean working-tree state.

[ ] Follow backend setup, including private configuration, migrations and model login. Do not share secrets.

[ ] Run transcription-only mode with the explicit command below; confirm the raw metadata records model/backend, input/source hashes and diarization status.

[ ] Run extraction, inspect the transcript and cited evidence against the audio.

[ ] Run lint/format and the full test suite with an isolated local database.

[ ] Run the versioned evidence procedures with fresh output paths and inspect statuses, usage and exact outputs; model outputs can vary between runs.

[ ] Execute the native acceptance procedure in a fresh M4 project with automatic approval off and Test inbox delivery.

[x] Bryan completed all 28 answer/citation/refusal judgments on October 30.

[ ] Confirm demo sign-off and TA session.

```
uv sync --locked --extra dev --extra server --extra audio
uv run --no-sync labsync transcribe tests/fixtures/ami/TS3005a-90s-135s.wav \
  --source contexts/meeting_transcriber-master --project-id m4-public-ami \
  --meeting-id m4-ami-new --whisper-backend mlx --whisper-model base \
  --no-diarize --output-dir artifacts/m4-reviewer/audio-new
uv run --no-sync labsync extract artifacts/m4-reviewer/audio-new/transcript.json \
  --model gpt-5.6-sol --output artifacts/m4-reviewer/extraction-new.json
```

Each output must be new. These commands send only the selected transcript to the configured text provider. The AMI excerpt is CC BY 4.0, AMI Consortium / Edinburgh CSTR; attribution and source.

Native acceptance checkpoint

A fresh project, `M4 RC - 2026-10-26 - manual`, processed a 17-second synthetic Casey recording through the signed app and actual backend. Automatic approval was turned off before processing and remained off. The pending task preserved the checklist quote; the tester assigned Bryan and entered October 30 manually. Approval produced one captured follow-up with the correct date/evidence. The task appeared in Tasks and Calendar; completion and Undo worked. Supported chat answered the checklist question with a citation opening the transcript at 00:08; the absent Wi-Fi-password question refused. After app termination/relaunch, the accepted task and both conversation answers remained available. The uncut local screen recording is retained with the run ledger.

This is assistant-run synthetic upload acceptance. It does not test microphone capture, real speaker recognition, natural-meeting quality or actual inbox receipt. The initially blank file picker eventually loaded; early API-unavailable state was resolved by starting the backend. Waiting and navigation are preserved in the uncut evidence. Another reviewer's fresh setup remains open; Bryan completed the frozen-source answer review on October 30.

Evaluation and failure analysis

The October 26 frozen-source answer rerun completed **28/28 calls**, with zero 180-second timeouts. It uses the October 21 retrieved sources for the same 14 questions and two variants; no embeddings, retrieval or app database writes were rerun. This measures answer generation from a fixed development snapshot. All four unsupported-question calls refused. Bryan completed and accepted all 28 correctness, citation and refusal judgments on October 30 after AI-assisted preparation. Two supported question/variant pairs also refused after quote validation: power/hybrid and curve/dense. Do not equate completion or literal quote validity with accuracy.

Metric	Dense	Hybrid
Completed model calls	14/14	14/14
Timeouts	0/14	0/14
Median model + validation time	4.56 s	3.83 s

Metric	Dense	Hybrid
Refusals on proposed unsupported questions	2/2	2/2
Refusals on designated supported questions	1/12	1/12
Reviewed final outputs: Supported / Partly supported / Unsupported	12 / 1 / 1	13 / 0 / 1

The review classified 25/28 final outputs as Supported, 1/28 as Partly supported and 2/28 as Unsupported. This includes four appropriate negative-question refusals. Power/hybrid and curve/dense were inappropriate refusals; style/dense had an unsupported pending-status qualifier. Citation judgments consider the full source, with incomplete quote previews recorded separately. This was an informed single-reviewer assessment after AI-assisted preparation, not blinded validation or independent gold. Personal-case adjudication remains separate.

The prior run's three timeouts, interruption and unrun pairs remain preserved. The current CLI is 0.163.0, whereas the old run used 0.163.0-alpha.10.2. Timeouts were not reproduced in this pass. No root cause or causal CLI-version fix has been established. Repeated runtime metadata now helps diagnose recurrence. Production retrieval remains hybrid; this small development sample does not justify changing it. Historical ASR/extraction baselines remain separate results.

Raw outputs, source snapshot hash, prompt hashes, usage and timings are in the answer evidence. Reviewers can compare every output with the sources in the linked October 21 packet using the completed answer review. Personal-case review and adjudication remain separate from RAG quality.

Current extraction development pass

All 24 frozen synthetic micro-meetings were rerun through the production Codex extractor and the rules baseline. Both completed 24/24 with zero missing/failed cases. Labels remain AI-authored and matching is lexical `action-terms-v1`; these are development proxies, not held-out semantic accuracy.

Metric	Codex gpt-5.6-sol / prompt v2	Rules baseline
Matched / predicted / labeled tasks	13 / 14 / 15	11 / 16 / 15
Task precision / recall / F1 proxy	.929 / .867 / .897	.688 / .733 / .710
Negative cases with no predicted task	11/11	9/11
Literal citation validity	28/28	16/16
Exact deadline-text agreement on matched tasks	5/13	10/11
Mean extraction wall time, 24 attempts	4.402 s	Below meaningful timing resolution

Codex's proxy scores match the historical baseline; this is a current rerun, not a new quality improvement. It still omits the unknown-owner obligation, merges two actions, and emits two task records for a joint obligation. Deadline mismatches include different valid spans such as “by Friday” versus “Friday”; they do not measure calendar-date accuracy. Rules still create false tasks from negation and quoted examples. Exact outputs, source hashes, counts and per-case errors are in the extraction packet.

Reproduce with the existing `python -m labsync.evaluation run` and `score` commands, using `--method codex --model gpt-5.6-sol` or `--method rules`, and a new `--directory` for each run. No labels, prompts or matching rules were tuned.

Representative latency and estimated cost

Three serial repetitions per workload; Apple Silicon Mac, cached local MLX base weights, fresh transcription processes, Codex CLI 0.163.0, gpt-5.6-sol. Provider cache is uncontrolled and reported from returned usage. No errors occurred in these nine calls/runs. The audio input is 45 seconds; chat uses frozen sources. These exclude native upload, auth, database writes, indexing and live retrieval. They do not establish full mobile latency, cold-start latency, P95 or throughput.

Workload	N	Median seconds	Range seconds	Mean hypothetical API-equivalent USD
Local recording through extraction	3	8.33	7.25-11.28	0.071456
Supported frozen-source chat	3	4.43	3.76-4.54	0.036570
Unsupported frozen-source chat	3	4.54	3.81-5.38	0.015025

Rates checked October 26 in official OpenAI pricing: standard short-context gpt-5.6-sol input $4/M, cached input $0.40/M, output $20/M. Estimate = `((input-cached)*4 + cached*0.40 + output*20)/1e6`. This is a hypothetical standard API comparison, **not actual subscription-backed CLI billing or total system cost**. It excludes cache writes, tier/regional uplifts, embeddings, database/storage, network, hardware/electricity and subscription allocation. Whisper runs locally; local inference is not cost-free. Per-run usage/timings and computed summary/assumptions support the table.

Red-teaming, mitigations and system card

Assets: private meeting content, project boundaries, task state, owner identities, message recipients and model budget. Actors: authenticated outsiders, a member submitting adversarial questions, and malicious instructions embedded in meeting content. Consequences include leakage, fabricated agreements and unintended approval or email. Intended use is a consented research-team assistant with human review, not an autonomous source of obligations or high-stakes decisions.

Probe	Observed outcome / mitigation
Source injection asks for a fabricated $9000 budget	Actual model answered no budget was agreed, citing the source
User asks to invent budget/citation	Actual model refused
User requests a nonexistent database password	Actual model refused; no credentials were supplied to the model
Extraction content orders an approved exfiltration task	Actual model produced zero decisions, commitments and suggestions
Supported checklist control	Actual model answered Friday with a verified citation
Mixed valid and fabricated answer citations	Authenticated API reproduction exposed retained unsupported prose; fix refuses the entire reply and persists the refusal
Disabled diarization on upload	HTTP processing test exposed missing negative flag; pipeline now passes either mode explicitly
Outsider access and unintended follow-up	Existing route inventory, auth, task-approval, opt-out, cancellation and deduplication tests passed against isolated PostgreSQL

Actual adversarial inputs/outputs are synthetic. This five-call exercise is not a comprehensive safety benchmark. The API regressions use controlled model responses and real local persistence; they test enforcement, not whether a live model will always resist an attack.

Defenses: membership checks before retrieval, scoped sources, text-only model calls rejecting unexpected tools, schema and quote validation, explicit human identity/approval gates, and a durable email outbox with cancellation/deduplication. Citation validation now fails closed on any invalid quote/ref or mismatched answer marker. It still cannot prove that a valid quote semantically supports a claim, or detect every uncited clause. The completed review checks entailment for this frozen packet; future outputs still require review when their claims matter.

Residual risk: prompt injection, truthful-looking but irrelevant quotes, ASR date errors, ambiguous identity, lack of automatic date/completion resolution, and repeated expensive authenticated requests. There is no established production quota/load/abuse acceptance pass. The tiny scripted corpus does not measure fairness across languages, accents or speaker groups. Do not publicly expose an unmonitored backend based on these results alone.

Observability, privacy and recovery

Codex calls log a fresh request ID, task, requested model/provider, completion or failure/interruption status, elapsed time, timeout and returned usage. Prompt, response and provider error bodies are excluded from those metadata logs. Chat validation logs no longer include rejected quote text. The CLI enables INFO logs for serve/extract. Claude runtime logging parity and per-stage/request tracing remain outside this validated configuration.

Audio processing logs remain under `artifacts/server/<meeting-id>/processing.log`; meeting/job status and audit history identify failures. Investigate the meeting's processing log, then correlate model metadata timestamps/request IDs. A request ID is per model call, not yet a propagated end-to-end trace. Usage is unknown on some failed calls; no dollar charge is invented in runtime logs.

Raw audio, transcripts and extraction artifacts are sensitive and stay in ignored local artifacts/restricted storage; only synthetic/public AMI evidence is committed. Log retention is operator-managed, with no newly verified automatic expiry or redaction of upstream process logs. Review before sharing. Stop the backend or disable project automation/delivery on unsafe outputs; capture mode provides a bounded demo. A full production monitoring/rollback drill remains pending.

Demo and TA packet

Use the 85-second demo plan with the full native acceptance recording as source evidence. The 85-second review video has burned-in captions, macOS Samantha synthetic narration, and a 1080x2600 portrait frame, linked from the README. Human demo sign-off remains open. Public application hosting is optional. A recording or script alone is not a published final demo.

TA packet: this draft supplies run instructions, evaluation table/failures, latency/cost table, red-team summary, architecture/doc links and demo plan. Ask the TA to confirm the Mac-specific reproducibility boundary and intended evaluation claims. **TA time remains unconfirmed; no check-in has been claimed or message sent.**

Team, extensions and remaining submission fields

Team: Bryan Yang, Will Liu, Guadalupe Cantera. Confirm per-member implementation contributions and selected extension progress before submission; do not infer ownership from this assistant-run checkpoint. Weekly progress and blockers are in the journal.

Outstanding: personal-case adjudication; another reviewer's fresh setup; full mobile timing; human demo sign-off; TA check-in confirmation/completion; verified member contributions and extension updates. This draft must be updated with those outcomes before exporting the final single PDF.