



University of Antwerp

ANT/OR | Research Group
Operations Research

Title

Subtitle

Author 1¹

Author 2^{1,2}

Author 3²

¹Institution 1

²Institution 2

Event

Date

Main title

Subtitle



This is how you create titles and subtitles for your slides:

```
\begin{frame}{Main title}{Subtitle}  
... content ...  
\end{frame}
```

You can leave out the titles and subtitles by leaving them blank:

```
\begin{frame}{}{}  
... content ...  
\end{frame}
```

Or by leaving them out entirely:

```
\begin{frame}  
... content ...  
\end{frame}
```

Bulleted lists

Using the `itemize` environment



This is how you make bullet points:

- ▶ Bullet point 1
- ▶ Bullet point 2
- ▶ Bullet point 3

Use the `itemize` environment and `\item` for each bullet:

```
\begin{itemize}
  \item Bullet point 1
  \item Bullet point 2
  \item Bullet point 3
\end{itemize}
```

Bulleted lists 2

Using the outline environment

Normally, to make levels of bullet points you need to nest `itemize` environments. It's easier to use `outline` environments instead. For this, you need to load the `outlines` package in the preamble, and use `\1` for level 1 , `\2` for level 2 etc.

```
\usepackage{outlines}
...
\begin{outline}
  \1 Bullet point 1
  \2 Bullet point 2
  \3 Bullet point 3
\end{outline}
```

Bulleted lists 3

Nested lists with the `itemize` environment



University of Antwerp
| ANT/OR | Research Group
| Operations Research

A nested list will change bullet shapes and font sizes automatically:

- ▶ Bullet point 1
 - Bullet point 2
 - Bullet point 3

Bulleted lists 4

Nested lists with the outline environment



A nested list will change bullet shapes and font sizes automatically:

- ▶ Bullet point 1
 - Bullet point 2
 - Bullet point 3

Numbered lists

Using the `enumerate` environment



The `enumerate` environment works similarly to `itemize`, but creates numbered lists instead of bulleted lists:

1. Bullet point 1
2. Bullet point 2
3. Bullet point 3

You also need to nest these environments for multiple levels.

For more customisation options with lists using the aforementioned environments/packages, you can refer to their $\text{\LaTeX}$ documentation on CTAN.

Bullet points

And how to make them...



University of Antwerp
| ANT/OR | Research Group
| Operations Research

This is how you make bullet points:

- ▶ Bullet point 1
- ▶ Bullet point 2
- ▶ Bullet point 3

$$\text{TotalCost} = \sum(CW_n \times C_n)$$

Example slide with graphics



University of Antwerp
| ANT/OR | Research Group
| Operations Research



If you use the option [plain] with your frames, you can remove headers and footers:

```
\begin{frame}[plain]  
... content ...  
\end{frame}
```

Slide with no footer



If you use `\hidefooter` before your frame, you can remove footers locally on a slide (remember to use `\showfooter` afterwards):

```
\hidefooter
\begin{frame}{Title}
... content ...
\end{frame}
\showfooter
```

There are three options:

- ▶ `\hidefooter` to hide the entire footer
- ▶ `\hidefooterleft` to hide only short field names on the bottom left
- ▶ `\hideframenum` to hide only the slide numbering on the bottom right

These options can also be set globally in the preamble.

If you use `\hideheadline` before your frame, you can remove headers locally on a slide (remember to use `\showheadline` afterwards):

```
\hideheadline
\begin{frame}{Title}
... content ...
\end{frame}
\showheadline
```

Block examples

Demonstration of different block types



University of Antwerp
| ANT/OR | Research Group
| Operations Research

Standard Block

This is a standard block with the default ENM blue theme.

Alert Block

This is an alert block, highlighted in gold to draw attention.

Example Block

This is an example block, useful for demonstrating concepts.



University of Antwerp

| ENM | Research Group
Engineering Management

Thank you for your attention!
Any questions?

Author 1¹

Author 2^{1,2}

Author 3²

¹Institution 1

²Institution 2

Event

Date



email@uantwerpen.be