Team Deuce
Dining Hall Review Wireframe Guide

Detailed companion to the 24-screen Figma export | October 15, 2026

Wireframe creator: Bryan Gilles | Deuce Squad, Group 2

Purpose and design status

This guide explains what each screen is intended to do, how students and PantherDining staff move between screens, and which rules must be implemented behind the interface. It accompanies the grayscale wireframe board for the GSU Dining Hall Review App.

The export is a static design, not a running application. Sample menu names, scores, schedules, nutrition values, and review counts are illustrative. Gray callouts describe validation, alternate states, and design notes; they are not all visible at the same time in the eventual application.

How to use this guide


Screens 01-12 cover accounts and student workflows. Screens 13-19 cover staff operations. Screens 20-21 explain shared states and mobile adaptation. Screens 22-24 propose nutrition, recommendations, and saved food preferences. Each numbered section includes its original screen image, an explanation of the main actions, and behavior or implementation considerations.

FR identifiers refer to functional requirements printed on the source board. NFR identifiers refer to non-functional requirements. Proposed features have no new requirement numbers assigned here. Interpretive implementation guidance in this guide should be reviewed by the team before becoming an acceptance criterion.

Reading map

Pages 2-13: screen-by-screen explanations, two screens per page. Page 14: connected user journeys. Page 15: decisions, validation priorities, and source references.

Screen explanations




Original wireframe 01

01 Sign in

FR-01, 02, 04

The entry point for students and staff collects a university email and password. Sign in continues into the role-appropriate area; Create account opens screen 02. The staff route leads to the dashboard on screen 13.

Behavior and considerations
Incorrect credentials should produce clear feedback without granting access. The screen establishes a shared authentication entry point, while the account role determines the next destination. Authentication and role enforcement must be implemented beyond this static form.



Original wireframe 02


02 Create your account

FR-01, 02

The registration form collects a full name, university email, and matching password entries. Create account submits the form; Back to sign in returns to screen 01. The purpose is to establish an authorized student account before account-specific actions.

Behavior and considerations
The callout identifies required-field, password-mismatch, duplicate-account, and eligibility errors. Feedback belongs beside the affected field. The team must define eligibility and verification rules; the wireframe does not establish those policies or permit self-assigned staff privileges.

Screen explanations



Original wireframe 03


03 Choose a dining hall

FR-05, 09, 10

This is the primary student landing screen. Cards for Patton, Piedmont Central, and Piedmont North offer a clear starting point. View hall leads to the selected hall's stations on screen 04. A search field supports finding an item across halls instead of browsing one location at a time.

Behavior and considerations

The shared navigation exposes Halls, Search, Recommendations, Saved, Alerts, and Profile. Hall selection should retain location context through later screens. The three named halls define the initial scope; sample labels and content do not establish live operating information.



Original wireframe 04

04 Hall stations


FR-06, 09, 20

Within a selected hall, students choose a meal period and compare station cards. Each card combines a station name, brief description, aggregate score, and review count. View menu opens screen 05; the breadcrumb and back action return to dining halls.

Behavior and considerations

Station scores summarize reviews of items served at that station. The design does not introduce a separate station-review form. Counts help users interpret a score's evidence base. Station membership, meal selection, and score calculations must agree with the stored menu and review relationships.

Screen explanations




Original wireframe 05

05 Station menu

FR-07, 08, 09, 20

The menu screen narrows browsing to a station, date, and meal period. Rows show item names, ratings, dietary or allergen tags, and availability. Opening an item leads to screen 07, where the student can inspect more detail before reviewing or saving it.

Behavior and considerations
No reviews and Not scheduled represent different conditions and should remain distinct. When the selected period contains no menu, the interface directs the student to another date or meal period. Changing context should refresh the menu without implying that unscheduled items are currently available.



Original wireframe 06


06 Search and filters

FR-10 through 16

Search combines item text with hall, station, meal period, minimum rating, dietary preference, and listed-allergen exclusions. Apply filters updates the result list; Clear filters removes the constraints. Each result includes location and score so similarly named foods can be distinguished.

Behavior and considerations
The no-results state offers a recovery path rather than a blank list. Filter combinations must work together, and selecting a hall should constrain station choices appropriately. Allergen and dietary filtering depends on supplied menu metadata; missing information must not be silently treated as a verified match.

Screen explanations



Original wireframe 07


07 Item details

FR-08, 17 through 21, 25, 28

This screen brings together the item's location, schedule, rating, review count, description, tags, and review history. Write a review opens screen 08; Save item supports screen 10. A nutrition summary links to the more detailed proposed nutrition screen 22.

Behavior and considerations

Menu-record dietary and allergen information is separated from student comments. Reviews appear newest first with rating and date. Availability, ratings, and nutrition are illustrative in the export. The eventual implementation must keep review totals and saved status synchronized after changes.



Original wireframe 08

08 Write or edit a review


FR-17 through 19, 22 through 24

Students select a required rating from one to five, enter review text, and choose structured tags or a recommendation. Submit review saves a new entry; Cancel leaves the form. Edit mode uses Save changes for an existing review.

Behavior and considerations

The callout covers missing ratings, successful submission, conditional duplicate-visit checks, and submission limits. A limited or failed submission should retain the draft. Editing preserves the original creation timestamp while allowing a separate update time. Visit verification and submission-limit policies still need team agreement.

Screen explanations




Original wireframe 09

09 My reviews

FR-22, 40, 42

This personal management screen lists reviewed items with location, rating, and update date. A selected review can be edited through screen 08 or deleted through the confirmation state on screen 20. Creation and update dates clarify the history of an edited entry.

Behavior and considerations
Reviews remain linked to their original item and station. An empty state invites the student to browse a menu. Ownership must be checked before any edit or delete action, and rating aggregates must be recalculated after an eligible review changes or is removed.



Original wireframe 10


10 Saved favorites

FR-25, 27, 28

The saved-items list pairs each favorite with its next scheduled availability and Heads-Up status. Students can open an item, enable or disable an alert, or remove the favorite. Feedback confirms the outcome, and an empty list explains how to save an item.

Behavior and considerations
Removing a favorite also ending its associated alert subscription is explicitly proposed behavior in the board, not a finalized rule. The team should confirm that relationship before implementation. Saving an item and subscribing to alerts are related but separate states that need clear persistence and feedback.

Screen explanations




Original wireframe 11

11 Heads-Up notifications

FR-28 through 31

The notification list reports when a saved item is scheduled to return. Each entry contains the item, hall or meal schedule, and a New or Read status. Open selected item leads back to item details; Manage subscriptions returns to alert controls.

Behavior and considerations
The empty state directs students to enable alerts for saved items. Delivery through email or browser notifications remains a project decision. Implementation must match scheduled availability to active subscriptions and handle delivery status without repeatedly notifying users about the same scheduled event.



Original wireframe 12


12 Your profile

FR-03, 04

The profile form supports updating account information such as names and email. Save changes validates and stores edits; My reviews provides access to screen 09; Sign out ends the session. The account role is displayed for clarity.

Behavior and considerations
The role is assigned by the system and cannot be changed here. Invalid email feedback and a successful-update message are shown as examples. A profile edit should not provide an indirect route to staff permissions; permitted field changes and any reverification process need an agreed account policy.

Screen explanations



Original wireframe 13


13 Staff overview

FR-32 through 38

The dashboard gives PantherDining staff an overview of average item rating, review volume, and the moderation queue. A hall summary and a station-performance callout help staff decide where to investigate. Actions lead to analytics, record management, or moderation.

Behavior and considerations

The figures are sample values, not evidence of actual campus performance. A change in a score should be examined alongside its period, review count, and underlying comments. Access is limited to staff; displaying staff navigation alone is not sufficient authorization.



Original wireframe 14

14 Manage dining records


FR-32, 39, 41

Staff select a record type and narrow by hall or station. The list shows the record's parent relationship and schedule. Dedicated actions open the menu-item, hall, and station editors on screens 15 through 17, while deletion applies to the selected record.

Behavior and considerations

The dependency callout prevents destructive deletion when reviews or child records depend on the selected record. The application should explain the dependency and retain the record until it is resolved. Record management must preserve relationships rather than leave orphaned stations, menu items, or reviews.

Screen explanations



Original wireframe 15


15 Add or edit a menu item

FR-07, 29, 32, 39, 41; proposed nutrition fields

This editor collects the item name and description, hall and station, date and meal period, available time, and dietary or allergen tags. It also proposes serving size, calories, macronutrients, fiber, sugars, sodium, source, and verification date. Save item publishes a valid change; Cancel abandons it.

Behavior and considerations

Validation requires an existing station, a valid time range, and valid tags. Nutrition values need units; negative values are rejected, while blank values mean unknown rather than zero. Saved availability supports alert matching. Nutrition fields require corresponding data-model and validation work before they can function.



Original wireframe 16

16 Edit a dining hall


FR-05, 32, 39

The hall editor maintains a name, address, and operating schedule. Save hall commits valid information; Cancel returns without applying the edit. The wireframe notes that the same form may support authorized record creation.

Behavior and considerations

Initial scope remains Patton, Piedmont Central, and Piedmont North. Required names and valid schedules are checked. Example hours are placeholders. Changes should preserve the hall's identity and its relationships to stations, rather than inadvertently creating a duplicate hall record.

Screen explanations




Original wireframe 17

17 Add or edit a station

FR-06, 32, 39

The station editor collects a name, parent dining hall, and location or address information. The parent selector makes the hall-to-station hierarchy explicit. Save station confirms the result, and Cancel returns without changing the record.

Behavior and considerations
An existing hall is required. Existing menu items retain their station relationship after edits. If moving a station between halls is supported, the team must decide how historical review location is retained; the wireframe itself does not settle that migration policy.



Original wireframe 18


18 Review moderation

FR-24, 33, 34, 38

Staff filter reviews by status, hall, or item, then inspect a selected review in context. The detail area shows the student, item, posting date, content, and current status. Keep review and Remove review provide distinct moderation outcomes.

Behavior and considerations
Removal requires a policy reason and a short note, followed by confirmation. Moderator identity, reason, and decision time are recorded. The policy must distinguish legitimate negative feedback from prohibited content. Changes to review visibility must be reflected consistently in any aggregate that excludes removed reviews.

Screen explanations



Original wireframe 19


19 Ratings and semester trends

FR-35 through 37, 42

Staff choose a semester, hall, station, and item scope to compare rating changes. Summary values show the selected-period mean, sample size, and change from a comparison period. Weekly rows expose both scores and counts; Inspect reviews provides the supporting feedback.

Behavior and considerations

A period without reviews displays No data, not a zero-star rating. Aggregation and comparison periods must be consistent. Sample numbers in the wireframe illustrate layout and should be recalculated from a coherent dataset during implementation rather than copied as validated analytics.



Original wireframe 20

20 Shared dialogs and recovery states


FR-02, 16, 22, 24, 34, 38

This sheet collects reusable overlays and recovery messages. It includes student review deletion, staff removal confirmation, expired-session sign-in, denied staff access, failed saves, empty results, missing analytics data, and blocked deletion of linked records.

Behavior and considerations

These are alternatives shown in context, not messages displayed simultaneously. Destructive actions require explicit confirmation; cancellation preserves the record. Failed saves retain entries and offer retry. An expired session routes to sign-in, while denied staff access returns the user to an appropriate student destination.

Screen explanations



Original wireframe 21


21 Mobile item details

NFR-01 through 08, 27

The 390-pixel example stacks the main item information, nutrition summary, review and save actions, and latest review. Compact navigation groups destinations, while filters are intended to open in a full-width panel. It demonstrates how screen 07 can adapt to a narrow viewport.

Behavior and considerations

The mobile layout preserves the same task priorities rather than removing core actions. Implementation should verify readable text, keyboard navigation, focus order, touch-target spacing, and absence of horizontal overflow. This example is a design reference, not proof that every screen already behaves responsively.



Original wireframe 22

22 Calories and nutrition


Proposed nutrition and recommendations

The nutrition detail expands an item into a serving quantity, calorie total, macronutrient amounts, energy estimates, and percentage shares. In the sample, 40 g protein, 54 g carbohydrates, and 16 g fat correspond to 160, 216, and 144 kcal, totaling 520 kcal. Two servings scale the displayed totals to 1,040 kcal.

Behavior and considerations

Fiber and sugars are not added again to carbohydrate totals. Published calories may differ from the macro estimate because of rounding and fiber treatment. Source and verification date identify provenance; missing values display Not provided. Student reviews do not populate nutrition fields. These values illustrate interface behavior.

Screen explanations



Original wireframe 23


23 Recommendations

Proposed nutrition and recommendations

Students combine a dietary pattern and nutrient priority with location, meal, availability, optional calorie range, and listed-allergen exclusions. Results explain why each meal matches. View food and nutrition opens the selected item; Edit food preferences opens screen 24.

Behavior and considerations

Diet and exclusions are applied before ranking. Protein and fiber sort high to low; sodium sorts low to high. Required missing data excludes a candidate. Balanced macros ranks by closeness to user-selected targets, but the exact distance formula remains to be defined. Empty results preserve exclusions and suggest another hall or meal period.



Original wireframe 24

24 Food preferences

Proposed nutrition and recommendations

This form stores dietary pattern, recommendation priority, excluded allergens, an optional calorie range, and optional macro targets. Save preferences applies them on the next Recommendations visit; Cancel abandons edits; Reset preferences returns to defaults that the team must define.

Behavior and considerations

Minimum calories cannot exceed maximum calories, and macro percentages must total 100. The sample 30/40/30 split is a user-selected example, not a prescribed diet. Dietary restrictions stay active when ranking priority changes. Unknown tags are not accepted as verified matches; saved preferences need account-level persistence.

Connected user journeys

Browse and review a meal

01 Sign in > 03 Dining halls > 04 Stations > 05 Menu > 07 Item details > 08 Write review. The hall, station, and item context should remain visible throughout. After submission, confirmation and refreshed review information close the loop. A student can later use 12 Profile > 09 My reviews to edit or delete the entry.

Search directly

03 Search entry or shared Search navigation > 06 Search and filters > 07 Item details. This route bypasses sequential hall browsing. Empty results lead back to filter adjustment, while the selected item still identifies its hall and station.

Save a favorite and receive an alert

07 Save item > 10 Saved favorites > enable Heads-Up > 11 Notifications > open the scheduled item. The backend must connect the subscription with the item's availability. Saving, subscription status, notification delivery, and read status are different pieces of state.

Maintain a dining menu

01 Staff sign-in > 13 Staff overview > 14 Dining records > 15 Menu item editor. Screens 16 and 17 maintain parent hall and station data. Valid updates become visible in student browsing and can inform future availability alerts. Invalid input or dependencies preserve existing records.

Investigate feedback

13 Staff overview > 19 Trends > inspect reviews, or 18 Moderation for flagged content. Staff examine the selected period and review count before interpreting a decline. A moderation decision includes a reason and audit details, and any resulting aggregate changes follow the agreed visibility policy.

Explore proposed nutrition features

07 Item details > 22 Nutrition > 23 Recommendations > 24 Food preferences. Preferences constrain candidates before ranking. If no candidate matches, the student can adjust location or meal period without losing dietary exclusions. The mobile design on 21 demonstrates the same item priorities at a narrow width.

Implementation and review priorities

Decisions to finalize

Confirm authorized-account eligibility and verification, review editing limits, optional visit verification, submission limits, moderation policy, and notification delivery channel. Decide whether removing a favorite cancels its alert subscription. Define aggregate visibility rules, time windows, and comparison periods. These policies determine behavior that a wireframe alone cannot enforce.

For proposed nutrition and recommendation features, agree on the source of nutrition data, units, verification process, serving conversions, supported diet tags, handling of unknown values, and the balanced-macro ranking formula. Add the required data fields and acceptance criteria before treating these screens as committed implementation scope.

Consistency checks before development

Standardize navigation across the desktop screens: the proposed nutrition screens omit the Alerts tab that appears in the core student screens. Confirm where Food preferences is accessed from Profile and Recommendations. Ensure mobile navigation preserves access to the same destinations. Review contrast, keyboard focus, form labels, responsive layout, and confirmation behavior during implementation.

Use a coherent test dataset for ratings and trends. For example, screen 19 lists weekly rounded means of 4.3, 4.2, 4.1, and 3.5 with counts of 20, 25, 24, and 17. Weighting those displayed values gives about 4.06 across 86 reviews, while the summary shows 4.0. The comparison label also needs a defined period. Recalculate from underlying reviews rather than treating the illustrative board as verified arithmetic.

Validation priorities

Check complete workflows and recovery paths: valid and invalid sign-in, empty filters, required ratings, ownership of edits, cancel versus confirm deletion, failed saves, role-restricted staff operations, linked-record protection, alert subscription changes, and periods with no review data. Nutrition tests should cover serving scaling, missing values, units, invalid ranges, target totals, and exclusions that stay active when ranking changes. These are suggested checks, not executed results.

Source and attribution

Primary source: Team Deuce - Dining Hall Review Wireframes.pdf, the supplied single-page board containing 24 labeled screens. Screen images and visible requirement references in this guide come from that export. Wireframes and related test scenarios were created by Bryan Gilles, as confirmed for the sprint report.

Open the Figma wireframe board

Open the Team Deuce GitHub repository