Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contact.html

Checker Input

Show ☐ source   ☐ outline   ☐ image report

Options…

Check by [file upload ▾]   [Seleccionar archivo]   No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Error**   **Attribute** `v-for` **not allowed on element** `li` **at this point.**

From line 47, column 5; to line 47, column 76

```
uto">↵                         <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item">↵
```

Attributes for element `li`:

    Global attributes

    If the element is not a child of an `ul` or `menu` element: `value` — Ordinal value of the list item

2. **Error**   **Attribute** `v-if` **not allowed on element** `li` **at this point.**

From line 47, column 5; to line 47, column 76

```
uto">↵                         <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item">↵
```

Attributes for element `li`:

    Global attributes

    If the element is not a child of an `ul` or `menu` element: `value` — Ordinal value of the list item

3. **Warning**   **Attribute** `v-bind:href` **is not serializable as XML 1.0.**

From line 48, column 6; to line 48, column 51

```
em">↵                              <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

4. **Error**   **Attribute** `v-bind:href` **not allowed on element** `a` **at this point.**

From line 48, column 6; to line 48, column 51

```
em">↵                              <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

Attributes for element [a](#):

   [Global attributes](#)

   [href](#) — Address of the [hyperlink](#)

   [target](#) — [Browsing context](#) for [hyperlink](#) [navigation](#)

   [download](#) — Whether to download the resource instead of navigating to it, and its file name if
   so

   [ping](#) — [URLs](#) to ping

   [rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the
   destination resource

   [hreflang](#) — Language of the linked resource

   [type](#) — Hint for the type of the referenced resource

   [referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

---

5.   **Error**   **Attribute** `v-for` **not allowed on element** `li` **at this point.**

     From line 50, column 5; to line 50, column 74

```
</li>↵                              <li v-for="elem in enlacesAdmin" v-if="usuario
== 1" class="nav-item">↵
```

     Attributes for element [li](#):

       [Global attributes](#)

       If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

---

6.   **Error**   **Attribute** `v-if` **not allowed on element** `li` **at this point.**

     From line 50, column 5; to line 50, column 74

```
</li>↵                              <li v-for="elem in enlacesAdmin" v-if="usuario
== 1" class="nav-item">↵
```

     Attributes for element [li](#):

       [Global attributes](#)

       If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

---

7.   **Warning**   **Attribute** `v-bind:href` **is not serializable as XML 1.0.**

     From line 51, column 6; to line 51, column 51

```
em">↵                              <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

---

8.   **Error**   **Attribute** `v-bind:href` **not allowed on element** `a` **at this point.**

     From line 51, column 6; to line 51, column 51

```
em">↵                              <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

     Attributes for element [a](#):

Global attributes

`href` — Address of the hyperlink

`target` — Browsing context for hyperlink navigation

`download` — Whether to download the resource instead of navigating to it, and its file name if so

`ping` — URLs to ping

`rel` — Relationship between the location in the document containing the hyperlink and the destination resource

`hreflang` — Language of the linked resource

`type` — Hint for the type of the referenced resource

`referrerpolicy` — Referrer policy for fetches initiated by the element

---

9. **Warning** **Attribute** `@submit.prevent` **is not serializable as XML 1.0.**

From line 98, column 6; to line 98, column 75

```
te">↵                       <form class="contact-form" id="contact"
@submit.prevent="processForm">↵
```

---

10. **Error** **Attribute** `@submit.prevent` **not allowed on element** `form` **at this point.**

From line 98, column 6; to line 98, column 75

```
te">↵                       <form class="contact-form" id="contact"
@submit.prevent="processForm">↵
```

Attributes for element `form`:

Global attributes

`accept-charset` — Character encodings to use for form submission

`action` — URL to use for form submission

`autocomplete` — Default setting for autofill feature for controls in the form

`enctype` — Entry list encoding type to use for form submission

`method` — Variant to use for form submission

`name` — Name of form to use in the `document.forms` API

`novalidate` — Bypass form control validation for form submission

`target` — Browsing context for form submission

`rel`

---

11. **Error** **Attribute** `v-model` **not allowed on element** `input` **at this point.**

From line 101, column 8; to line 101, column 107

```
">↵                                <input type="text" name="name" v-
model="name" class="form-control" placeholder="Tu Nombre" required>↵
```

Attributes for element `input`:

Global attributes

`accept`   when type is file

alt	when type is <u>image</u>
autocomplete	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, <u>range</u>, or <u>color</u>
autofocus	
checked	when type is <u>checkbox</u> or <u>radio</u>
dirname	when type is <u>text</u> or <u>search</u>
disabled	
form	
formaction	when type is <u>submit</u> or <u>image</u>
formenctype	when type is <u>submit</u> or <u>image</u>
formmethod	when type is <u>submit</u> or <u>image</u>
formnovalidate	when type is <u>submit</u> or <u>image</u>
formtarget	when type is <u>submit</u> or <u>image</u>
height	when type is <u>image</u>
list	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, <u>range</u>, or <u>color</u>
max	when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>
maxlength	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
min	when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>
multiple	when type is <u>email</u> or <u>file</u>
name	
pattern	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
placeholder	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, or <u>number</u>
readonly	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, or <u>number</u>
required	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, <u>checkbox</u>, <u>radio</u>, or <u>file</u>
size	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
src	when type is <u>image</u>
step	when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>
type	
value	when type is not <u>file</u> or <u>image</u>
width	when type is <u>image</u>

12. **Error** **Attribute** `v-model` **not allowed on element** `input` **at this point.**

From line 105, column 8; to line 105, column 117

```
">↵                                          <input type="text" name="lastname"
v-model="lastname" class="form-control" placeholder="Tu Apellido" required>↵
```

Attributes for element [input](#):

  [Global attributes](#)

  [accept](#)   when type is [file](#)

  [alt](#)   when type is [image](#)

  [autocomplete](#) when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), [range](#), or [color](#)

  [autofocus](#)

  [checked](#)   when type is [checkbox](#) or [radio](#)

  [dirname](#)   when type is [text](#) or [search](#)

  [disabled](#)

  [form](#)

  [formaction](#) when type is [submit](#) or [image](#)

  [formenctype](#) when type is [submit](#) or [image](#)

  [formmethod](#) when type is [submit](#) or [image](#)

  [formnovalidate](#) when type is [submit](#) or [image](#)

  [formtarget](#) when type is [submit](#) or [image](#)

  [height](#)   when type is [image](#)

  [list](#)   when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), [range](#), or [color](#)

  [max](#)   when type is [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), or [range](#)

  [maxlength](#) when type is [text](#), [search](#), [url](#), [tel](#), [email](#), or [password](#)

  [min](#)   when type is [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), or [range](#)

  [multiple](#)   when type is [email](#) or [file](#)

  [name](#)

  [pattern](#)   when type is [text](#), [search](#), [url](#), [tel](#), [email](#), or [password](#)

  [placeholder](#) when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), or [number](#)

  [readonly](#)   when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), or [number](#)

  [required](#)   when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), [checkbox](#), [radio](#), or [file](#)

  [size](#)   when type is [text](#), [search](#), [url](#), [tel](#), [email](#), or [password](#)

  [src](#)   when type is [image](#)

  [step](#)   when type is [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), or [range](#)

  [type](#)

  [value](#)   when type is not [file](#) or [image](#)

width	when type is image

13. **Error** **Attribute** `v-model` **not allowed on element** `input` **at this point.**

From line 109, column 8; to line 110, column 72

```
">↵                                       <input type="tel" name="phone" v-
model="phone" class="form-control" pattern="[+593]?[0-9]{10}"↵
placeholder="Tu Celular" title="Teléfono de 10 dígitos" required>↵
```

Attributes for element input:

Global attributes

accept	when type is file
alt	when type is image
autocomplete	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, range, or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text, search, url, tel, email, date, month, week, time, datetime-local, number, range, or color
max	when type is date, month, week, time, datetime-local, number, or range
maxlength	when type is text, search, url, tel, email, or password
min	when type is date, month, week, time, datetime-local, number, or range
multiple	when type is email or file
name	
pattern	when type is text, search, url, tel, email, or password
placeholder	when type is text, search, url, tel, email, password, or number
readonly	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, or number
required	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, checkbox, radio, or file
size	when type is text, search, url, tel, email, or password

src	when type is image	
step	when type is date, month, week, time, datetime-local, number, or range	
type		
value	when type is not file or image	
width	when type is image	

14. **Error** **Attribute** `v-model` **not allowed on element** `input` **at this point.**

From line 114, column 8; to line 114, column 109

```
">↵                                        <input type="email" name="email" v-
model="email" class="form-control" placeholder="Tu Email" required>↵
```

Attributes for element input:

Global attributes

accept	when type is file
alt	when type is image
autocomplete	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, range, or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text, search, url, tel, email, date, month, week, time, datetime-local, number, range, or color
max	when type is date, month, week, time, datetime-local, number, or range
maxlength	when type is text, search, url, tel, email, or password
min	when type is date, month, week, time, datetime-local, number, or range
multiple	when type is email or file
name	
pattern	when type is text, search, url, tel, email, or password
placeholder	when type is text, search, url, tel, email, password, or number
readonly	when type is text, search, url, tel, email, password, date, month, week,

	time, datetime-local, or number
required	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, checkbox, radio, or file
size	when type is text, search, url, tel, email, or password
src	when type is image
step	when type is date, month, week, time, datetime-local, number, or range
type	
value	when type is not file or image
width	when type is image

15. **Error** Attribute `v-model` not allowed on element `input` at this point.

From line 122, column 8; to line 122, column 83

```
">↵                                        <input type="date" name="date" v-
model="date" class="form-control" required>↵
```

Attributes for element input:

Global attributes	
accept	when type is file
alt	when type is image
autocomplete	when type is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, range, or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text, search, url, tel, email, date, month, week, time, datetime-local, number, range, or color
max	when type is date, month, week, time, datetime-local, number, or range
maxlength	when type is text, search, url, tel, email, or password
min	when type is date, month, week, time, datetime-local, number, or range
multiple	when type is email or file

name	
pattern	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
placeholder	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, password, or <u>number</u>
readonly	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, password, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, or <u>number</u>
required	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, password, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, <u>checkbox</u>, <u>radio</u>, or <u>file</u>
size	when type is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
src	when type is <u>image</u>
step	when type is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>
type	
value	when type is not <u>file</u> or <u>image</u>
width	when type is <u>image</u>

---

16. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

From line 122, column 8; to line 122, column 83

```
">↵                                    <input type="date" name="date" v-model="date" class="form-control" required>↵
```

---

17. **Error** Attribute `v-model` not allowed on element `textarea` at this point.

From line 126, column 8; to line 126, column 121

```
'>↵                                    <textarea name="message" v-model="message" cols="30" rows="7" class="form-control" placeholder="Mensaje" required></text
```

Attributes for element <u>textarea</u>:

<u>Global attributes</u>

<u>autocomplete</u> — Hint for form autofill feature

<u>cols</u> — Maximum number of characters per line

<u>dirname</u> — Name of form control to use for sending the element's <u>directionality</u> in <u>form submission</u>

<u>disabled</u> — Whether the form control is disabled

<u>form</u> — Associates the element with a <u>form</u> element

<u>maxlength</u> — Maximum <u>length</u> of value

<u>minlength</u> — Minimum <u>length</u> of value

<u>name</u> — Name of the element to use for <u>form submission</u> and in the `form.elements` API

<u>placeholder</u> — User-visible label to be placed within the form control

<u>readonly</u> — Whether to allow the value to be edited by the user

<u>required</u> — Whether the control is required for <u>form submission</u>

> rows — Number of lines to show
>
> wrap — How the value of the form control is to be wrapped for form submission

18. **Error** **The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.**

From line 118, column 8; to line 118, column 35

```
">↵                                        <label for="fecha" class="">Fecha
```

Document checking completed.

Used the HTML parser.

Total execution time 59 milliseconds.

About this checker • Report an issue • Version: 20.7.23