

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file about.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Attribute `v-for` not allowed on element `li` at this point.
From line 47, column 5; to line 47, column 76

```
uto"><li v-for="elem in enlacesUsuario" v-if="usuario == 0" class="nav-item"><
```


Attributes for element `li`:
[Global attributes](#)
If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item
- Error** Attribute `v-if` not allowed on element `li` at this point.
From line 47, column 5; to line 47, column 76

```
uto"><li v-for="elem in enlacesUsuario" v-if="usuario == 0" class="nav-item"><
```


Attributes for element `li`:
[Global attributes](#)
If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item
- Warning** Attribute `v-bind:href` is not serializable as XML 1.0.
From line 48, column 6; to line 48, column 51

```
em"><a v-bind:href="elem.enlace" class="nav-link">{{ ele
```
- Error** Attribute `v-bind:href` not allowed on element `a` at this point.
From line 48, column 6; to line 48, column 51

```
em"><=>                                <a v-bind:href="elem.enlace"  
class="nav-link">{{ ele
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

5. **Error** Attribute `v-for` not allowed on element `li` at this point.

From line 50, column 5; to line 50, column 74

```
</li><=>                                <li v-for="elem in enlacesAdmin" v-if="usuario  
== 1" class="nav-item"><=>
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

6. **Error** Attribute `v-if` not allowed on element `li` at this point.

From line 50, column 5; to line 50, column 74

```
</li><=>                                <li v-for="elem in enlacesAdmin" v-if="usuario  
== 1" class="nav-item"><=>
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

7. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

From line 51, column 6; to line 51, column 51

```
em"><=>                                <a v-bind:href="elem.enlace"  
class="nav-link">{{ ele
```

8. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

From line 51, column 6; to line 51, column 51

```
em"><=>                                <a v-bind:href="elem.enlace"  
class="nav-link">{{ ele
```

Attributes for element `a`:

[Global attributes](#)[href](#) — Address of the [hyperlink](#)[target](#) — [Browsing context](#) for [hyperlink navigation](#)[download](#) — Whether to download the resource instead of navigating to it, and its file name if so[ping](#) — [URLs](#) to ping[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource[hreflang](#) — Language of the linked resource[type](#) — Hint for the type of the referenced resource[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

9. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 71, column 5; to line 71, column 112

```
ion><< <section class="ftco-counter img" id="section-counter"
style="background-image: url(images/portada1.jpg);" ><
```

Document checking completed.

Used the HTML parser.

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.7.23