

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for team.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Error** Attribute `v-for` not allowed on element `li` at this point.

From line 44, column 13; to line 44, column 84

```
<li v-for="elem in enlacesUsuario" v-if="usuario == 0" class="nav-item"><
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

2. **Error** Attribute `v-if` not allowed on element `li` at this point.

From line 44, column 13; to line 44, column 84

```
<li v-for="elem in enlacesUsuario" v-if="usuario == 0" class="nav-item"><
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

3. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

From line 45, column 15; to line 45, column 60

```
<a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

4. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

From line 45, column 15; to line 45, column 60

```
<a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

Attributes for element `a`:

[Global attributes](#)[href](#) — Address of the [hyperlink](#)[target](#) — [Browsing context](#) for [hyperlink navigation](#)[download](#) — Whether to download the resource instead of navigating to it, and its file name if so[ping](#) — [URLs](#) to ping[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource[hreflang](#) — Language of the linked resource[type](#) — Hint for the type of the referenced resource[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element5. **Error** Attribute `v-for` not allowed on element `li` at this point.

From line 47, column 13; to line 47, column 82

```
<li v-for="elem in enlasesAdmin" v-if="usuario == 1" class="nav-item"><
```

Attributes for element `li`:[Global attributes](#)If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item6. **Error** Attribute `v-if` not allowed on element `li` at this point.

From line 47, column 13; to line 47, column 82

```
<li v-for="elem in enlasesAdmin" v-if="usuario == 1" class="nav-item"><
```

Attributes for element `li`:[Global attributes](#)If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item7. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

From line 48, column 15; to line 48, column 60

```
<a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

8. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

From line 48, column 15; to line 48, column 60

```
<a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

Attributes for element `a`:[Global attributes](#)[href](#) — Address of the [hyperlink](#)[target](#) — [Browsing context](#) for [hyperlink navigation](#)[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

Document checking completed.

Used the HTML parser.

Total execution time 21 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.7.23