Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for pricing.html

Checker Input
Show source outline image report
Options
Check by file upload V Seleccionar archivo No se eligió archivo
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
2. Error Attribute [v-if] not allowed on element [li] at this point.

From line 53, column 6; to line 53, column 77

[to">\to">\to" \to">\to" | Attributes for element li:

Global attributes

If the element is not a child of an ul or menu element: value — Ordinal value of the list item
```

4. Error Attribute v-bind: href not allowed on element a at this point.

From line 54, column 7; to line 54, column 52

https://validator.w3.org/nu/#file 1/5

```
class="nav-link">{{ ele}

Attributes for element a:
    Global attributes
    href — Address of the hyperlink
    target — Browsing context for hyperlink navigation
    download — Whether to download the resource instead of navigating to it, and its file name if so
    ping — URLs to ping
    rel — Relationship between the location in the document containing the hyperlink and the destination resource
    hreflang — Language of the linked resource
    type — Hint for the type of the referenced resource
    referrerpolicy — Referrer policy for fetches initiated by the element
```

```
5. Error Attribute v-for not allowed on element 1i at this point.

From line 56, column 6; to line 56, column 75

//li>
//li>
//li>
//li>
Attributes for element 1i:

Global attributes

If the element is not a child of an u1 or menu element: value — Ordinal value of the list item
```

```
7. Warning Attribute v-bind:href is not serializable as XML 1.0.

From line 57, column 7; to line 57, column 52

m">

class="nav-link">{{ ele
```

```
8. Error Attribute v-bind:href not allowed on element a at this point.

From line 57, column 7; to line 57, column 52

m">

class="nav-link">{{ ele}

Attributes for element a:
```

https://validator.w3.org/nu/#file 2/5

```
Showing results for pricing.html - Nu Html Checker
   Global attributes
   <u>href</u> — Address of the <u>hyperlink</u>
   <u>target</u> — <u>Browsing context</u> for <u>hyperlink navigation</u>
   download — Whether to download the resource instead of navigating to it, and its file name if
   so
   ping — <u>URLs</u> to ping
   <u>rel</u> — Relationship between the location in the document containing the <u>hyperlink</u> and the
   destination resource
   hreflang — Language of the linked resource
   type — Hint for the type of the referenced resource
   <u>referrer policy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element
 Error The element button must not appear as a descendant of the a
element.
From line 85, column 17; to line 85, column 104
             <button type="button" class="step-trigger" id="btn size"</pre>
onclick="asignarPaso('size');">↩
```

10. Error The element select must not appear as a descendant of the a element.

From line 90, column 19; to line 90, column 44

⟨select name="s1" id="s1">←

12. Error The element select must not appear as a descendant of the a element.

From line 106, column 19; to line 106, column 44

⟨select name="s2" id="s2">←

13. Error The element button must not appear as a descendant of the a element.

From line 120, column 17; to line 120, column 110

⟨button type="button" class="step-trigger" id="btn_relleno" onclick="asignarPaso('relleno');">←

onclick="asignarPaso('relleno');">←

https://validator.w3.org/nu/#file 3/5

```
Showing results for pricing.html - Nu Html Checker
     Error The element select must not appear as a descendant of the a
14.
    element.
    From line 125, column 19; to line 125, column 44
                <select name="s3" id="s3">←
     Error The element button must not appear as a descendant of the a
15.
    element.
    From line 139, column 17; to line 139, column 109
                <button type="button" class="step-trigger" id="btn_cover"</pre>
    onclick="asignarPaso('cubierta');">←
16.
     Error The element select must not appear as a descendant of the a
    element.
    From line 144, column 19; to line 144, column 44
                <select name="s4" id="s4">←
     Error | The element | button | must not appear as a descendant of the |a|
17.
    element.
    From line 158, column 17; to line 158, column 108
                <button type="button" class="step-trigger" id="btn toping"</pre>
    onclick="asignarPaso('toping');">↔
18.
    Error The element select must not appear as a descendant of the a
    element.
    From line 163, column 19; to line 163, column 44
               <select name="s5" id="s5">←
19.
     Error | End tag for | body | seen, but there were unclosed elements.
    From line 302, column 1; to line 302, column 7
     </script>←</body>←</ht
     Error Unclosed element | div |.
20.
    From line 77, column 3; to line 77, column 28
```

Document checking completed.

Used the HTML parser.

Total execution time 49 milliseconds.

https://validator.w3.org/nu/#file 4/5

About this checker • Report an issue • Version: 20.7.23

https://validator.w3.org/nu/#file 5/5