

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for index.html

Checker Input

Show

☒ source

☒ outline

☒ image report

Options...

Check by

file upload ▼

Seleccionar archivo

No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Show ☒ source ☒ outline ☒ image report

Options...

Check by file upload ▼ Seleccionar archivo No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Error** Element `img` is missing required attribute `src`.

[From line 49, column 5; to line 49, column 9](#)

```
tml"><img></img>
```

Attributes for element `img`:

- [Global attributes](#)
- [alt](#) — Replacement text for use when images are not available
- [src](#) — Address of the resource
- [srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
- [sizes](#) — Image sizes for different page layouts
- [crossorigin](#) — How the element handles crossorigin requests
- [usemap](#) — Name of [image map](#) to use
- [ismap](#) — Whether the image is a server-side image map
- [width](#) — Horizontal dimension
- [height](#) — Vertical dimension
- [referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element
- [decoding](#) — Decoding hint to use when processing this image for presentation
- [loading](#) — Used when determining loading deferral

2. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 49, column 5; to line 49, column 9](#)

1. **Error** Element `img` is missing required attribute `src`.

From line 49, column 5; to line 49, column 9

```
tml"><img></img>
```

Attributes for element `img`:

Global attributes

alt — Replacement text for use when images are not available

src — Address of the resource

srcset — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

crossorigin — How the element handles crossorigin requests

usemap — Name of [image map](#) to use

ismap — Whether the image is a server-side image map

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

decoding — Decoding hint to use when processing this image for presentation

loading — Used when determining loading deferral

2. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 49, column 5; to line 49, column 9

```
tml"><img></img>
```

3. **Error** Stray end tag `img`.

From line 49, column 10; to line 49, column 15

```
<img></img>
```

4. **Error** Attribute `v-for` not allowed on element `li` at this point.

From line 58, column 6; to line 58, column 77

```
to"><li v-for="elem in enlasesUsuario" v-if="usuario == 0" class="nav-item">
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

5. **Error** Attribute `v-if` not allowed on element `li` at this point.

From line 58, column 6; to line 58, column 77

```
to"><li v-for="elem in enlasesUsuario" v-if="usuario == 0" class="nav-item">
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

6. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

From line 59, column 7; to line 59, column 52

```
m"><a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

7. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

From line 59, column 7; to line 59, column 52

```
m"><a v-bind:href="elem.enlace" class="nav-link">{{ ele
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

8. **Error** Attribute `v-for` not allowed on element `li` at this point.

[From line 61, column 6; to line 61, column 75](#)

```
/li><
<li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item"><
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

9. **Error** Attribute `v-if` not allowed on element `li` at this point.

[From line 61, column 6; to line 61, column 75](#)

```
/li><
<li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item"><
```

Attributes for element `li`:

[Global attributes](#)

If the element is not a child of an [ul](#) or [menu](#) element: [value](#) — [Ordinal value](#) of the list item

10. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

[From line 62, column 7; to line 62, column 52](#)

```
m"><
<a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

11. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

[From line 62, column 7; to line 62, column 52](#)

```
m"><
<a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Browsing context](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its file name if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

Document checking completed.

Image report

The `img` elements of the page are shown below categorized by their type of textual alternative. Please review that the images in each group match that group's definition.

No textual alternative available, image linked

The following images are links and have no textual alternative available (no `alt` attribute). Having an `img` element without a textual alternative as the content of a link is handled ungracefully by popular screen readers.

Image	Location
Not resolvable	From line 49, column 5; to line 49, column 9

Source

```

1. <!DOCTYPE html><↵
2. <html lang="en"><↵
3. ↵
4. <head><↵
5.     <title>MySweetMoon-Home</title><↵
6.     <meta charset="utf-8"><↵
7.     <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no"><↵
8.     <link rel="icon" href="img/logo.png"><↵
9.     <link href="https://fonts.googleapis.com/css?
family=Open+Sans:300,400,600,700&display=swap" rel="stylesheet"><↵
10. ↵
11.     <link href="https://fonts.googleapis.com/css?
family=Prata&display=swap" rel="stylesheet"><↵
12. ↵
13.     <link rel="stylesheet" href="css/open-iconic-bootstrap.min.css"><↵
14.     <link rel="stylesheet" href="css/animate.css"><↵
15.     <link rel="stylesheet" href="css/introjs.css"><↵
16.     <link rel="stylesheet" href="css/introjs-rtl.css"><↵
17. ↵
18.     <link rel="stylesheet" href="css/owl.carousel.min.css"><↵
19.     <link rel="stylesheet" href="css/owl.theme.default.min.css"><↵
20.     <link rel="stylesheet" href="css/magnific-popup.css"><↵
21. ↵
22.     <link rel="stylesheet" href="css/aos.css"><↵
23. ↵
24.     <link rel="stylesheet" href="css/ionicons.min.css"><↵
25. ↵
26.     <link rel="stylesheet" href="css/bootstrap-datepicker.css"><↵
27.     <link rel="stylesheet" href="css/jquery.timepicker.css"><↵
28. ↵
29. ↵
30.     <link rel="stylesheet" href="css/flaticon.css"><↵
31.     <link rel="stylesheet" href="css/icomoon.css"><↵
32.     <link rel="stylesheet" href="css/style.css"><↵
33. ↵
34.     <link rel="stylesheet" href="font-awesome-4.7.0/css/font-
awesome.min.css"><↵
35. ↵
36.     <link rel="stylesheet" href="css/index.css"><↵
37. ↵
38.     <script src="js/modoUsuario.js"></script><↵
39. ↵
40. </head><↵
41. ↵
42. <body><↵
43. ↵
44. ↵
45. ↵
46.     <nav class="navbar navbar-expand-lg navbar-dark ftco_navbar bg-dark
ftco-navbar-light" id="ftco-navbar"><↵
47.         <div class="container"><↵
48.             <a class="navbar-brand" href="index.html"><↵

```

```

49.         <img></img>↵
50.         <span class="flaticon-lotus">
</span>MySweetMoon</a>↵
51.         <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#ftco-nav"↵
52.             aria-controls="ftco-nav" aria-expanded="false"
aria-label="Toggle navigation">↵
53.             <span class="oi oi-menu"></span> Menu↵
54.         </button>↵
55. ↵
56.         <div class="collapse navbar-collapse" id="ftco-nav">↵
57.             <ul id="navbar" class="navbar-nav ml-auto">↵
58.                 <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item">↵
59.                     <a v-bind:href="elem.enlace"
class="nav-link">{{ elem.texto }}</a>↵
60.                 </li>↵
61.                 <li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item">↵
62.                     <a v-bind:href="elem.enlace"
class="nav-link">{{ elem.texto }}</a>↵
63.                 </li>↵
64.             </ul>↵
65.         </div>↵
66. ↵
67.         </div>↵
68.     </nav>↵
69.     <!-- END nav -->↵
70. ↵
71. ↵
72.     <section class="hero-wrap js-fullheight" style="background-image:
url('img/portada.jpg');" >↵
73.         <div class="container">↵
74.             <div class="row no-gutters slider-text js-fullheight
align-items-center justify-content-center">↵
75.                 <div class="col-md-10 ftco-animate text-
center">↵
76.                     <div class="icon">↵
77.                         <span class="flaticon-lotus">
</span>↵
78.                     </div>↵
79.                     <h1>Pastelería Creativa</h1>↵
80.                     <div class="row justify-content-
center">↵
81.                         <div class="col-md-7 mb-3">↵
82.                             <p>Traemos una
variedad de tortas de todas las formas y tamaños. Crea la torta de tus sueños↵
83.                             y fantasías
con nosotros.</p>↵
84.                         </div>↵
85.                     </div>↵
86.                     <p>↵
87.                         <a id="pas1"
href="http://127.0.0.1:8887/pricing.html" class="btn btn-primary p-3 px-5 py-4
mr-md-2">Crea tu torta</a>↵
88.                         <a id="pas2"
href="http://127.0.0.1:8887/contact.html" class="btn btn-outline-primary p-3
px-5 py-4 ml-md-2">Ponte en Contacto</a>↵
89.                     </p>↵
90.                 </div>↵
91.             </div>↵
92.         </div>↵
93.     </section>↵
94. ↵
95.     <section id="sectionOferta" class="ftco-section ftco-intro"
style="background-image: url(img/portada.jpg);">↵
96.         <div class="container">↵
97.             <div class="row justify-content-end">↵
98.                 <div class="col-md-6">↵
99.                     <div class="heading-section ftco-
animate">↵

```

```

100.                                     <h2 class="mb-4">Tenemos las
mejores ofertas del mercado</h2>↵
101.                                     </div>↵
102.                                     <p class="ftco-animate">Ademas
contamos con diferentes tipos de bocadillos y productos</p>↵
103.                                     <ul class="mt-5 do-list">↵
104.                                     <li class="ftco-animate"><a
href="#"><span↵
105. class="ion-ios-checkmark-circle mr-3"></span>Manjares</a></li>↵
106.                                     <li class="ftco-animate"><a
href="#"><span class="ion-ios-checkmark-circle mr-3"></span>Queso de↵
107.                                     3 leches</a>
</li>↵
108.                                     <li class="ftco-animate"><a
href="#"><span class="ion-ios-checkmark-circle mr-3"></span>Helado a↵
109.                                     la paila</a>
</li>↵
110.                                     <li class="ftco-animate"><a
href="#"><span class="ion-ios-checkmark-circle mr-3"></span>Entre↵
111.                                     muchas más</a>
</li>↵
112.                                     </ul>↵
113.                                     </div>↵
114.                                     </div>↵
115.                                     </div>↵
116. </section>↵
117. ↵
118. <footer id="footer" class="ftco-footer ftco-section"></footer>↵
119. ↵
120. <!-- loader -->↵
121. <div id="ftco-loader" class="show fullscreen"><svg class="circular"
width="48px" height="48px">↵
122. <circle class="path-bg" cx="24" cy="24" r="22"
fill="none" stroke-width="4" stroke="#eeeeee" />↵
123. <circle class="path" cx="24" cy="24" r="22"
fill="none" stroke-width="4" stroke-miterlimit="10"↵
124. stroke="#F96D00" /></svg></div>↵
125. ↵
126. <script src="js/jquery.min.js"></script>↵
127. <script src="js/vue.js"></script>↵
128. <script src="js/general.js"></script>↵
129. ↵
130. <script src="js/jquery-migrate-3.0.1.min.js"></script>↵
131. <script src="js/popper.min.js"></script>↵
132. <script src="js/bootstrap.min.js"></script>↵
133. <script src="js/jquery.easing.1.3.js"></script>↵
134. <script src="js/jquery.waypoints.min.js"></script>↵
135. <script src="js/jquery.stellar.min.js"></script>↵
136. <script src="js/owl.carousel.min.js"></script>↵
137. <script src="js/jquery.magnific-popup.min.js"></script>↵
138. <script src="js/aos.js"></script>↵
139. <script src="js/jquery.animateNumber.min.js"></script>↵
140. <script src="js/bootstrap-datepicker.js"></script>↵
141. <script src="js/jquery.timepicker.min.js"></script>↵
142. <script src="js/scrollax.min.js"></script>↵
143. <script src="js/main.js"></script>↵
144. ↵
145. <script src="js/index.js"></script>↵
146. ↵
147. <script src="js/intro.js"></script>↵
148. <script src="js/guiaIndex.js"></script>↵
149. ↵
150. </body>↵
151. ↵
152. </html>

```

Heading-level outline

<h1> Pastelería Creativa

<h2> Tenemos las mejores ofertas del mercado

Structural outline

- └ [body element with no heading]
 - └ [nav element with no heading]
 - └ **Pastelería Creativa**
 - └ **Tenemos las mejores ofertas del mercado**

Used the HTML parser.
Total execution time 41 milliseconds.

.....

[About this checker](#) • [Report an issue](#) • Version: 20.7.23