Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for productos.html

Checker Input

Show ☑ source ☑ outline ☑ image report

[Options…]

Check by [file upload ▾] [Seleccionar archivo] No se eligió archivo

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Error** **Element** `img` **is missing required attribute** `src`**.**

   From line 49, column 5; to line 49, column 9

   ```
   tml">↵                        <img></img>
   ```

   Attributes for element `img`:

   Global attributes

   `alt` — Replacement text for use when images are not available

   `src` — Address of the resource

   `srcset` — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

   `sizes` — Image sizes for different page layouts

   `crossorigin` — How the element handles crossorigin requests

   `usemap` — Name of image map to use

   `ismap` — Whether the image is a server-side image map

   `width` — Horizontal dimension

   `height` — Vertical dimension

   `referrerpolicy` — Referrer policy for fetches initiated by the element

   `decoding` — Decoding hint to use when processing this image for presentation

   `loading` — Used when determining loading deferral

2. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.**

   From line 49, column 5; to line 49, column 9

```
tml">↵                                        <img></img>
```

3. **Error** Stray end tag `img`.

From line 49, column 10; to line 49, column 15

```
↵                                            <img></img>↵                                                                          <
```

4. **Error** Attribute `v-for` not allowed on element `li` at this point.

From line 58, column 6; to line 58, column 77

```
to">↵                                        <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item">↵
```

Attributes for element `li`:

Global attributes

If the element is not a child of an `ul` or `menu` element: `value` — Ordinal value of the list item

5. **Error** Attribute `v-if` not allowed on element `li` at this point.

From line 58, column 6; to line 58, column 77

```
to">↵                                        <li v-for="elem in enlacesUsuario" v-
if="usuario == 0" class="nav-item">↵
```

Attributes for element `li`:

Global attributes

If the element is not a child of an `ul` or `menu` element: `value` — Ordinal value of the list item

6. **Warning** Attribute `v-bind:href` is not serializable as XML 1.0.

From line 59, column 7; to line 59, column 52

```
m">↵                                         <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

7. **Error** Attribute `v-bind:href` not allowed on element `a` at this point.

From line 59, column 7; to line 59, column 52

```
m">↵                                         <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

Attributes for element `a`:

Global attributes

`href` — Address of the hyperlink

`target` — Browsing context for hyperlink navigation

`download` — Whether to download the resource instead of navigating to it, and its file name if so

`ping` — URLs to ping

`rel` — Relationship between the location in the document containing the hyperlink and the destination resource

`hreflang` — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — Referrer policy for fetches initiated by the element

8.   **Error**   Attribute `v-for` not allowed on element `li` at this point.

From line 61, column 6; to line 61, column 75

```
/li>↵                                    <li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item">↵
```

Attributes for element `li`:

Global attributes

If the element is not a child of an `ul` or `menu` element: `value` — Ordinal value of the list item

9.   **Error**   Attribute `v-if` not allowed on element `li` at this point.

From line 61, column 6; to line 61, column 75

```
/li>↵                                    <li v-for="elem in enlacesAdmin" v-
if="usuario == 1" class="nav-item">↵
```

Attributes for element `li`:

Global attributes

If the element is not a child of an `ul` or `menu` element: `value` — Ordinal value of the list item

10.   **Warning**   Attribute `v-bind:href` is not serializable as XML 1.0.

From line 62, column 7; to line 62, column 52

```
m">↵                                     <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

11.   **Error**   Attribute `v-bind:href` not allowed on element `a` at this point.

From line 62, column 7; to line 62, column 52

```
m">↵                                     <a v-bind:href="elem.enlace"
class="nav-link">{{ ele
```

Attributes for element `a`:

Global attributes

href — Address of the hyperlink

target — Browsing context for hyperlink navigation

download — Whether to download the resource instead of navigating to it, and its file name if

so

ping — URLs to ping

rel — Relationship between the location in the document containing the hyperlink and the

destination resource

hreflang — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — Referrer policy for fetches initiated by the element

12.   **Error**   **No space between attributes.**

At line 86, column 19

```
         <div id="pas1" class="col-md-1
```

13.   **Error**   **Duplicate ID** productosResultado **.**

From line 103, column 4; to line 103, column 77

```
/div>↵                          <div id="productosResultado" class="row
justify-content-center mb-4 pb-2">↵                               <
```

14.   **Warning**   **The first occurrence of ID** productosResultado **was here.**

From line 83, column 2; to line 83, column 72

```
ection>↵↵         <section id="productosResultado" class="ftco-section
seccion_busqueda">↵              <di
```

15.   **Error**   **Attribute** v-for **not allowed on element** div **at this point.**

From line 104, column 5; to line 104, column 84

```
b-2">↵                          <div v-for="elemento in resultados"
class="col-sm-4 d-flex align-items-stretch">↵
```

Attributes for element div:
   Global attributes

16.   **Warning**   **Attribute** :style **is not serializable as XML 1.0.**

From line 106, column 7; to line 106, column 89

```
4">↵                                        <div class="img" :style="{
backgroundImage: 'url(img/' + elemento.archivo + ')' }"></div>
```

17.   **Error**   **Attribute** :style **not allowed on element** div **at this point.**

From line 106, column 7; to line 106, column 89

```
4">↵                                        <div class="img" :style="{
backgroundImage: 'url(img/' + elemento.archivo + ')' }"></div>
```

Attributes for element div:
   Global attributes

18.   **Error**   **The** aria-describedby **attribute must point to an element in the same document.**

From line 93, column 9; to line 94, column 81

```
>↵                                                       <input
type="text" class="form-control" aria-label="Busqueda"↵
aria-describedby="basic-addon2" id="busquedaTexto" placeholder="Nombre">↵
```

Document checking completed.

Image report

The img elements of the page are shown below categorized by their type of textual alternative. Please review that the images in each group match that group's definition.

No textual alternative available, image linked

The following images are links and have no textual alternative available (no alt attribute). Having an img element without a textual alternative as the content of a link is handled ungracefully by popular screen readers.

Image	Location
Not resolvable	From line 49, column 5; to line 49, column 9

Source

```
 1.  <!DOCTYPE html>↵
 2.  <html lang="en">↵
 3.  ↵
 4.  <head>↵
 5.          <title>My Sweet Moon-Home</title>↵
 6.          <meta charset="utf-8">↵
 7.          <meta name="viewport" content="width=device-width, initial-scale=1,
     shrink-to-fit=no">↵
 8.  ↵
 9.          <link href="https://fonts.googleapis.com/css?
     family=Open+Sans:300,400,600,700&display=swap" rel="stylesheet">↵
10.  ↵
11.          <link href="https://fonts.googleapis.com/css?
     family=Prata&display=swap" rel="stylesheet">↵
12.  ↵
13.          <link rel="stylesheet" href="css/open-iconic-bootstrap.min.css">↵
14.          <link rel="stylesheet" href="css/animate.css">↵
15.  ↵
16.          <link rel="stylesheet" href="css/owl.carousel.min.css">↵
17.          <link rel="stylesheet" href="css/owl.theme.default.min.css">↵
18.          <link rel="stylesheet" href="css/magnific-popup.css">↵
19.  ↵
20.          <link rel="stylesheet" href="css/aos.css">↵
21.  ↵
22.          <link rel="stylesheet" href="css/ionicons.min.css">↵
23.  ↵
24.          <link rel="stylesheet" href="css/bootstrap-datepicker.css">↵
25.          <link rel="stylesheet" href="css/jquery.timepicker.css">↵
26.  ↵
27.  ↵
28.          <link rel="stylesheet" href="css/flaticon.css">↵
29.          <link rel="stylesheet" href="css/icomoon.css">↵
30.          <link rel="stylesheet" href="css/style.css">↵
31.  ↵
32.  ↵
33.          <link rel="stylesheet" href="font-awesome-4.7.0/css/font-
     awesome.min.css">↵
34.  ↵
35.          <link rel="stylesheet" href="css/productos.css">↵
36.   ↵
37.          <script src="js/modoUsuario.js"></script>↵
38.   ↵
39.          <link rel="stylesheet" href="css/introjs.css">↵
40.          <link rel="stylesheet" href="css/introjs-rtl.css">↵
41.  ↵
42.  </head>↵
43.  ↵
44.  <body>↵
45.          <nav class="navbar navbar-expand-lg navbar-dark ftco_navbar bg-dark
     ftco-navbar-light ftco-navbar-light-2"↵
46.              id="ftco-navbar">↵
47.              <div class="container">↵
48.                  <a class="navbar-brand" href="index.html">↵
```

```
49.                                      <img></img>↵
50.                                      <span class="flaticon-lotus"></span>My Sweet
       Moon</a>↵
51.                              <button class="navbar-toggler" type="button" data-
       toggle="collapse" data-target="#ftco-nav"↵
52.                                      aria-controls="ftco-nav" aria-expanded="false"
       aria-label="Toggle navigation">↵
53.                                      <span class="oi oi-menu"></span> Menu↵
54.                              </button>↵
55.                      ↵
56.                              <div class="collapse navbar-collapse" id="ftco-nav">↵
57.                                  <ul id="navbar"  class="navbar-nav ml-auto">↵
58.                                      <li v-for="elem in enlacesUsuario" v-
       if="usuario == 0" class="nav-item">↵
59.                                          <a v-bind:href="elem.enlace"
       class="nav-link">{{ elem.texto }}</a>↵
60.                                      </li>↵
61.                                      <li v-for="elem in enlacesAdmin" v-
       if="usuario == 1" class="nav-item">↵
62.                                          <a v-bind:href="elem.enlace"
       class="nav-link">{{ elem.texto }}</a>↵
63.                                      </li>↵
64.                                  </ul>↵
65.                              </div>↵
66. ↵
67.                          </div>↵
68.              </nav>↵
69.              <!-- END nav -->↵
70. ↵
71.          <section class="hero-wrap hero-wrap-2" style="background-image:
       url('img/portada1.png');"↵
72.                      > ↵
73.                  <div class="container">↵
74.                          <div class="row no-gutters slider-text js-fullheight
       align-items-center justify-content-center">↵
75.                              <div class="col-md-9 ftco-animate text-
       center">↵
76.                                  <h1 class="mb-3 bread">Productos</h1>↵
77.                                  <p class="breadcrumbs"> <span>Tenemos
       una amplia gama para ofrecer</span></p>↵
78.                              </div>↵
79.                          </div>↵
80.                  </div>↵
81.          </section>↵
82. ↵
83.          <section id="productosResultado" class="ftco-section
       seccion_busqueda">↵
84.                  <div class="container-fluid px-sm-4">↵
85.                          <div class="row justify-content-center mb-4 pb-2 ">↵
86.                              <div id="pas1"class="col-md-12 heading-section
       ftco-animate text-center">↵
87.                                  <h3 class="subheading">Busqueda</h3>↵
88.                                  <h4 class="mb-1">Ingrese el nombre de
       un producto</h4>↵
89.                                  <br>↵
90.                                  <div class="row justify-content-center
       mb-5 pb-3">↵
91.                                      <div class="col-md-4 heading-
       section ftco-animate text-center">↵
92.                                          <div class="input-
       group">↵
93.                                              <input
       type="text" class="form-control" aria-label="Busqueda"↵
94.                                                  aria-
       describedby="basic-addon2" id="busquedaTexto" placeholder="Nombre">↵
95.                                              <button
       id="buscarBoton" class="input-group-text"> <i class="fa fa-search"↵
96.                                                  
       aria-hidden="true"></i></button>↵
97.                                          </div>↵
98.                                      </div>↵
```

```
99.                                      </div>↵
100.                                  </div>↵
101.                             </div>↵
102.     ↵
103.                             <div id="productosResultado" class="row justify-
     content-center mb-4 pb-2">↵
104.                                 <div v-for="elemento in resultados"
     class="col-sm-4 d-flex align-items-stretch">↵
105.                                     <div class="offer-deal text-center px-
     2 px-sm-4">↵
106.                                         <div class="img" :style="{
     backgroundImage: 'url(img/' + elemento.archivo + ')' }"></div>↵
107.                                         <div class="text mt-4">↵
108.                                             <h3 class="mb-4">{{
     elemento.nombre }}</h3>↵
109.                                             <p class="mb-5">{{
     elemento.description }}.</p>↵
110.                                         </div>↵
111.                                     </div>↵
112.                                 </div>↵
113.                             </div>↵
114.                         </div>↵
115.                 </section>↵
116.                  ↵
117.                 <footer id="footer" class="ftco-footer ftco-section">↵
118.         </footer>↵
119.     ↵
120.             <!-- loader -->↵
121.             <div id="ftco-loader" class="show fullscreen"><svg class="circular"
     width="48px" height="48px">↵
122.                         <circle class="path-bg" cx="24" cy="24" r="22"
     fill="none" stroke-width="4" stroke="#eeeeee" />↵
123.                         <circle class="path" cx="24" cy="24" r="22"
     fill="none" stroke-width="4" stroke-miterlimit="10"↵
124.                             stroke="#F96D00" /></svg></div>↵
125.     ↵
126.     ↵
127.         <script src="js/jquery.min.js"></script>↵
128.         <script src="js/vue.js"></script>↵
129.         <script src="js/general.js"></script>↵
130.             ↵
131.         <script src="js/productos.js"></script>↵
132.     ↵
133.         <script src="js/jquery-migrate-3.0.1.min.js"></script>↵
134.         <script src="js/popper.min.js"></script>↵
135.         <script src="js/bootstrap.min.js"></script>↵
136.         <script src="js/jquery.easing.1.3.js"></script>↵
137.         <script src="js/jquery.waypoints.min.js"></script>↵
138.         <script src="js/jquery.stellar.min.js"></script>↵
139.         <script src="js/owl.carousel.min.js"></script>↵
140.         <script src="js/jquery.magnific-popup.min.js"></script>↵
141.         <script src="js/aos.js"></script>↵
142.         <script src="js/jquery.animateNumber.min.js"></script>↵
143.         <script src="js/bootstrap-datepicker.js"></script>↵
144.         <script src="js/jquery.timepicker.min.js"></script>↵
145.         <script src="js/scrollax.min.js"></script>↵
146.     ↵
147.         <script src="js/main.js"></script>↵
148.      ↵
149.         <script src="js/intro.js"></script>↵
150.         <script src="js/guiaProductos.js"></script>↵
151. </body>↵
152. ↵
153. </html>
```

Heading-level outline

`<h1>` **Productos**

   `<h2>` **[missing]**

      `<h3>` **Busqueda**

`<h4>` **Ingrese el nombre de un producto**

`<h3>` **{{ elemento.nombre }}**

Structural outline

[body element with no heading]

[nav element with no heading]

Productos

Busqueda

Ingrese el nombre de un producto

{{ elemento.nombre }}

Used the HTML parser.

Total execution time 46 milliseconds.

About this checker • Report an issue • Version: 20.7.23